

# LOGISTICS- SOLUTIONS for special DEMANDS

WWW.FEIL.EU



**FEIL**  
rolltainer

# Stay on top of things

---



## external dimension

w x l x h in mm



## internal dimension

w x l x h in mm



## load capacity

in kg



## body



## material of the base

(plastic / wood / steel)

## colour selection

---

The base made of plastic is available in different colours. Please choose one of the colours from the list below and replace the corresponding digits in the item number of your order, e.g.:

In the item number KB2A**5010**1350CS01101 „**5010**“ stands for gentian blue. For a different colour please insert one of the below listed colour codes at this place .

|                                                                                     |            |                                                                        |
|-------------------------------------------------------------------------------------|------------|------------------------------------------------------------------------|
|  | 5010       | gentian blue                                                           |
|  | 5012       | light blue                                                             |
|  | 6024       | traffic green                                                          |
|  | 3000       | flame red                                                              |
|  | 7032       | peddle grey                                                            |
|  | 7046       | telegrey                                                               |
|  | 7046 + „H“ | telegrey hygiene<br>(e.g.: KB2A <b>7046</b> 1350CS01101 <b>H</b> )     |
|  | 9005       | black                                                                  |
|  | 9005 + „R“ | recycling base black<br>(e.g.: KB2A <b>9005</b> 1350CS01101 <b>R</b> ) |

---

Do not hesitate to contact us

**+49 2952 - 970958-80**



Understand industries.  
Optimize processes.  
Enable movement.



1948

Founding of the W. FEIL GmbH in Bestwig (Sauerland / Germany) with the focus on the production of wooden pallets

1974

Distribution of the first rolltainer with wooden base

1987

Launch of the plastic base for rolltainer at the company of W. FEIL GmbH

1994

Expansion of the product range through three different new dimensions of the plastic base

1998

Development of the plastic base with sloping loading platform

2017

Move to Büren (East Westphalia, Germany)

2020

Outsourcing of FEIL rolltainer GmbH and move to Rülten

2022

Launch of our new developed nestainer with sandwichbottom

2024

New development of the plastic base with a 1:5 compression ratio

2025

New development of the adapter pallet and rolldolly®  
INDUSTRY

What you are looking at is the result of more than 75 years of experience in intralogistics – **combined with the ambition to make logistics a little better every day.** That is what **FEIL rolltainer** stands for.

As a **manufacturer and full-service provider of intralogistics equipment**, we develop solutions that go beyond standard products. Our transport solutions integrate seamlessly into our customers' processes. With well-designed products and reliable implementation, we help to make workflows more efficient, safer and more economical.

Under our registered brands **rolltainer®**, **nestainer®**, **rolldolly®**, **gummitex®** and **tainergrip®**, we offer a comprehensive range of roll containers, transport dollies and intralogistics systems made of plastic, wood and steel. For industry, retail, distribution and many other fields of application, this results in solutions that prove themselves in everyday use.

This product range is complemented by a versatile assortment of **accessories** as well as additional intralogistics solutions such as **mesh stacking frames**, **plastic pallets**, **insulated containers**, **plastic containers** and **electrical tugger train systems**. Dimensions, equipment and specifications can be precisely adapted to your individual requirements.

Our versatile product range, many years of experience and a clear commitment to cooperation form the basis for successful and trusting business relationships. What sets us apart is the combination of technical expertise and partnership-based collaboration. **We listen. We think along with you. And we deliver.**

#### Your benefits with us:

- ✓ Comprehensive transport solutions from a single source
- ✓ High delivery capability and short response times
- ✓ Direct drop shipments from production
- ✓ Flexible supply concepts, including consignment stock
- ✓ Proven standard products with scope for individual customization

If you are looking not just for a product, but for a **competent partner** who understands your requirements and supports you reliably, **FEIL rolltainer** is the right choice.



Learn more on  
[www.feil.eu](http://www.feil.eu)

# ALWAYS

in

# MOTION

for you



## CERTIFICATE

AGQS Qualitäts- und Umweltmanagement GmbH

certifies that the company



HMH Holding GmbH  
Hankerfeld 8, 59602 Rüthen

with the sub-certificate

FEIL rolltainer GmbH  
Hankerfeld 8, 59602 Rüthen

for the scope

Design, sales, storage, and assembly of transport trolleys and stillages.

implemented and maintains a management system. The audit 596-QMS-Z00,  
verified, that the management system fulfils the requirements of the following standard:

DIN EN ISO 9001:2015

  
Remscheid, 2026-01-16

This certificate is valid from 2026-01-15 until 2029-01-14  
only valid in connection with GB-596-QMS-26-00  
Certification number GB-596-QMS-26-00-04



AGQS Qualitäts- und Umweltmanagement GmbH • Elberfelder Straße 77 • 42853 Remscheid • Germany  
[www.annex.de](http://www.annex.de)



Visit us on  
our website  
[www.feil.eu](http://www.feil.eu)



|     |                                                  |
|-----|--------------------------------------------------|
| 4   | <b>rolltainer®</b><br>The allrounder             |
| 48  | <b>nestainer®</b><br>The compact ones            |
| 62  | <b>Steel roll containers</b><br>The solid ones   |
| 84  | <b>Laundry containers</b><br>The tidy ones       |
| 106 | <b>rolldolly®</b><br>The helpers                 |
| 126 | <b>Cargo systems</b><br>The strong ones          |
| 150 | <b>Special applications</b><br>The creative ones |
| 162 | <b>Wheels and castors</b><br>The dynamic ones    |
| 172 | <b>Accessories</b><br>The improver               |

rolltainer®



For further information  
about rolltainer®  
please visit our website  
[www.feil.eu](http://www.feil.eu)





## rolltainer®

The possible applications of rolltainer® are almost unlimited: from transport to order picking to the storage of your products, there are no limits. Whether plastic, wooden or steel base – we offer a variety of options for our rolltainer®. Combine those with different intermediate shelves and numerous accessories and create the rolltainer® for your needs.




huge range of  
**WHEELS  
AND  
CASTORS**

162



Choose the  
**MATERIAL  
AND COLOUR**  
of your base

8



high amount of  
**ACCESSORIES  
FOR INDIVIDUAL  
NEEDS**

172



NEW

OPTIMAL COMPACTION  
OF EMPTIES 5:1

ROLLTAINER 2-SIDED

WITH INSERTED  
SIDE PANELS

5 ROLLTAINER AT ONE STORAGE SPACE

724 x 815 mm

500 kg

2-sided

plastic

## rolltainer<sup>®</sup> with plug-in system

- plastic base made of high-quality HDPE-material
- plastic base with innovative plug-in system, 4 side panels can be inserted in the middle, another 4 side panels can be placed in between
- 4 plastic bases are placed left and right of the adjusted side panels
- with two swivel and two fixed castors, ø 108 mm, wheel center / tread: polypropylene
- three different usable heights 1350, 1450 and 1650 mm
- side panel made of ø 22 mm round tube, infill made of 12 x 3 mm flat bars and a centered tube ø 16 mm
- surface: galvanized blue Cr 3

| rolltainer <sup>®</sup> 2-sided with plug-in system |                      |                      |                      |
|-----------------------------------------------------|----------------------|----------------------|----------------------|
|                                                     |                      | 724 x 815 x 1.530 mm |                      |
|                                                     |                      | 660 x 815 x 1.340 mm |                      |
|                                                     |                      | 724 x 815 x 1.630 mm |                      |
|                                                     |                      | 660 x 815 x 1.440 mm |                      |
|                                                     |                      | 724 x 815 x 1.830 mm |                      |
|                                                     |                      | 660 x 815 x 1.640 mm |                      |
| rolltainer <sup>®</sup> with plug-in system         | KB2A50101350CS01101V | KB2A50101450CS02101V | KB2A50101650CS14101V |





- fast, systematic compaction of empties
- high work safety due to fixed slots for 4 side panels
- sustainable storage and transportation of empties
- The new base is a 100% compatible with existing components – there is no need for new side panels. Side panels with T-clamp are ideal. Please contact us for detailed advice!




- It is also possible to solely store side panels.
- In comparison to the classic compaction of empties, each storage space can be utilized up to 150% more.



#### watch the product video

Scan the QR Code and view the assembling.



Optionally, swivel castors with central locking system and / or central directional locking device can be fitted on both sides.


## The right base for each requirement

The bases build the basis for our rolltainer®. The range includes different plastic bases, as well as bases made of wood or steel. Plastic bases are available in different colours. In addition, those bases made of plastic can be embossed with lettering and a logo.



- property marking possible
- 100% recyclable
- different RAL colours selectable
- individual dimensions possible through welding technique

- easy to clean
- property marking possible
- 100% recyclable
- also available as a hygienic base with a closed bottom










- stable version
- made of untreated, planed boards
- corners reinforced with galvanized steel edges

- frame made of rectangular tube 40 x 20 mm
- stable tube construction
- galvanized blue Cr 3




## Our wide range of colours

The base made of plastic is available in different colours. Please replace the corresponding colour code at the marked position of the item number when ordering. In item number „KB2A**5010**1350CS01101“, „**5010**“ stands for gentian blue.



## RANGE OF CASTORS STARTING AT PAGE 162



PLASTIC BASE  
IN 5010 GENTIAN BLUE



PLASTIC BASE WITH CLOSED  
LOADING PLATFORM



WOODEN BASE



METAL BASE



724 x 815 mm



500 kg



plastic / wood / steel

## Base 724 x 815 mm

- choose between plastic base made of high-quality HDPE-material, wooden base or steel base
- with two swivel and two fixed castors,  $\varnothing$  108 mm, wheel center / tread: polypropylene
- four insertion holes for round tube  $\varnothing$  22 mm ( $\varnothing$  25 mm possible on request)
- optionally strengthened with two or four flat bars

|                | Base    724 x 815 mm |
|----------------|---------------------------------------------------------------------------------------------------------|
| plastic*       | E10A00PE4 <b>5010</b> OL-001                                                                            |
| plastic closed | F15A00PE270460L-001                                                                                     |
| wood           | HRP724810N-001                                                                                          |
| steel          | MRP710800C-001                                                                                          |

\* The base made of plastic is available in different colours. You can find the corresponding colour code on the cover of our catalogue. (e.g.: In item number „KB2A**5010**1350CS01101“, „**5010**“ stands for gentian blue.).





# INDIVIDUAL LABELING

of your rolldolly®, rolltainer® and plastic shelf

If you have decided to buy a **rolldolly®**, **rolltainer®** or **intermediate shelves made of plastic**, we can label those components individually for you by using hot stamping. The hot stamping is generally applied to the front sides. Only the rolldolly® additionally can be marked on the long sides. For your lettering you can choose between the colours white, black, red, yellow or blue. The decision whether to take a standard lettering out of our „letter plug-in system“ or taking an individualized lettering with your own font and maybe also your logo, is yours.



## ALL BENEFITS AT A GLANCE

- ✓ letters available in three sizes 12 mm, 25 mm (standard size) and 35 mm
- ✓ stamps are made of brass
- ✓ individual stamps with the company logo possible
- ✓ huge range of prefabricated popular elements available, e.g. „property“
- ✓ print area up to 470 x 40 mm possible





The plug-in system consists of capital letters in three different sizes. The lettering can be supplemented with special characters and additions like „property“. We are happy to advise you on the specific options.

If you wish to have a stamp with your own font and / or your logo, we produce a stamp made of brass for you. You provide your lettering / logo as a template for us. The stamp can be used for subsequent orders and will be stored properly for you after using.



With our newly developed laser technology, we are able to laser barcodes and QR codes in all common symbologies onto the roll base and intermediate shelves made of HDPE.

We use modern fibre laser technology for this. This is a high-precision marking and labelling system that uses a very fine laser beam to permanently laser QR codes, barcodes, logos and labels onto the surface of the plastic bases. This happens contactlessly in seconds and without consumables such as ink or labels. With this laser technology, we achieve durable, UV- and chemical-resistant marking of your roll bases, ensuring perfect traceability and quality assurance for your products.



**LETTERS AVAILABLE IN  
THREE SIZES:  
12 MM, 25 MM AND 35 MM**






**UNIVERSALLY  
USABLE**



3-SIDED



2-SIDED

rolltainer®

2-SIDED  
WITH PLASTIC SHELF  
(AVAILABLE AS ACCESSORIES)

724 x 815 mm

500 kg

2- / 3-sided


plastic

## rolltainer® 1350 / 1450 QP

- plastic base made of high-quality HDPE-material
- with two swivel and two fixed castors, ø 108 mm, wheel center / tread: polypropylene
- side panel made of ø 22 mm round tube, infill made of 12 x 3 mm flat bars and a centered tube ø 16 mm
- back wall made of ø 22 mm round tube and four holes to attach it to the side panels by using plastic clamps
- surface: powder coated according to RAL-colours

|       | rolltainer® 1350 QP<br>724 x 815 x 1.530 mm |                                 | rolltainer® 1450 QP<br>724 x 815 x 1.630 mm |                                 |
|-------|---------------------------------------------|---------------------------------|---------------------------------------------|---------------------------------|
|       | 2-sided<br>660 x 815 x 1.340 mm             | 3-sided<br>660 x 775 x 1.340 mm | 2-sided<br>660 x 815 x 1.440 mm             | 3-sided<br>660 x 775 x 1.440 mm |
| blue  | KB2A501013505010S01101                      | KB3A501013505010S01101          | KB2A501014505010S02101                      | KB3A501014505010S02101          |
| green | KB2A602413506024S01101                      | KB3A602413506024S01101          | KB2A602414506024S02101                      | KB3A602414506024S02101          |
| red   | KB2A300013503000S01101                      | KB3A300013503000S01101          | KB2A300014503000S02101                      | KB3A300014503000S02101          |





3-SIDED



4-SIDED

2-SIDED

 724 x 815 mm

 500 kg

 2- / 3- / 4-sided

 plastic / wood / steel

## rolltainer® 1350 / 1450 / 1650

- three different usable heights, optionally available in 2-, 3- or 4-sided
- choose between plastic base made of high-quality HDPE-material, wooden base or steel base
- with two swivel and two fixed castors,  $\varnothing$  108 mm, wheel center / tread: polypropylene
- side panels, back wall and front wall made of  $\varnothing$  22 mm round tube, infill made of 12 x 3 mm flat bars
- side panel with horizontal, centered tube  $\varnothing$  16 mm
- surface: galvanized blue, Cr 3

### ALL BENEFITS AT A GLANCE



MORE STABILITY THROUGH  
CENTERED TUBE



LONG-LASTING DUE TO  
GALVANIZED SURFACE



IDEAL CONNECTION BETWEEN  
SIDE PANEL AND BASE



T-CLAMP FOR FAST  
DISASSEMBLING






|                                           | rolltainer® 1350    724 x 815 x 1.530 mm |                                                                                                                   |                                                                                                                     |
|-------------------------------------------|---------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------|
|                                           | 2-sided<br> 660 x 815 x 1.340 mm         | 3-sided<br> 660 x 775 x 1.340 mm | 4-sided<br> 660 x 750 x 1.340 mm |
| plastic*                                  | KB2A <b>5010</b> 1350CS01101                                                                                              | KB3A <b>5010</b> 1350CS01101                                                                                      | KB4A <b>5010</b> 1350CS01101                                                                                        |
| plastic base with closed loading platform | KB2A70461350CS01101H                                                                                                      | KB3A70461350CS01101H                                                                                              | KB4A70461350CS01101H                                                                                                |
| wood                                      | HB2AN1350CS01101                                                                                                          | HB3AN1350CS01101                                                                                                  | HB4AN1350CS01101                                                                                                    |
| steel                                     | MB2AC1350CS01101                                                                                                          | MB3AC1350CS01101                                                                                                  | MB4AC1350CS01101                                                                                                    |

|                                           | rolltainer® 1450    724 x 815 x 1.630 mm |                                                                                                                     |                                                                                                                       |
|-------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------|
|                                           | 2-sided<br> 660 x 815 x 1.440 mm         | 3-sided<br> 660 x 775 x 1.440 mm | 4-sided<br> 660 x 750 x 1.440 mm |
| plastic*                                  | KB2A <b>5010</b> 1450CS02101                                                                                                | KB3A <b>5010</b> 1450CS02101                                                                                        | KB4A <b>5010</b> 1450CS02101                                                                                          |
| plastic base with closed loading platform | KB2A70461450CS02101H                                                                                                        | KB3A70461450CS02101H                                                                                                | KB4A70461450CS02101H                                                                                                  |
| wood                                      | HB2AN1450CS02101                                                                                                            | HB3AN1450CS02101                                                                                                    | HB4AN1450CS02101                                                                                                      |
| steel                                     | MB2AC1450CS02101                                                                                                            | MB3AC1450CS02101                                                                                                    | MB4AC1450CS02101                                                                                                      |

|                                           | rolltainer® 1650    724 x 815 x 1.830 mm |                                                                                                                     |                                                                                                                       |
|-------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------|
|                                           | 2-sided<br> 660 x 815 x 1.640 mm         | 3-sided<br> 660 x 775 x 1.640 mm | 4-sided<br> 660 x 750 x 1.640 mm |
| plastic*                                  | KB2A <b>5010</b> 1650CS14101                                                                                                | KB3A <b>5010</b> 1650CS14101                                                                                        | KB4A <b>5010</b> 1650CS14101                                                                                          |
| plastic base with closed loading platform | KB2A70461650CS14101H                                                                                                        | KB3A70461650CS14101H                                                                                                | KB4A70461650CS14101H                                                                                                  |
| wood                                      | HB2AN1650CS14101                                                                                                            | HB3AN1650CS14101                                                                                                    | HB4AN1650CS14101                                                                                                      |
| steel                                     | MB2AC1650CS14101                                                                                                            | MB3AC1650CS14101                                                                                                    | MB4AC1650CS14101                                                                                                      |

\* The base made of plastic is available in different colours. You can find the corresponding colour code on the cover of our catalogue. (e.g.: In item number „KB2A**5010**1350CS01101“, „**5010**“ stands for gentian blue.).



**rolltainer®**

4-SIDED WITH  
FOLDABLE AND PIVOTABLE FRONT WALL



724 x 815 x 1.640 mm



500 kg



2- / 3- / 4-sided




plastic / wood / steel

## rolltainer® 1460 FV

- front wall optionally available pivotable in one piece or foldable and pivotable
- choose between plastic base made of high-quality HDPE-material, wooden base or steel base
- with two swivel and two fixed castors, ø 108 mm, wheel center / tread: polypropylene
- side panels, back wall and front wall made of ø 22 mm round tube, infill made of 12 x 3 mm flat bars
- surface: galvanized blue, Cr 3

|                                              | rolltainer® 1460 FV   724 x 815 x 1.640 mm |                                 |                                                                              |                                                                              |
|----------------------------------------------|--------------------------------------------|---------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------------|
|                                              | 2-sided<br>660 x 815 x 1.450 mm            | 3-sided<br>660 x 775 x 1.450 mm | 4-sided with<br>front wall foldable<br>and pivotable<br>660 x 750 x 1.450 mm | 4-sided with<br>front wall pivotable<br>in one piece<br>660 x 750 x 1.450 mm |
| plastic*                                     | KB2A <b>5010</b> 1460CS03101               | KB3A <b>5010</b> 1460CS03101    | KB4A <b>5010</b> 1460CS03101                                                 | KB4A <b>5010</b> 1460CS03301                                                 |
| plastic base with closed<br>loading platform | KB2A70461460CS03101H                       | KB3A70461460CS03101H            | KB4A70461460CS03101H                                                         | KB4A70461460CS03301H                                                         |
| wood                                         | HB2AN1460CS03101                           | HB3AN1460CS03101                | HB4AN1460CS03101                                                             | HB4AN1460CS03301                                                             |
| steel                                        | MB2AC1460CS03101                           | MB3AC1460CS03101                | MB4AC1460CS03101                                                             | MB4AC1460CS03301                                                             |

\* The base made of plastic is available in different colours. You can find the corresponding colour code on the cover of our catalogue. (e.g.: In item number „KB2A**5010**1350CS01101“, „**5010**“ stands for gentian blue.).



724 x 815 x 1.830 mm



500 kg



2- / 3- / 4-sided



plastic / wood / steel

## rolltainer® 1650 FV

- front wall optionally available pivotable in one piece, pivotable in two parts or foldable and pivotable
- choose between plastic base made of high-quality HDPE-material, wooden base or steel base
- with two swivel and two fixed castors, ø 108 mm, wheel center / tread: polypropylene
- side panels, back wall and front wall made of ø 22 mm round tube; infill made of 12 x 3 mm flat bars
- surface: galvanized blue, Cr 3

| rolltainer® 1650 FV   724 x 815 x 1.830 mm |                                 |                                 |                                                                                |                                                                               |                                                                              |
|--------------------------------------------|---------------------------------|---------------------------------|--------------------------------------------------------------------------------|-------------------------------------------------------------------------------|------------------------------------------------------------------------------|
|                                            | 2-sided<br>660 x 815 x 1.640 mm | 3-sided<br>660 x 775 x 1.640 mm | 4-sided with<br>foldable and pivo-<br>table front wall<br>660 x 750 x 1.640 mm | 4-sided with<br>front wall pivotable<br>in two pieces<br>660 x 750 x 1.640 mm | 4-sided with<br>front wall pivotable<br>in one piece<br>660 x 750 x 1.640 mm |
| plastic*                                   | KB2A <b>5010</b> 1650CS04101    | KB3A <b>5010</b> 1650CS04101    | KB4A <b>5010</b> 1650CS04101                                                   | KB4A <b>5010</b> 1650CS04201                                                  | KB4A <b>5010</b> 1650CS04301                                                 |
| closed<br>loading<br>platform              | KB2A70461650CS04101H            | KB3A70461650CS04101H            | KB4A70461650CS04101H                                                           | KB4A70461650CS04201H                                                          | KB4A70461650CS04301H                                                         |
| wood                                       | HB2AN1650CS04101                | HB3AN1650CS04101                | HB4AN1650CS04101                                                               | HB4AN1650CS04201                                                              | HB4AN1650CS04301                                                             |
| steel                                      | MB2AC1650CS04101                | MB3AC1650CS04101                | MB4AC1650CS04101                                                               | MB4AC1650CS04201                                                              | MB4AC1650CS04301                                                             |

\* The base made of plastic is available in different colours. You can find the corresponding colour code on the cover of our catalogue. (e.g.: In item number „KB2A**5010**1350CS01101“, „**5010**“ stands for gentian blue.).





**20° INCLINATION  
OF THE INTER-  
MEDIATE SHELVES**  
FORWARDS OR BACK-  
WARDS POSSIBLE



ROLL SHELF WITH  
20° INCLINATION



ROLL SHELF  
WITHOUT INCLINATION

ROLL SHELF  
WITH 20° INCLINATION AND  
SIX INTERMEDIATE SHELVES  
(AVAILABLE AS ACCESSORIES)

**rolltainer®**



815 x 724 x 1.790 mm



500 kg



3-sided



plastic / wood / steel

## rolltainer® rollshelf 1600

- in contrast to the standard, the structure is open on a long side
- 20° inclination of the horizontal flat bars can be selected to fall forwards or backwards (delivery also possible without inclination)
- choose between plastic base made of high-quality HDPE-material, wooden base or steel base
- with two swivel castors and two swivel castors with total brake, ø 108 mm, wheel center / tread: polypropylene
- side panels and back wall made of ø 22 mm round tube; infill made of 12 x 3 mm flat bars
- surface: galvanized blue, Cr 3

|                  | rolltainer® rollshelf   815 x 724 x 1.790 mm                                            |                                                                                        |
|------------------|-----------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------|
|                  | 3-sided<br>incl. 3 intermediate shelves<br>with 20° inclination<br>750 x 680 x 1.600 mm | 3-sided<br>incl. 3 intermediate shelves<br>without inclination<br>750 x 680 x 1.600 mm |
| plastic*         | KRR3A50101600C104                                                                       | KRR3A50101600C204                                                                      |
| wood             | HRR3AN1600C104                                                                          | HRR3AN1600C204                                                                         |
| steel            | MRR3AC1600C104                                                                          | MRR3AC1600C204                                                                         |
| additional shelf | ZBD810RRMRC01                                                                           |                                                                                        |

\* The base made of plastic is available in different colours. You can find the corresponding colour code on the cover of our catalogue. (e.g.: In item number „KB2A50101350CS01101“, „5010“ stands for gentian blue.).



# COMFORT THROUGH SAFETY:

## tainergrip®

A short moment of abstraction and the hand gets caught between two roll cages. A painful experience which often results in absence of personnel.

From now on these incidents belong to the past.

The tainergrip® is an ergonomically shaped handgrip made of special



plastic, created to prevent hand injuries. The safety handle can be attached to the rolltainer® quickly and easily without using any tools. The ideal protection for all sectors in which rolltainer® play a decisive role.


### TECHNICAL HIGHLIGHTS

dimension:  
total ca. 215 x 100 x 80 mm  
grip ca. 150 x 75 x ø 18 mm

basic holder for round tube: ø 22 mm  
and square tube: 22 x 22 mm

tainergrip orange for flat bars:  
12 x 3 and 15 x 3 mm  
tainergrip red for tube:  
ø 16 mm

RECOMMENDED THROUGH  
THE **EMPLOYER'S LIABILITY  
INSURANCE ASSOCIATION**



Further  
information on  
**tainergrip®**  
available on  
**PAGE 180**

high quality through  
strengthened special plastic

innovative prevention of accidents

comfortable and easy handling  
through ergonomic design

innovative system for more  
safety at work

ergonomically shaped and  
safe in use





**PERFECT  
THEFT PROTECTION**



3-SIDED  
WITH STEEL BASE



4-SIDED  
WITH WOODEN BASE

 724 x 815 mm

 500 kg

 3- / 4- / 5-sided

 plastic / wood / steel

## rolltainer® ADB 1020

- convenient and space-saving height
- choose between plastic base made of high-quality HDPE-material, wooden base or steel base
- with two swivel and two fixed castors, ø 108 mm, wheel center / tread: polypropylene
- side panels, back wall, door and roof made of ø 22 mm round tube with mesh 50 x 50 x 4 mm
- surface: galvanized blue, Cr 3

| rolltainer® ADB 1020                      |                                 |                                 |                               |
|-------------------------------------------|---------------------------------|---------------------------------|-------------------------------|
|                                           | 724 x 815 x 1.210 mm            |                                 | 724 x 815 x 1.220 mm          |
|                                           | 3-sided<br>660 x 775 x 1.020 mm | 4-sided<br>660 x 750 x 1.020 mm | 5-sided<br>660 x 750 x 995 mm |
| plastic*                                  | KAD3A <b>5010</b> 1020COZ101    | KAD4A <b>5010</b> 1020COZ101    | KAD5A <b>5010</b> 1020COZ101  |
| plastic base with closed loading platform | KAD3A70461020COZ101H            | KAD4A70461020COZ101H            | KAD5A70461020COZ101H          |
| wood                                      | HAD3AN1020COZ101                | HAD4AN1020COZ101                | HAD5AN1020COZ101              |
| steel                                     | MAD3AC1020COZ101                | MAD4AC1020COZ101                | MAD5AC1020COZ101              |

\* The base made of plastic is available in different colours. You can find the corresponding colour code on the cover of our catalogue. (e.g.: In item number „KB2A**5010**1350CS01101“, „**5010**“ stands for gentian blue.).



5-SIDED  
WITH WOODEN BASE4-SIDED  
WITH STEEL BASE

rolltainer®

3-SIDED  
WITH PLASTIC BASE

724 x 815 mm

500 kg

3- / 4- / 5-sided


plastic / wood / steel

## rolltainer® ADB 1350

- choose between plastic base made of high-quality HDPE-material, wooden base or steel base
- with two swivel and two fixed castors,  $\varnothing$  108 mm, wheel center / tread: polypropylene
- side panels, back wall, door and roof made of  $\varnothing$  22 mm round tube with mesh 50 x 50 x 4 mm
- surface: galvanized blue, Cr 3

| rolltainer® ADB 1350                      |                                 |                                 |                                 |
|-------------------------------------------|---------------------------------|---------------------------------|---------------------------------|
|                                           | 724 x 815 x 1.540 mm            |                                 | 724 x 815 x 1.550 mm            |
|                                           | 3-sided<br>660 x 775 x 1.350 mm | 4-sided<br>660 x 750 x 1.350 mm | 5-sided<br>660 x 750 x 1.325 mm |
| plastic*                                  | KAD3A <b>5010</b> 1350COZ101    | KAD4A <b>5010</b> 1350COZ101    | KAD5A <b>5010</b> 1350COZ101    |
| plastic base with closed loading platform | KAD3A70461350COZ101H            | KAD4A70461350COZ101H            | KAD5A70461350COZ101H            |
| wood                                      | HAD3AN1350COZ101                | HAD4AN1350COZ101                | HAD5AN1350COZ101                |
| steel                                     | MAD3AC1350COZ101                | MAD4AC1350COZ101                | MAD5AC1350COZ101                |

\* The base made of plastic is available in different colours. You can find the corresponding colour code on the cover of our catalogue. (e.g.: In item number „KB2A**5010**1350CS01101“, „**5010**“ stands for gentian blue.).



|              |        |                   |                        |
|--------------|--------|-------------------|------------------------|
| 724 x 815 mm | 500 kg | 3- / 4- / 5-sided | plastic / wood / steel |
|--------------|--------|-------------------|------------------------|

## rolltainer® ADB 1600

- large storage space for your products
- flexible arrangement of the intermediate shelves possible every 50 mm
- choose between plastic base made of high-quality HDPE-material, wooden base or steel base
- with two swivel and two fixed castors,  $\varnothing$  108 mm, wheel center / tread: polypropylene
- side panels, back wall, door and roof made of  $\varnothing$  22 mm round tube with mesh 50 x 50 x 4 mm
- surface: galvanized blue, Cr 3


| rolltainer® ADB 1600                      |                                 |                                 |                                 |
|-------------------------------------------|---------------------------------|---------------------------------|---------------------------------|
| 724 x 815 x 1.800 mm                      |                                 |                                 |                                 |
|                                           | 3-sided<br>660 x 775 x 1.610 mm | 4-sided<br>660 x 750 x 1.610 mm | 5-sided<br>660 x 750 x 1.585 mm |
| plastic*                                  | KAD3A <b>5010</b> 1600COZ101    | KAD4A <b>5010</b> 1600COZ101    | KAD5A <b>5010</b> 1600COZ101    |
| plastic base with closed loading platform | KAD3A70461600COZ101H            | KAD4A70461600COZ101H            | KAD5A70461600COZ101H            |
| wood                                      | HAD3AN1600COZ101                | HAD4AN1600COZ101                | HAD5AN1600COZ101                |
| steel                                     | MAD3AC1600COZ101                | MAD4AC1600COZ101                | MAD5AC1600COZ101                |

\* The base made of plastic is available in different colours. You can find the corresponding colour code on the cover of our catalogue. (e.g.: In item number „KB2A**5010**1350CS01101“, „**5010**“ stands for gentian blue.).





5-SIDED WITH  
FOLDABLE INTERMEDIATE SHELF



5-SIDED  
WITH A TWO-SECTION DOOR

724 x 815 mm

500 kg

5-sided

plastic / wood / steel

# rolltainer® ADB 1600 with foldable intermediate shelf

- foldable intermediate shelf insertable approx. in the middle of the **rolltainer®**
- optionally available with a two-section or a single-section door

|                                           | rolltainer® ADB 1600    724 x 815 x 1.800 mm                                                 |                                                                                           |
|-------------------------------------------|----------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------|
|                                           | 5-sided with a single-section door and a foldable intermediate shelf<br>660 x 750 x 1.585 mm | 5-sided with a two-section door and a foldable intermediate shelf<br>660 x 750 x 1.585 mm |
| plastic*                                  | KAD5A <b>5010</b> 1600C1Z101                                                                 | KAD5A <b>5010</b> 1600C1Z201                                                              |
| plastic base with closed loading platform | KAD5A70461600C1Z101H                                                                         | KAD5A70461600C1Z201H                                                                      |
| wood                                      | HAD5AN1600C1Z101                                                                             | HAD5AN1600C1Z201                                                                          |
| steel                                     | MAD5AC1600C1Z101                                                                             | MAD5AC1600C1Z201                                                                          |
| wire shelf loose version                  | ZBD725ADLC004                                                                                |                                                                                           |
| plastic shelf loose version               | F73F05PEF37046                                                                               |                                                                                           |

\* The base made of plastic is available in different colours. You can find the corresponding colour code on the cover of our catalogue. (e.g.: In item number „KB2A**5010**1350CS01101“, „**5010**“ stands for gentian blue.).





 724 x 815 mm
  500 kg
  4-sided
  plastic / wood / steel

## rolltainer® ADB 1600 „the disposer“

- choose between plastic base made of high-quality HDPE-material, wooden base or steel base
- with two swivel castors with total brake and two fixed castors, ø 108 mm, wheel center / tread: polypropylene
- side panels, back wall and two single doors made of ø 22 mm round tube with mesh 50 x 50 x 4 mm
- surface: galvanized blue, Cr 3

|                                           | rolltainer® ADB 1600<br>without intermediate shelf<br> 724 x 815 x 1.800 mm    660 x 750 x 1.585 mm | rolltainer® ADB 1600<br>with intermediate shelf<br> 724 x 815 x 1.800 mm    660 x 750 x 1.585 mm |
|-------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| plastic*                                  | KAD4A <b>5010</b> 1600COZ602                                                                                                                                                                                                                                              | KAD4A <b>5010</b> 1600C1Z602                                                                                                                                                                                                                                             |
| plastic base with closed loading platform | KAD4A <b>5010</b> 1600COZ602                                                                                                                                                                                                                                              | KAD4A <b>5010</b> 1600C1Z602                                                                                                                                                                                                                                             |
| wood                                      | HAD4AN1600COZ602                                                                                                                                                                                                                                                          | HAD4AN1600C1Z602                                                                                                                                                                                                                                                         |
| steel                                     | MAD4AC1600COZ602                                                                                                                                                                                                                                                          | MAD4AC1600C1Z602                                                                                                                                                                                                                                                         |

\* The base made of plastic is available in different colours. You can find the corresponding colour code on the cover of our catalogue. (e.g.: In item number „KB2A**5010**1350CS01101“, „**5010**“ stands for gentian blue.).



rolltainer® ADB 1410 5-SIDED  
SUITABLE FOR E1/E2-BOXES



rolltainer® ADB 1460 4-SIDED

rolltainer®

724 x 815 mm

500 kg

5-sided

plastic / wood / steel

## rolltainer® ADB special applications

- special container in different usable heights and designs for various applications, like waste disposal and visual cover transports
- choose between plastic base made of high-quality HDPE-material, wooden base or steel base
- with two swivel and two fixed castors, Ø 108 mm, wheel center / tread: polypropylene
- side panels, back wall, door and roof made of Ø 22 mm round tube with mesh 50 x 50 x 4 mm
- surface: galvanized blue, Cr 3

|                                              | rolltainer® with visual cover 5-sided<br>724 x 815 x 1.800 mm   660 x 750 x 1.585 mm                    | rolltainer® with visual cover 5-sided with shelf<br>724 x 815 x 1.800 mm   660 x 750 x 1.585 mm                 |
|----------------------------------------------|---------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------|
| plastic*                                     | KAD5A <b>5010</b> 1600COZ901                                                                            | KAD5A <b>5010</b> 1600C1Z901                                                                                    |
|                                              | rolltainer® ADB 1410 5-sided<br>with single-section door<br>724 x 850 x 1.590 mm   660 x 815 x 1.375 mm | rolltainer® ADB 1460 4-sided<br>with foldable and pivotable door<br>724 x 815 x 1.640 mm   660 x 750 x 1.450 mm |
| plastic*                                     | KAD5A <b>5010</b> 1410COZ301                                                                            | KAD4A <b>5010</b> 1460COZ302                                                                                    |
| plastic base with closed<br>loading platform | KAD5A70461410COZ301H                                                                                    | KAD4A70461460COZ302H                                                                                            |
| wood                                         | HAD5AN1410COZ301                                                                                        | HAD4AN1460COZ302                                                                                                |
| steel                                        | MAD5AC1410COZ301                                                                                        | MAD4AC1460COZ302                                                                                                |

\* The base made of plastic is available in different colours. You can find the corresponding colour code on the cover of our catalogue. (e.g.: In item number „KB2A**5010**1350CS01101“, „**5010**“ stands for gentian blue.).



**rolltainer®**

3-SIDED WITH ADDITIONAL  
INTERMEDIATE SHELF  
(AVAILABLE AS ACCESSORIES)

 682 x 815 mm

 500 kg

 2- / 3-sided

 plastic

## rolltainer® 682 1460 / 1650

- ideal transport solution for Euronorm boxes, through the internal dimension of 620 x 810 mm
- in the case of the 3-sided structure, the back wall is mounted on the outside, so that the interior offers full space for Euronorm boxes
- plastic base made of high-quality HDPE-material
- with two swivel and two fixed castors, ø 108 mm, wheel center / tread: polypropylene
- side panels and back wall made of ø 22 mm round tube, infill made of 12 x 3 mm flat bars
- surface: galvanized blue, Cr 3

|                                               | rolltainer® 682 1460                                                                                                                                                                                                            |                                                                                                                                                                                                                                 | rolltainer® 682 1650                                                                                                                                                                                                            |                                                                                                                                                                                                                                     |
|-----------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                               | 2-sided<br> 682 x 815 x 1.640 mm<br> 620 x 815 x 1.450 mm | 3-sided<br> 682 x 835 x 1.640 mm<br> 620 x 815 x 1.450 mm | 2-sided<br> 682 x 815 x 1.830 mm<br> 620 x 815 x 1.640 mm | 3-sided<br> 682 x 835 x 1.830 mm<br> 620 x 815 x 1.640 mm |
| plastic gentian blue<br>(similar to RAL 5010) | KB2B50101460CS03101                                                                                                                                                                                                             | KB3B50101460CS03101                                                                                                                                                                                                             | KB2B50101650CS04101                                                                                                                                                                                                             | KB3B50101650CS04101                                                                                                                                                                                                                 |
| plastic flame red<br>(similar to RAL 3000)    | KB2B30001460CS03101                                                                                                                                                                                                             | KB3B30001460CS03101                                                                                                                                                                                                             | KB2B30001650CS04101                                                                                                                                                                                                             | KB3B30001650CS04101                                                                                                                                                                                                                 |
| plastic base gentian blue                     | E10B10PE45010OL-001                                                                                                                                                                                                             |                                                                                                                                                                                                                                 |                                                                                                                                                                                                                                 |                                                                                                                                                                                                                                     |
| plastic base flame red                        | E10B10PE43000OL-001                                                                                                                                                                                                             |                                                                                                                                                                                                                                 |                                                                                                                                                                                                                                 |                                                                                                                                                                                                                                     |





rolltainer® 682 1350



rolltainer® 682 1350



682 x 815 x 1.608 mm



500 kg



2-sided



plastic

## rolltainer® 682 1350

- each side panel with three support rails made of flat steel, especially for Euronorm boxes
- plastic base made of high-quality HDPE-material
- with two swivel and two fixed castors,  $\varnothing$  125 mm, wheel center / tread: polyamide / polyurethane
- side panels made of  $\varnothing$  22 mm round tube, connection of the side panels made of flat steel
- surface: galvanized blue, Cr 3



### rolltainer® 682 1350

620 x 815 x 1320 mm

plastic gentian blue  
(similar to RAL 5010)

KB3B50101350CS0111

plastic flame red  
(similar to RAL 3000)

KB3B30001350CS0111



**PERFECT THEFT PROTECTION**

Further intermediate shelves available as accessories:





3-SIDED



4-SIDED



682 x 870 x 1.800 mm

500 kg

3- / 4- / 5-sided

plastic

# rolltainer® 682 ADB 1600

- an anti-theft container on a 682 mm wide plastic base provides maximum security for your goods and is optimized for Euronorm boxes
- flexible arrangement of the intermediate shelves possible every 50 mm
- plastic base made of high-quality HDPE-material
- with two swivel and two fixed castors, ø 108 mm, wheel center / tread: polypropylene
- side panels, back wall, door and roof made of ø 22 mm round tube with mesh 50 x 50 x 4 mm
- surface: galvanized blue, Cr 3

|                                               | rolltainer® 682 ADB 1600   682 x 870 x 1.800 mm |                                 |                                 |
|-----------------------------------------------|-------------------------------------------------|---------------------------------|---------------------------------|
|                                               | 3-sided<br>620 x 825 x 1.610 mm                 | 4-sided<br>620 x 825 x 1.610 mm | 5-sided<br>620 x 825 x 1.585 mm |
| plastic gentian blue<br>(similar to RAL 5010) | KAD3B50101600COZ101                             | KAD4B50101600COZ101             | KAD5B50101600COZ101             |
| plastic flame red<br>(similar to RAL 3000)    | KAD3B30001600COZ101                             | KAD4B30001600COZ101             | KAD5B30001600COZ101             |
| intermediate shelf                            | ZBD682ADLC008                                   |                                 |                                 |





2-SIDED



3-SIDED

4-SIDED WITH FOLDABLE FRONT WALL

 682 x 815 x 1.690 mm

 500 kg

 2- / 3- / 4-sided

 plastic

## rolltainer® 682 1500 FH

- plastic base made of high-quality HDPE-material
- with two swivel and two fixed castors, ø 108 mm, wheel center / tread: polypropylene
- easy assembling of front and back wall
- side panel made of ø 19 mm round tube
- surface: hot-dipped (for ideal corrosion protection)

SIDE PANEL FOR EASY,  
TOOL-FREE ASSEMBLY

| rolltainer® 682 1500 FH    682 x 815 x 1.690 mm                                                                                                               |                                                                                                                     |                                                                                                                     |                                                                                                                       |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------|
|                                                                                                                                                                                                                                                  | 2-sided<br> 620 x 815 x 1.495 mm | 3-sided<br> 620 x 770 x 1.495 mm | 4-sided<br> 620 x 735 x 1.495 mm |
| plastic*                                                                                                                                                                                                                                         | KB2B <b>5010</b> 1500HDS00101                                                                                       | KB3B <b>5010</b> 1500HDS00101                                                                                       | KB4B <b>5010</b> 1500HDS00101                                                                                         |
| rolltainer® 1500    675 x 815 x 1.690 mm   2-sided  610 x 815 x 1.440 mm |                                                                                                                     |                                                                                                                     |                                                                                                                       |
| plastic*                                                                                                                                                                                                                                         | KB2D50101500HDS00101                                                                                                |                                                                                                                     |                                                                                                                       |

\* The base made of plastic is available in different colours. You can find the corresponding colour code on the cover of our catalogue. (e.g.: In item number „KB2A**5010**1350CS01101“, „**5010**“ stands for gentian blue.).




NEW

IDEAL FOR  
EURONORM BOXES

rolltainer®

3-SIDED  
WITH EURONORM BOXES



E16 PLASTIC BASE



3-SIDED,  
SIDE PANELS GALVANIZED BLUE



675 x 815 mm



500 kg



2- / 3-sided



plastic

# rolltainer® 682 1460 / 1650

- ideal transport solution for Euronorm boxes
- plastic base made of high-quality HDPE-material
- basic model with 2 side panels, different panel versions available
- in the case of the 3-sided structure, the back wall is mounted on the outside, so that the interior offers full space for Euronorm boxes
- with two swivel and two fixed castors, ø 108 mm, wheel center / tread: polypropylene
- side panels made of ø 22 mm round tube, infill made of 12 x 3 mm flat bars
- surface: galvanized blue, Cr 3

|                                            | rolltainer® 675 1460                                    |                                                         | rolltainer® 675 1650                                    |                                                         |
|--------------------------------------------|---------------------------------------------------------|---------------------------------------------------------|---------------------------------------------------------|---------------------------------------------------------|
|                                            | 2-sided<br>675 x 815 x 1.640 mm<br>610 x 815 x 1.450 mm | 3-sided<br>675 x 835 x 1.640 mm<br>610 x 815 x 1.450 mm | 2-sided<br>675 x 815 x 1.830 mm<br>610 x 815 x 1.640 mm | 3-sided<br>675 x 835 x 1.830 mm<br>610 x 815 x 1.640 mm |
| plastic gentian blue<br>(similar RAL 5010) | KB2D50101460CS03101                                     | KB3D50101460CS03101                                     | KB2D50101650CS04101                                     | KB3D50101650CS04101                                     |
| plastic flame red<br>(similar RAL 3000)    | KB2D30001460CS03101                                     | KB3D30001460CS03101                                     | KB2D30001650CS04101                                     | KB3D30001650CS04101                                     |
| plastic base gentian blue                  | E16D00PE45010OL-001                                     |                                                         |                                                         |                                                         |
| plastic base flame red                     | E16D00PE43000OL-001                                     |                                                         |                                                         |                                                         |



HYGIENIC PLASTIC BASE

2-SIDED WITH SHELF  
(AVAILABLE AS ACCESSORIES)

rolltainer®

3-SIDED WITH  
INTERMEDIATE SHELF  
(AVAILABLE AS ACCESSORIES)

724 x 815 x 1.783 mm



500 kg



2- / 3-sided



plastic

## rolltainer® hygienic stainless steel

- plastic base made of high-quality HDPE-material, top and bottom closed and welded, except for the stacking hole, colour: telegrey similar to RAL 7046
- with two swivel and two fixed castors,  $\varnothing$  125 mm, wheel center / tread: polyamide / polyurethane, housing and roller bearing of the castors are made of stainless steel
- side panel made of  $\varnothing$  22 mm round tube, infill made of  $\varnothing$  6 mm wire rods
- material: stainless steel „V2A“

| rolltainer® hygienic stainless steel    724 x 815 x 1.750 mm |                                                                                                                     |                                                                                                                       |
|---------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------|
|                                                                                                                                                   | 2-sided<br> 660 x 815 x 1.520 mm | 3-sided<br> 660 x 775 x 1.520 mm |
| rolltainer® hygiene                                                                                                                               | KB2A70461530A2S241I3                                                                                                | KB3A70461530A2S241I3                                                                                                  |
| hygienic plastic base                                                                                                                             | F12A00PE07046OL-0I3                                                                                                 |                                                                                                                       |
| hygienic intermediate shelf                                                                                                                       | F71A02PEF37046E                                                                                                     | F71A03PEF37046E                                                                                                       |



**rolltainer®**

2-SIDED WITH BASKET AND  
SEPARATION GRIDS



LOGISTIC ROLLBOX



 724 x 815 mm

 500 kg

 2- / 5-sided

 plastic

# rolltainer® Special

## rolltainer® plastic 724 x 815 x 1.655 mm

- incl. a stabilization frame ø 22 mm
- plastic base made of high-quality HDPE-material
- with two swivel and two fixed castors, ø 125 mm, wheel center / tread: polyamide / polyurethane
- side panel made of ø 22 mm round tube with mesh 100 x 50 x 4 mm, each with an angulated handle made of round tube
- surface: galvanized blue, Cr 3

## logistic rollbox 1589 KU grey

- rolltainer clad with twin-wall sheets
- plastic base made of high-quality HDPE-material, pebble grey similar to RAL 7032
- with two swivel and two fixed castors, ø 108 mm, wheel center / tread: polypropylene,
- side panels, back wall, roof and lockable door made of ø 22 mm round tube
- surface: powder coated gentian blue similar to RAL 5010

|                                                           | rolltainer® special          |
|-----------------------------------------------------------|------------------------------|
| rolltainer® plastic* 724 x 815 x 1.655 mm                 | KB3A <b>5010</b> 1450CS57111 |
| basket ME 724 x 815 mm                                    | DK720C01                     |
| separation grid ME for basket ME                          | TG720C01                     |
| logistic rollbox 1589 KU<br>724 x 815 x 1.770 mm, 5-sided | KB5A703215895002101          |

\* The base made of plastic is available in different colours. You can find the corresponding colour code on the cover of our catalogue. (e.g.: In item number „KB2A**5010**1350CS01101“, „**5010**“ stands for gentian blue.).



BASKET WITH SEPARATION GRID





WITH FOLDABLE  
**PUSH HANDLE**

FOLDABLE GALVANIZED PUSH HANDLE



FOLDED PUSH HANDLE



WOODEN BASE WITH  
GALVANIZED PUSH HANDLE



STEEL BASE WITH  
GALVANIZED PUSH HANDLE



724 x 815 mm



300 kg / 500 kg



plastic / wood / steel

## Base with push handle

- choose between plastic base made of high-quality HDPE-material, wooden base or steel base
- load capacity: 300 kg / 500 kg
- push handle made of  $\varnothing$  22 mm steel tube
- height of the handle ca. 1.000 mm
- protrusion of the push handle ca. 374 mm
- foldable push handle, galvanized blue, Cr 3



|                                      | base with push handle    660 x 815 mm |                                                                                      |
|--------------------------------------|----------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|
|                                      | $\varnothing$ 100 TPR castors (2 swivel and 2 fixed castors)<br>load capacity: 300 kg                                      | $\varnothing$ 125 PU castors (2 swivel and 2 fixed castors)<br>load capacity: 500 kg |
| plastic* with galvanized push handle | KB1A <b>5010</b> 815CB00125                                                                                                | KB1A <b>5010</b> 815CB001G5                                                          |
| wood with galvanized push handle     | HB1AN815CB00125                                                                                                            | HB1AN815CB001G5                                                                      |
| steel with galvanized push handle    | MB1AC815CB00125                                                                                                            | MB1AC815CB001G5                                                                      |

\* The base made of plastic is available in different colours. You can find the corresponding colour code on the cover of our catalogue. (e.g.: In item number „KB2A**5010**1350CS01101“, „**5010**“ stands for gentian blue.).



PLASTIC BASE 780



PLASTIC BASE 695



PLASTIC BASE 780

 500 kg

 plastic

## Plastic base special

- three additional sizes for your demand
- plastic base made of high-quality HDPE-material
- panels and accessories for these bases must be requested separately

### plastic base special 780 x 790 mm

- strengthened with four flat bars
- with two swivel and two fixed castors, ø 125 mm, big plate (hole pattern 105 x 80 mm), wheel center / tread: polypropylene

### plastic base special 695 x 815 mm

- strengthened with four flat bars
- with two swivel and two fixed castors, ø 100 mm, big plate (hole pattern 105 x 80 mm), wheel center / tread: polyamide

|                           | plastic base special |
|---------------------------|----------------------|
| plastic base 780 x 790 mm | F13E00PE45012FE-0E1  |
| plastic base 695 x 815 mm | F11C00PE43000OL-0K4  |

NEW



rolltainer®

4-SIDED WITH  
2-SECTION FRONT WALL,  
INDIVIDUALLY PIVOTABLE



2-SECTION FRONT WALL,  
INDIVIDUALLY PIVOTABLE



CABINET BOLT



1.200 x 780 x 1.805 mm



500 kg



4-sided



plastic

# rolltainer® 1590 KU

- plastic base made of high-quality HDPE material
- with two swivel and two fixed castors,  $\varnothing$  108 mm, wheel center / tread: polypropylene
- side panels, back wall and front wall made of  $\varnothing$  22 mm round tube with mesh 80 x 80 x 5 mm
- surface: galvanized blue, Cr 3

rolltainer® 1490 KU

rolltainer® 1590 KU | 1.200 x 780 x 1.805 mm

4-sided




1.126 x 718 x 1.590 mm

KAD4C70461590COZ501



# CORNER PROTECTION MADE OF STEEL

Our revolutionary corner protection for bases not only reduces the cases of damage by up to 90%, but also makes it possible to still use the rolltainer® even with a broken corner. The corner protection is made of steel and is attached to the base through four screws. Even with a heavy load the handling is still easy, as the forces apportion among the steel corner protections. There is no longer pressure on to the plastic corners



quick and easy  
stacking of the base

still usable with a  
broken corner


better handling even  
with heavy loads

RAL colours at buyer's option

available for the bases with  
682 mm and 724 mm width

up to 90% less cases  
of damage

hot stamping  
of the front side



NEW



ROLLTAINER WITH  
DOUBLE CLAMP



SIDE PANEL WITH TWO  
CLAMPING BRACKETS



ROLL BASE 724



724 x 815 mm



500 kg



4-sided



plastic

## rolltainer® with double clamp

Optionally, the plastic base can be manufactured with two additional clamping areas. This allows for the use of side panels with one or two clamping brackets. Side panels with two clamping brackets provide a stronger connection to the roll base on its long side.

The plastic roll base and side panels are manufactured order-related. Various side panels with powder coating or galvanization are available. The plastic roll base can be manufactured in the colour of your choice and with hot stamping. It is also possible to fit the four corners with metal corner protectors.

We would be happy to advise you on the available options.

rolltainer®

nestainer®

Steel roll  
containers

Laundry  
containers

rolldolly®

Cargo systems

Special  
applications

Wheels and  
castors

Accessories

# Accessories shelves



## Plastic intermediate shelf for rolltainer® 724 x 815 mm

- made of high-quality HDPE-material
- strengthened with three flat bars made of galvanized steel
- load capacity: 150 kg

2-sided | 710 x 810 mm

**F70A02PEF35010**

2- and 3-sided | 710 x 778 mm

**E70A23PEF35010**

4-sided | 710 x 735 mm

**E70A04PEF35010**



## Plastic intermediate shelf for rolltainer® 682 x 815 mm

- made of high-quality HDPE-material
- strengthened with three flat bars made of galvanized steel
- load capacity: 150 kg

2-sided | 670 x 810 mm

**E70B02PEF35010**

3-sided | 670 x 770 mm

**E70B03PEF35010**

4-sided | 670 x 730 mm

**E70B04PEF35010**




## Plastic intermediate shelf half length for rolltainer® 724 x 815 mm

- made of high-quality HDPE-material
- strengthened with two flat bars made of galvanized steel
- load capacity: 100 kg

2-/3-/4-sided | 710 x 380 mm

**E70H23PEF25010**



## Intermediate shelf ADB closed, 724 x 815 mm

- plastic shelf with closed loading platform made of high-quality HDPE-material, telegrey similar to RAL 7046
- strengthened with three flat bars steel made of galvanized steel
- load capacity: 150 kg

2-/3-/4-sided | 705 x 728 mm | telegrey

**F73F05PEF37046**

\* The base made of plastic is available in different colours. You can find the corresponding colour code on the cover of our catalogue. (e.g.: In item number „F70A02PEF35010“, „5010“ stands for gentian blue.).





## Closed plastic intermediate shelf for rolltainer® 724 x 815 mm

- with closed loading platform made of high-quality HDPE-material
- telegrey similar to RAL 7046
- strengthened with three flat bars made of galvanized steel
- load capacity: 150 kg

|                                   |                |
|-----------------------------------|----------------|
| 2-sided   710 x 812 mm   telegrey | F71A02PEF37046 |
| 3-sided   710 x 762 mm   telegrey | F71A03PEF37046 |



## Hygienic intermediate shelf KU for rolltainer® 724 x 815 mm

- with closed loading platform made of high-quality HDPE-material
- telegrey similar to RAL 7046
- strengthened with three flat bars made of **stainless steel**
- load capacity: 150 kg

|                                   |                 |
|-----------------------------------|-----------------|
| 2-sided   710 x 812 mm   telegrey | F71A02PEF37046E |
| 3-sided   710 x 762 mm   telegrey | F71A03PEF37046E |



## Wire mesh intermediate shelf for rolltainer®

- wire mesh shelf strengthened with flat bars
- without anti-slip edge
- variably attachable
- surface: galvanized blue, Cr 3

|                              |               |
|------------------------------|---------------|
| 2-/3-/4-sided   700 x 705 mm | ZBD725ADLC004 |
| 2-/3-/4-sided   680 x 810 mm | ZBD682ADLC008 |



## Wooden intermediate shelf for rolltainer® 724 x 815 mm

- strengthened with two pipes made of square tube 20 x 20 mm
- load capacity: 150 kg
- loading platform made of untreated plywood panel

|                              |             |
|------------------------------|-------------|
| 2-/3-/4-sided   700 x 720 mm | ZBH660710F2 |
|------------------------------|-------------|

# rolltainer® WITH COMFORT SYSTEM

Our rolltainer® with comfort system is characterized by the innovative quick-coupling-system of the side panels and the easy handling: With the counterpressure during assembly, the side panels trigger the mechanism and are immediately ready for use.


The mechanism can easily be loosened with one foot and the side panels can be removed. The rolltainer® with comfort system offers the user a high level of flexibility due to the short time required for dismantling.

## TECHNICAL HIGHLIGHTS

- plastic base made of high impact strength PP-material, signal grey similar to RAL 7004
- with two swivel and two fixed castors, ø 108 mm, wheel center / tread: polyamide
- two side panels made of ø 22 mm round tube, infill made of four vertical flat bars 12 x 3 mm and four horizontal round tubes ø 16 mm
- surface: galvanized blue, Cr 3



2-SIDED WITH  
TWO INTERMEDIATE SHELVES





FAST ASSEMBLING  
THROUGH CLICK-COMFORT  
SYSTEM.

The insertable intermediate shelves do not only permit a flexible, horizontal division of the rolltainer, but also a conversion to a universal container with back wall. This greatly increases the field of application of our rolltainer.

| rolltainer® with comfort system |                     |
|---------------------------------|---------------------|
| plastic                         | KB2A70041725CS09156 |
| intermediate shelf              | W70A02PPF57004      |

UP TO 22 INTERMEDIATE  
SHELVES FIT INTO  
ONE ROLLTAINER®.



THE INTERMEDIATE  
SHELVES CAN BE USED  
AS BACK WALL.

In addition, the rolltainer® with comfort system offers a lot of space: 16 side panels or 22 intermediate shelves can easily be stowed away into one rolltainer® to save space. A quick volume reduction (76 %) is achieved thanks to the integrated slots for the castors in the base with which the bases can be stacked.

FOR MORE INFORMATION  
WATCH OUR  
**PRODUCT VIDEO**



## TECHNICAL DATA

 720 x 810 x 1.840 mm

 660 x 810 x 1.655 mm

 2-sided  500 kg  plastic



UP TO 16 SIDE PANELS



UP TO 19 BASES



4 IN 1 ROLLTAINER® –  
QUICK VOLUME REDUCTION





# SUSTAINABILITY IS A TOP PRIORITY

---

What is sustainable and really good for our environment? For us, it starts already with the manufacturing of high-quality new products. A durable product stands the test of time in practice and is going to be a valuable resource in the recycling process. We already have several years experience in re-

cycling of plastic bases. From the beginning we only used old products manufactured by our ourselves. The results were highly convincing so that we expanded the process onto third-party products, by now.




## STEEL

The flat bars used for strengthening the bases are dismantled. Galvanized steel can be recycled, so that the amount of recycled material is up to 70 %.

## PLASTIC BASES

From dismantled bases we gain granules which we use for the production of new bases. With this process we can save between 2,4 kg and 4,2 kg CO<sub>2</sub> depending on the base.



## CASTORS

Castors of FEIL have, depending on the stress, a service life of up to 10 years. Based on defined condition criteria, we check if dismantled castors can be reused.





**»What we do today,  
will determine  
what the world  
looks like tomorrow.«**

Marie of Ebner-Eschenbach

## FOR THIS WE TAKE THE FOLLOWING STEPS:

- collection of the bases sorted out by the customer (usually including the castors)
- transfer to the factory
- disassembly and at the same time checking and assorting of the castors and flat bars
- plastic bases are shredded, afterwards the coarse material is elaborately cleaned and re-granulated
- the re-granulated plastic is used in the production process of bases, intermediate shelves and rolldollies
- The new products made of re-granule can be directly redelivered to the initial customer. In this case, the former used castors and flat bars can be reused by an amount of up to 70%.
- Each customer has the chance to buy specially marked products made of re-granule from us. If we use a re-granule out of different colours, the new produced products are black.
- With each recycled base we can save between 2,4 kg and 4,2 kg CO<sup>2</sup>.





## rolltainer® BASIC

- **dimensions 2-sided up to 500 kg load capacity:**  
724 x 815 x 1.530 mm / interior: 664 x 815 x 1.340 mm
- **dimensions 3-sided up to 500 kg load capacity:**  
724 x 827 x 1.530 mm / interior: 664 x 803 x 1.340 mm
- **dimensions 4-sided with a single-section door up to 500 kg load capacity:**  
724 x 845 x 1.530 mm / interior: 664 x 803 x 1.340 mm
- **dimensions 4-sided with a two-section door up to 500 kg load capacity:**  
724 x 845 x 1.530 mm / interior: 664 x 801 x 1.340 mm
- plastic base made of recycled material
- with two swivel and two fixed castors ø 108 mm, wheel center / tread: polypropylene
- side panel, back wall and door made of ø 20 x 1.5 mm all around tube frame, flat bar 12 x 3 mm
- surface: galvanized blue, Cr 3

|                                  |                      |
|----------------------------------|----------------------|
| 2-sided                          | KB2A90051350CS0C801R |
| 3-sided                          | KB3A90051350CS0C801R |
| 4-sided with single-section door | KB4A90051350CS0C901R |
| 4-sided with two-section door    | KB4A90051350CS0C801R |






IDEAL FOR  
**EURONORM BOXES**

WITH FOLDABLE  
**PUSH HANDLE**



- ideal for Euronorm boxes (also 4-sided)
- low self-weight
- light version
- parcel shipment possible



## Intermediate shelf

- **2- / 3- / 4-sided** 710 x 778 mm
- made of recycled material
- strengthened with three flat bars
- load capacity: 150 kg

intermediate shelf  
loose version

E70A23RCF39005

## Base BASIC

- **base as transportroller up to 500 kg load capacity:**  
724 x 815 x 192 mm
- plastic base made of recycled material
- with two swivel and two fixed castors ø 108 mm,  
wheel center / tread: polypropylene
- **base with foldable push handle up to 500 kg load capacity:**  
724 x 815 x 192 mm / interior: 660 x 815 mm
- plastic base made of recycled material
- with two swivel and two fixed castors ø 108 mm,  
wheel center / tread: polypropylene

plastic base as transportroller

E10A00RC49005OL-001

plastic base with push handle

KB1A9005815CB00101R





## rolltainer® ADB BASIC

- **dimensions 3-sided up to 500 kg load capacity:**  
724 x 815 x 1.800 mm / interior: 660 x 775 x 1.610 mm
- **dimensions 4-sided up to 500 kg load capacity:**  
724 x 815 x 1.800 mm / interior: 660 x 750 x 1.610 mm
- **dimensions 5-sided anti-theft container up to 500 kg load capacity:**  
724 x 815 x 1.810 mm / interior: 660 x 750 x 1.585 mm
- large storage space for your products
- flexible arrangement of the intermediate shelves possible every 50 mm
- plastic base made of recycled material
- with two swivel and two fixed castors ø 108 mm, wheel center / tread: polypropylene
- side panel, back wall, door and roof made of ø 22 mm round tube with infill 50 x 50 x 4 mm
- surface: galvanized blue, Cr 3


|                                       |                       |
|---------------------------------------|-----------------------|
| 3-sided                               | KAD3A90051600COZ101RC |
| 4-sided                               | KAD4A90051600COZ101RC |
| 5-sided                               | KAD5A90051600COZ101RC |
| 5-sided with fixed intermediate shelf | KAD5A90051600C1Z101RC |





intermediate  
shelves  
variable  
insertable

- stable version through  $\varnothing$  22 mm round tube
- lockable – suitable for theft protection
- through the 50 x 50 mm mesh the intermediate shelves are variably insertable



## Intermediate shelf

- **2- / 3- / 4-sided** 700 x 705 mm
- wire mesh shelf strengthened with flat bars
- without anti-slip edge
- variable attachable
- surface: galvanized blue, Cr 3
- load capacity: 150 kg

intermediate shelf loose  
version

ZBD725ADLC000

## PARCEL SHIPMENT POSSIBLE

Due to the low self-weight a rolltainer® BASIC can be delivered as a parcel.



**Want to see more  
BASICLine products?**

You can find the matching rolldolly® on page 125.



nestainer®



For further information about  
nestainer® please visit  
our website  
[www.feil.eu](http://www.feil.eu)



## nestainer®

Space often is rare. Whether at the warehouse, the store or the truck – the use of our nestainer® pays off. the nestainer® can be ideally compacted and creates space in a breath.



perfect  
combination  
possibilities with  
**EURONORM  
BOXES**



Create  
**SPACE**  
through uniquely  
easy  
**HANDLING**



numerous  
**ACCESSORIES**  
for individual  
needs

172

# nestainer®

## ERGO 1460 K

With the sandwichbottom we level up our nestainer®. The plastic bottom is completely closed due to the sandwich construction and very warp resistant. The used spring technique makes the handling easy and efficient. Use the technical options for your benefit.

### TECHNICAL HIGHLIGHTS

- Plastic bottom in sandwich construction made of high-quality HDPE, light blue similar to RAL 5012
- The all around closed sandwichbottom can be cleaned quickly and easily. As a result, high requirements of hygiene can be fulfilled reliably.
- The mounted spring mechanism guarantees safe and efficient working.
- For larger purchase quantities, the bottom can be produced in different colours and can also be provided with a printing if required.



nestainer® ERGO 1460 K 2-SIDED  
WITH FOLDABLE INTERMEDIATE SHELF



COMPLETELY CLOSED LOADING PLATFORM

The nestainer® is available as 2-sided basic model, optionally it can also be delivered as 3- and 4-sided model.

Basic model with two swivel and two fixed castors, ø 108 mm, wheel center / tread: polyamide, strengthened version.

|                                                                        | nestainer® ERGO 1460 K |
|------------------------------------------------------------------------|------------------------|
| nestainer® ERGO 1460 K, 2-sided                                        | N2700800C5012OLOZ019   |
| nestainer® ERGO 1460 K, 2-sided, 1 foldable plastic intermediate shelf | N2700800C5012OL1Z119   |
| nestainer® ERGO 1460 K, 3-sided                                        | N3700800C5012OLOZ019   |
| nestainer® ERGO 1460 K, 4-sided                                        | N4700800C5012OLOZ019   |





With the basic measurements the truck loading space can be used to full capacity. Through the nesting the return of empties and the storage of them are optimized.

The illustrations show the potential of the nestainer®. When the empty, nested containers are loaded, almost 3.5 times as many containers can be loaded to a truck.



## TECHNICAL DATA

 700 x 800 x 1.685 mm

 655 x 800 x 1.465 mm

 2- / 3- / 4-sided  500 kg  plastic



3-SIDED



4-SIDED



NESTAINER® ERGO 1460 K NESTED




# nestainer® ERGO 1460 S

- bottom with spring technique foldable to the side
- intermediate shelf variable insertable or as foldable version (also retrofittable)
- with two swivel and two fixed castors, ø 108 mm, wheel center / tread: polyamide, strengthened version
- side panels, back wall and front wall made of ø 22 mm round tube, infill made of 12 x 3 mm flat bars
- surface: galvanized blue, Cr 3

|                                    | nestainer® ERGO 1460 S   700 x 800 x 1.665 mm |                                                        |                                                                          |
|------------------------------------|-----------------------------------------------|--------------------------------------------------------|--------------------------------------------------------------------------|
|                                    | 2-sided<br>655 x 800 x 1.465 mm               | 3-sided<br>back wall pivotable<br>655 x 770 x 1.465 mm | 4-sided<br>front wall and back wall<br>pivotable<br>655 x 740 x 1.465 mm |
| nestainer® ERGO S                  | N2700800CCOZ019                               | N3700800CCOZ019                                        | N4700800CCOZ019                                                          |
| intermediate shelf plastic         | F70A02PEF35010                                | E70A23PEF35010                                         | E70A04PEF35010                                                           |
| half intermediate shelf plastic    | E70H23PEF25010                                | E70H23PEF25010                                         | E70H23PEF25010                                                           |
| closed intermediate shelf plastic  | F73F05PEF37046                                | F73F05PEF37046                                         | F73F05PEF37046                                                           |
| intermediate shelf steel           | ZBD725ADLC004                                 | ZBD725ADLC004                                          | ZBD725ADLC004                                                            |
| intermediate shelf wood            | ZBH660710F2                                   | ZBH660710F2                                            | ZBH660710F2                                                              |
| intermediate shelf steel, foldable | NZBK700800C03M                                | NZBK700800C03M                                         | NZBK700800C03M                                                           |

NEW



nestainer®

2-SIDED WITH SCREW-ON PLATE

667 x 800 x 1.760 mm

450 kg

2-sided

steel

## nestainer® ERGO 1570 S „light“

- base can be folded to the side and locked to the side panel
- with two swivel and two fixed castors, ø 108 mm, ø 100 mm or ø 125 mm, wheel center / tread: polypropylene
- the versions with ø 100 mm and ø 125 mm castors are optionally available with a welded on fixed castor housing, the swivel castors are mounted using a standardized mounting plate
- side panels made of 22 mm square tube, infill made of ø 5 mm wire rods
- optionally available with an insertable wire mesh intermediate shelf
- nesting depth: 180 mm
- surface: galvanized blue, Cr 3

| nestainer® ERGO 1570 S „light“   623 x 800 x 1.570 mm                           |                       |
|---------------------------------------------------------------------------------|-----------------------|
| nestainer® ERGO 1570 S „light“, 2-sided, fixation by plate, castors ø 108 mm    | N26708001570CC05OZA01 |
| nestainer® ERGO 1570 S „light“, 2-sided, fixed castor housing, castors ø 100 mm | N26708001570CC05OZAS6 |
| nestainer® ERGO 1570 S „light“, 2-sided, fixed castor housing, castors ø 125 mm | N26708001570CC05OZAS7 |
| wire mesh intermediate shelf<br>ERGO 1570 S 'light', Cr 3                       | ZBD725ADLC006         |



**NEW**

**IDEAL FOR  
EURONORM BOXES**

**nestainer®**

4-SIDED  
WITH INTERMEDIATE SHELF

3-SIDED  
WITH INTERMEDIATE SHELF

3-SIDED WITH  
INTERMEDIATE SHELF, NESTED

 730 x 845 x 1.690 mm

 500 kg

 3- / 4-sided

 steel / plastic

## nestainer® 1450

- optionally available with steel or plastic bottom (sandwich construction), foldable to the back; for a more comfortable and ergonomic handling the bottom can be provided with spring technique
- ideal for transporting euronorm boxes
- with two swivel castors with brake and two fixed castors, ø 125 mm, wheel center / tread: polyamide / elastic
- side panels, back wall and front wall made of ø 22 mm round tube, infill made of ø 6 mm wire rods
- front wall with CT-lock
- nesting depth: 3-sided 195 mm, 4-sided 205 mm
- surface: galvanized blue, Cr 3

| nestainer® 1450    730 x 845 x 1.690 mm |                                                                                                                     |                                                                                                                       |
|-----------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------|
|                                                                                                                             | 3-sided<br> 678 x 825 x 1.450 mm | 4-sided<br> 678 x 803 x 1.450 mm |
| nestainer® 1450, without intermediate shelf, steel bottom                                                                   | N37308451450CC05OZA46                                                                                               | N47308451450CC05OZA46                                                                                                 |
| nestainer® 1450, without intermediate shelf, plastic bottom                                                                 | N37308451450CC05OZB46                                                                                               | N47308451450CC05OZB46                                                                                                 |
| nestainer® 1450, incl. intermediate shelf, steel bottom                                                                     | N37308451450CC051ZC46                                                                                               | N47308451450CC051ZC46                                                                                                 |
| nestainer® 1450, incl. intermediate shelf, plastic bottom                                                                   | N37308451450CC051ZD46                                                                                               | N47308451450CC051ZD46                                                                                                 |

NEW

IDEAL FOR  
EURONORM BOXES

nestainer®

3-SIDED  
WITH TWO INTERMEDIATE SHELVES

4-SIDED  
WITH INTERMEDIATE SHELF

3-SIDED, NESTED

730 x 845 x 1.875 mm

500 kg

3- / 4-sided

steel / plastic

# nestainer® 1630

- optionally available with steel or plastic bottom (sandwich construction), foldable to the back; for a more comfortable and ergonomic handling the bottom can be provided with spring technique
- ideal for transporting euronorm boxes
- with two swivel castors with brake and two fixed castors, ø 125 mm, wheel center / tread: polyamide / elastic
- side panels, back wall and front wall made of ø 22 mm round tube, infill made of ø 6 mm wire rods
- front wall with CT lock
- nesting depth: 3-sided 195 mm, 4-sided 205 mm
- surface: galvanized blue, Cr 3

|                                                                 | nestainer® 1630   730 x 845 x 1.875 mm |                                 |
|-----------------------------------------------------------------|----------------------------------------|---------------------------------|
|                                                                 | 3-sided<br>678 x 825 x 1.630 mm        | 4-sided<br>678 x 803 x 1.630 mm |
| nestainer® 1630, without intermediate shelf, steel bottom       | N37308451630CC05OZA46                  | N47308451630CC05OZA46           |
| nestainer® 1630, without intermediate shelf, plastic bottom     | N37308451630CC05OZB46                  | N47308451630CC05OZB46           |
| nestainer® 1630, incl. one intermediate shelf, steel bottom     | N37308451630CC051ZC46                  | N47308451630CC051ZC46           |
| nestainer® 1630, incl. one intermediate shelf, plastic bottom   | N37308451630CC051ZD46                  | N47308451630CC051ZD46           |
| nestainer® 1630, incl. two intermediate shelves, steel bottom   | N37308451630CC052ZE46                  | N47308451630CC052ZE46           |
| nestainer® 1630, incl. two intermediate shelves, plastic bottom | N37308451630CC052ZF46                  | N47308451630CC052ZF46           |

**NEW**



**IDEAL FOR  
EURONORM BOXES**

further intermediate shelves  
available as accessories:



5-SIDED WITH  
FOLDABLE INTERMEDIATE SHELF  
AND STEEL ROOF



5-SIDED  
WITH PLASTIC ROOF



5-SIDED NESTED

**nestainer®**

 730 x 870 x 1.745 mm

 500 kg

 5-sided

 steel / plastic

## nestainer® ADB 1450

- optionally available with steel or plastic bottom (sandwich construction), foldable to the back; for a more comfortable and ergonomic handling the bottom can be provided with spring technique
- ideal for transporting euronorm boxes
- with two swivel castors with brake and two fixed castors,  $\varnothing$  125 mm, wheel center / tread: polyamide / elastic
- side panels, back wall and door made of  $\varnothing$  22 mm round tube, infill made of  $\varnothing$  3 mm wire rods, mesh 50 x 50 mm
- nesting depth: 220 mm
- surface: galvanized blue, Cr 3

| nestainer® ADB 1450, 5-sided    730 x 870 x 1.745 mm |                                                                                                                                              |                                                                                                                                                           |                                                                                                                                                  |
|-------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------|
|                                                                                                                                           | roof and bottom<br>made of steel<br> 678 x 805 x 1.455 mm | roof made of plastic,<br>bottom made of steel<br> 678 x 805 x 1.455 mm | roof and bottom<br>made of plastic<br> 678 x 805 x 1.450 mm |
| nestainer® ADB 1450                                                                                                                       | N57308701450CC01OZA46                                                                                                                        | N57308701450CC01OZK46                                                                                                                                     | N57308701600CC01OZB46                                                                                                                            |
| nestainer® ADB 1450<br>incl. one intermediate shelf, steel                                                                                | N57308701450CC011ZH46                                                                                                                        |                                                                                                                                                           |                                                                                                                                                  |
| intermediate steel shelf,<br>loose version                                                                                                | ZBD725ADLC007                                                                                                                                |                                                                                                                                                           |                                                                                                                                                  |



NEW

IDEAL FOR  
EURONORM BOXES

further intermediate shelves  
available as accessories:



5-SIDED WITH  
FOLDABLE INTERMEDIATE SHELF  
AND STEEL ROOF



5-SIDED  
WITH PLASTIC ROOF



5-SIDED NESTED

nestainer®

730 x 870 x 1.895 mm

500 kg


5-sided

steel / plastic

## nestainer® ADB 1600

- optionally available with steel or plastic bottom (sandwich construction), foldable to the back; for a more comfortable and ergonomic handling the bottom can be provided with spring technique
- ideal for transporting euronorm boxes
- with two swivel castors with brake and two fixed castors, Ø 125 mm, wheel center / tread: polyamide / elastic
- side panels, back wall and door made of Ø 22 mm round tube, infill made of Ø 3 mm wire rods, mesh 50 x 50 mm
- nesting depth: 220 mm
- surface: galvanized blue, Cr 3

| nestainer® ADB 1600, 5-sided   730 x 870 x 1.895 mm                  |                                                          |                                                                       |                                                            |
|----------------------------------------------------------------------|----------------------------------------------------------|-----------------------------------------------------------------------|------------------------------------------------------------|
|                                                                      | roof and bottom<br>made of steel<br>678 x 805 x 1.605 mm | roof made of plastic,<br>bottom made of steel<br>678 x 805 x 1.605 mm | roof and bottom<br>made of plastic<br>678 x 805 x 1.600 mm |
| nestainer® ADB 1600                                                  | N57308701600CC01OZA46                                    | N57308701600CC01OZK46                                                 | N57308701600CC01OZB46                                      |
| nestainer® ADB 1600, incl. one<br>intermediate steel shelf, centered | N57308701600CC011ZH46                                    | N57308701600CC011ZL46                                                 | N57308701600CC011ZJ46                                      |
| nestainer® ADB 1600, incl. one<br>intermediate shelf at the top      | N57308701600CC011ZG46                                    | N57308701600CC011ZI46                                                 |                                                            |
| intermediate steel shelf, loose<br>version                           | ZBD725ADLC007                                            |                                                                       |                                                            |

**nestainer®**

800 x 1.200 x 1.825 mm

500 kg

5-sided

steel

5-SIDED  
WITH 100 X 50 MM MESHING

further intermediate shelves  
available as accessories:

5-SIDED  
WITH 50 X 50 MM MESHING AND  
FOLABLE INTERMEDIATE SHELF

5-SIDED NESTED

# nestainer® ADB 1600 ME, 800 x 1.200 mm

- large nestainer® with overall dimensions according to the size of europallets
- optionally available with mesh 100 x 50 mm or mesh 50 x 50 mm
- steel bottom and intermediate shelf foldable to the back
- with two swivel castors with brake and two swivel castors, ø 125 mm, wheel center / tread: polyamide / elastic
- side panels, back wall, doors and roof made of ø 22 mm round tube, infill made of ø 4 mm wire rods
- nesting depth: 200 mm
- surface: galvanized blue, Cr 3

| nestainer® ADB 1600 ME   800 x 1.200 x 1.825 mm                                            |                                                       |                                                      |
|--------------------------------------------------------------------------------------------|-------------------------------------------------------|------------------------------------------------------|
| nestainer® ADB 1600 ME,<br>800 x 1200 mm<br><br>intermediate steel shelf,<br>loose version | 5-sided<br>mesh 100 x 50 mm<br>750 x 1.145 x 1.550 mm | 5-sided<br>mesh 50 x 50 mm<br>750 x 1.145 x 1.550 mm |
|                                                                                            | N580012001600CC021ZC53                                | N580012001600CC011ZC53                               |
| ZD1200ORKFC002                                                                             |                                                       |                                                      |

NEW



3-SIDED  
WITH LOAD SECURING ROD



WITH FOLDABLE  
PLASTIC BOTTOM



3-SIDED NESTED



800 x 1.100 x 1.665 mm



500 kg



3-sided



plastic

## nestainer® -L KU, 800 x 1.100 mm

- plastic bottom foldable to the back
- with two swivel castors with brake and two swivel castors, ø 125 mm, wheel center / tread: polyamide / elastic
- I-shaped chassis, one side panel foldable, roll container is nestable
- folding and rotating rod made of ø 22 mm round tube for securing loads
- side panels and back wall made of ø 25 mm round tube, infill made of ø 7 mm wire rods and 25 x 3 mm flat bars
- surface: powder coated white similar to RAL 9010

nestainer® -L KU | 800 x 1.100 mm

3-sided

745 x 1.040 x 1.460 mm

nestainer® -L KU 800 x 1100 mm

NL3800110014009010C04OZB53



NEW



OPTIMAL COMPRESSION OF EMPTIES 1:5

nestainer®

2-SIDED



2-SIDED, NESTED




680 x 800 x 1.790 mm


500 kg


2-sided


steel

## nestainer® ERGO Fold

- foldable bottom, without assembly effort, tool-free
- with two swivel and two fixed castors, ø 108 mm, wheel center / tread: polypropylene
- compression: 1:5
- side panel made of ø 22 mm round tube, infill made of ø 6/ ø 7 mm wire rods, 1.555 mm usable height
- surface: galvanized blue, Cr 3

|                                                   |                      |                  |                                                                                                            |
|---------------------------------------------------|----------------------|------------------|------------------------------------------------------------------------------------------------------------|
| nestainer® ERGO Fold, 680 x 804 mm, 2-sided, Cr 3 | nestainer® ERGO Fold |                  |  680 x 800 x 1.790 mm |
|                                                   | 2-sided              |                  |  626 x 790 x 1.555 mm |
|                                                   |                      | RF680804CCOZ0101 |                                                                                                            |

NEW

## NESTAINER FOR AUTOMATED WAREHOUSE PROCESSES

nestainer®

2-SIDED  
WITH PENDULUM ROD



500 kg



2-sided



steel



2-SIDED,  
NESTED



rolltainer®

nestainer®

Steel roll  
containers

Laundry  
containers

rolldolly®

Cargo systems

Special  
applications

Wheels and  
castors

Accessories

# nestainer® with pendulum rod

- wire mesh bottom foldable to the side
- with two swivel and two fixed castors,  $\varnothing$  108 mm, wheel center / tread: polypropylene
- pendulum rod on the side of the fixed castors allows forklift access via the narrow side of the nestainer®
- side panel made of 22 x 22 mm square tube, infill made of 12 x 3 mm flat bars
- surface: galvanized blue, Cr 3



ACCESS VIA THE NARROW  
SIDE OF THE NESTAINER®

Automated conveying and storage technology demands a high degree of flexibility from roll containers. Thanks to the pendulum rod, Nestainers can also be accessed and lifted from the narrow side. This is an option available only upon request. Please contact us, we would be happy to advise you.

# Steel roll containers



For further information about  
steel roll containers  
please visit our website  
[www.feil.eu](http://www.feil.eu)






## Steel roll containers

The steel roll containers are available in different dimensions and designs. In combination with various options there are almost no limits to the applications.

OUR TOUGH  
ONES  
for your  
NEEDS



Add further  
INTERMEDIATE  
SHELVES  
according to  
your wish



numerous  
**ACCESSORIES**  
for individual  
needs

172



5-SIDED  
WITH ONE DOOR  
AND ROOF MADE OF STEEL



3-SIDED  
INCL. FOUR INTERMEDIATE  
SHELVES WITH UPSTAND



4-SIDED  
INCL. FOUR INTERMEDIATE  
SHELVES WITHOUT UPSTAND



500 x 680 x 1.860 mm



300 kg



3- / 4- / 5-sided



steel

# Steel roll container 1665, 460 x 640 mm

- base made of rectangular tube 40 x 20 mm
- with two swivel and two swivel castors with total brake,  $\varnothing$  100 mm, wheel center / tread: polypropylene / thermoplastic rubber
- side panels, back panel and roof made of square tube 20 mm with mesh 50 x 50 x 4 mm
- intermediate shelves optionally available with or without 100 mm upstand
- surface: galvanized blue, Cr 3

| steel roll container 1665, 460 x 640 mm    500 x 680 x 1.855 mm |                                                                                                                     |                                                                                                                     |                                                                                                                       |
|------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------|
|                                                                                                                                                      |  3-sided<br>415 x 615 x 1.665 mm |  4-sided<br>415 x 615 x 1.665 mm |  5-sided<br>415 x 615 x 1.645 mm |
| steel roll container without intermediate shelves                                                                                                    | S3460640FC057                                                                                                       | S4460640FC057                                                                                                       | S5460640FC057                                                                                                         |
| steel roll container incl. four intermediate shelves without upstand                                                                                 | S3460640FC4Z057                                                                                                     |                                                                                                                     |                                                                                                                       |
| steel roll container incl. four intermediate shelves with upstand                                                                                    | S3460640FC4Z057                                                                                                     |                                                                                                                     |                                                                                                                       |
| intermediate steel shelf, loose version                                                                                                              |                                                                                                                     | ZD460ORKFC001                                                                                                       |                                                                                                                       |
| intermediate steel shelf with upstand, loose version                                                                                                 |                                                                                                                     | ZD460MRKFC001                                                                                                       |                                                                                                                       |



3-SIDED  
INCL. FOUR INTERMEDIATE SHELVES  
WITH 100 MM UPSTAND



2-SIDED  
INCL. FOUR INTERMEDIATE  
SHELVES WITH 20 MM UPSTAND



2-SIDED  
INCL. THREE WIRE BASKETS  
WITH 100 MM UPSTAND



610 x 610 mm



500 kg



2- / 3-sided

steel

# Steel roll container 1490, 600 x 600 mm

- base made of rectangular tube 40 x 20 mm
- 2-sided steel roll container with an additional crossbar made of square tube for stabilization
- with two swivel and two swivel castors with total brake, ø 100 mm, wheel center / tread: polyamide / elastic
- side panels made of square tube 20 mm with mesh 100 x 50 x 4 mm
- intermediate shelves optionally available with 20 mm or 100 mm upstand
- wire basket for 2-sided container available with 100 mm upstand
- surface: galvanized blue, Cr 3

## steel roll container 1490, 600 x 600 mm

|                                                                             | steel roll container 1490, 600 x 600 mm      |                                              |
|-----------------------------------------------------------------------------|----------------------------------------------|----------------------------------------------|
|                                                                             | 2-sided                                      | 3-sided                                      |
|                                                                             | 610 x 610 x 1.675 mm<br>550 x 600 x 1.490 mm | 610 x 610 x 1.655 mm<br>550 x 580 x 1.490 mm |
| steel roll container without intermediate shelf                             | S2600600FC058                                | S3600600FC058                                |
| steel roll container<br>incl. four intermediate shelves with 20 mm upstand  | S2600600FC4Z058                              | S3600600FC4Z058                              |
| steel roll container<br>incl. four intermediate shelves with 100 mm upstand | S2600600FC4Z158                              | S3600600FC4Z158                              |
| steel intermediate shelf with 20 mm upstand                                 | ZD600MRKFC001                                |                                              |
| steel intermediate shelf with 100 mm upstand                                | ZD600MRKFC002                                |                                              |
| wire basket for 2-sided container with 100 mm upstand                       | ZD600MRKFC003                                | -                                            |





5-SIDED WITH TWO DOORS  
AND TWO HORIZONTAL WIRE MESH  
INTERMEDIATE SHELVES WITH 20 MM UPSTAND



3-SIDED INCL.  
TWO INCLINABLE WIRE MESH  
INTERMEDIATE SHELVES



4-SIDED WITH FOLDABLE  
AND PIVOTABLE DOOR

 800 x 1.200 mm

 600 kg

 2- / 3- / 4- / 5-sided

 steel


# Steel roll container 1600, 800 x 1.200 mm

- base made of rectangular tube 40 x 20 mm
- with two swivel and two swivel castors with total brake,  $\varnothing$  125 mm, wheel center / tread: polyamide / elastic
- all components made of round tube  $\varnothing$  22 mm with mesh 50 x 50 x 4 mm
- optionally available with lockable double wing door or foldable and pivotable door
- surface: galvanized blue, Cr 3

## ALL BENEFITS AT A GLANCE



INTERMEDIATE SHELVES WITH  
OR WITHOUT UPSTAND



HORIZONTAL OR INCLINABLE  
INTERMEDIATE SHELVES



OPTIONALLY AVAILABLE WITH  
DOUBLE WING DOOR....



...OR FOLDABLE AND PIVOTABLE  
DOOR.

66



4-SIDED INCL. TWO INCLINABLE  
WIRE MESH INTERMEDIATE SHELVES



3-SIDED



STEEL BASE



800 x 1.200 mm



500 kg



2- / 3- / 4- / 5-sided



steel

rolltainer®

nestainer®

Steel roll  
containers

Laundry  
containers

rolldolly®

Cargo systems

Special  
applications

Wheels and  
castors

Accessories

### steel roll container 1600, 800 x 1.200 mm

800 x 1.200 x 1.820 mm

|                                                              | 2-sided<br>765 x 1.145 x 1.620 mm | 3-sided<br>765 x 1.145 x 1.620 mm | 4-sided<br>foldable / pivotable<br>door<br>740 x 1.145 x 1.620 mm | 4-sided<br>double wing door<br>740 x 1.145 x 1.620 mm | 5-sided<br>double wing door<br>740 x 1.145 x 1.595 mm |
|--------------------------------------------------------------|-----------------------------------|-----------------------------------|-------------------------------------------------------------------|-------------------------------------------------------|-------------------------------------------------------|
| steel roll container                                         | S28001200FC053                    | S38001200FC053                    | S48001200FC053                                                    | S48001200FC153                                        | S58001200FC053                                        |
| intermediate shelf<br>without upstand                        | ZD1200ORKFC001                    |                                   |                                                                   |                                                       |                                                       |
| intermediate shelf<br>20 mm upstand<br>insertable            | ZD1200MRKFC001                    |                                   |                                                                   |                                                       |                                                       |
| intermediate shelf<br>20 mm upstand<br>inclinable insertable | ZD1200SRKFC001                    |                                   |                                                                   |                                                       |                                                       |
| steel base                                                   | S08001200FC053                    |                                   |                                                                   |                                                       |                                                       |





950 x 1.350 mm

800 kg

3- / 4- / 5-sided

steel

# Steel roll container 1600, 950 x 1.350 mm

- base made of rectangular tube 50 x 20 mm
- with two swivel and two swivel castors with total brake, ø 125 mm, wheel center / tread: aluminium / elastic
- side panels, split back panel, lockable double wing door and roof made of round tube ø 22 mm with mesh 50 x 50 x 4 mm
- optionally available: forklift entry lugs for a secure transport of the container with a forklift (Art.-Nr.: MKUF18090C)
- surface: galvanized blue, Cr 3

| steel roll container 1600, 950 x 1.350 mm |                                          |                                          |                                          |
|-------------------------------------------|------------------------------------------|------------------------------------------|------------------------------------------|
|                                           | 950 x 1.350 x 1.820 mm                   |                                          | 950 x 1.350 x 1.825 mm                   |
|                                           | <b>3-sided</b><br>920 x 1.295 x 1.620 mm | <b>4-sided</b><br>885 x 1.295 x 1.620 mm | <b>5-sided</b><br>885 x 1.295 x 1.595 mm |
| steel roll container                      | S39501350FC059                           | S49501350FC159                           | S59501350FC059                           |
| wire mesh intermediate shelf              | ZD1350ORKFC001                           |                                          |                                          |
| steel base                                | S09501350FC059                           |                                          |                                          |





3-SIDED  
INCL. TWO INTERMEDIATE SHELVES



5-SIDED  
INCL. ONE INTERMEDIATE SHELF



FORKLIFT ENTRY LUGS  
AVAILABLE AS ACCESSORIES

800 x 1.600 mm

500 kg

3- / 4- / 5-sided

steel

# Steel roll container 1600, 800 x 1.600 mm

- base made of rectangular tube 40 x 20 mm
- with two swivel and two swivel castors with total brake, ø 125 mm, wheel center / tread: polyamide / elastic
- side panels, split back panel, lockable double wing door and roof with mesh 50 x 50 x 4 mm
- surface: galvanized blue, Cr 3

| steel roll container 1600, 800 x 1.600 mm    800 x 1.600 x 1.825 mm |                                   |                                   |                                   |
|---------------------------------------------------------------------|-----------------------------------|-----------------------------------|-----------------------------------|
|                                                                     | 3-sided<br>765 x 1.545 x 1.620 mm | 4-sided<br>740 x 1.545 x 1.620 mm | 5-sided<br>740 x 1.545 x 1.600 mm |
| steel roll container                                                | S38001600FC053                    | S48001600FC053                    | S58001600FC053                    |
| wire mesh intermediate shelf                                        | ZD1600ORKFC001                    |                                   |                                   |
| steel base                                                          | S08001600FC053                    |                                   |                                   |



5-SIDED  
INCL. WIRE BASKET TOP FRAME AND THREE INTERMEDIATE  
SHELVES (AVAILABLE AS ACCESSORIES)



4-SIDED  
INCL. THREE  
INTERMEDIATE SHELVES



5-SIDED



620 x 1.500 mm



500 kg



3- / 4- / 5-sided



steel

# Steel roll container 620 x 1500 mm

- base made of rectangular tube 40 x 20 mm
- with two swivel and two swivel castors with total brake,  $\varnothing$  125 mm, wheel center / tread: polyamide / elastic
- side panels, split back panel, lockable double wing door and roof made of round tube  $\varnothing$  22 mm with mesh 50 x 50 x 4 mm
- surface: galvanized blue, Cr 3


|                                                         | steel roll container 620 x 1500 mm                                 |                                                                    |                                                                    |
|---------------------------------------------------------|--------------------------------------------------------------------|--------------------------------------------------------------------|--------------------------------------------------------------------|
|                                                         | 3-sided                                                            | 4-sided                                                            | 5-sided                                                            |
|                                                         | 620 x 1.500 x 1.400 mm<br>585 x 1.445 x 1.200 mm                   | 620 x 1.500 x 1.400 mm<br>555 x 1.445 x 1.200 mm                   | 620 x 1.500 x 1.400 mm<br>555 x 1.445 x 1.185 mm                   |
| steel roll container 1200<br>without intermediate shelf | S36201500FC053                                                     | S46201500FC053                                                     | S56201500FC053                                                     |
|                                                         | <b>3-sided</b><br>620 x 1.500 x 1.700 mm<br>585 x 1.445 x 1.500 mm | <b>4-sided</b><br>620 x 1.500 x 1.700 mm<br>555 x 1.445 x 1.500 mm | <b>5-sided</b><br>620 x 1.500 x 1.700 mm<br>555 x 1.445 x 1.485 mm |
| steel roll container 1500<br>without intermediate shelf | S36201500FC153                                                     | S46201500FC153                                                     | S56201500FC153                                                     |
| wire mesh intermediate shelf                            | ZD6201500MRKFC                                                     |                                                                    |                                                                    |
| wire basket top frame                                   | BWASF6201500C                                                      |                                                                    |                                                                    |
| steel base                                              | S06201500FC053                                                     |                                                                    |                                                                    |





IDEAL FOR  
SPORT EQUIPMENT

5-SIDED  
INCL. WIRE BASKET TOP FRAME AND FOUR  
INTERMEDIATE SHELVES WITH 40 MM UPSTAND



3-SIDED  
INCL. FOUR INTERMEDIATE  
SHELVES WITH 40 MM UPSTAND



5-SIDED  
INCL. FOUR INTERMEDIATE  
SHELVES WITH 40 MM UPSTAND

620 x 1.500 mm

500 kg

3- / 4- / 5-sided

steel

Through the following options and features the steel roll containers are especially applicable for the storage of sports equipment:

- variably mountable wire mesh intermediate shelves with 40 mm high upstand in the front
- base also with 40 mm high upstand in the front
- wire basket top frame, 150 mm high, for additional storage space on the steel roll container



WIRE BASKET TOP FRAME

|                                                                                                    |                        |                        |
|----------------------------------------------------------------------------------------------------|------------------------|------------------------|
| <b>steel roll container ADB 1200, 620 x 1.500 mm</b>   5-sided                                     | 620 x 1.500 x 1.400 mm | 555 x 1.445 x 1.185 mm |
| steel roll container incl. three intermediate shelves with 40 mm upstand                           | S56201500FO3ZC053      |                        |
| <b>steel roll container ADB 1200, 620 x 1.500 mm</b>   5-sided                                     | 620 x 1.500 x 1.545 mm | 555 x 1.445 x 1.185 mm |
| steel roll container incl. wire basket top frame and three intermediate shelves with 40 mm upstand | S56201500FA3ZC053      |                        |
| <b>steel roll container ADB 1500, 620 x 1.500 mm</b>   5-sided                                     | 620 x 1.500 x 1.700 mm | 555 x 1.445 x 1.485 mm |
| steel roll container incl. four intermediate shelves with 40 mm upstand                            | S56201500FO4ZC153      |                        |
| <b>steel roll container ADB 1500, 620 x 1.500 mm</b>   5-sided                                     | 620 x 1.500 x 1.845 mm | 555 x 1.445 x 1.485 mm |
| steel roll container incl. wire basket top frame and four intermediate shelves with 40 mm upstand  | S56201500FA4ZC153      |                        |





BALL CART  
WITH BIG SEPARATION GRIDS



BALL CART WITH  
SMALL SEPARATION GRIDS



610 x 1.040 x 1.000 mm



150 kg



5-sided



steel

## Ball cart, 610 x 1040 mm

- foldable ball cart with two tailboards
- with four swivel castors,  $\varnothing$  100 mm, wheel center / tread: polypropylene / thermoplastic rubber
- usable height ca. 870 mm
- mesh 40 x 100 mm
- surface: galvanized blue, Cr 3



ball cart, 600 x 1.040 mm



585 x 950 x 870 mm

ball cart

BW1040C032

separation grid small 610 x 450 mm

BW1040TWKC

separation grid big 840 x 580 mm

BW1040TWGC



STEEL ROLL CONTAINER 1650



CLAMPED BACK PANEL



LOW-NOISE ELASTIC WHEEL



600 x 800 x 1.795 mm



400 kg



3-sided



steel

## Steel roll container 1650, 600 x 800 mm

- frame made of rectangular tube 20 x 20 mm
- with two swivel and two fixed castors,  $\varnothing$  100 mm, wheel center / tread: polyamide / elastic
- two side panels and one back panel made of round tube  $\varnothing$  20 mm with infill made of wire rods  $\varnothing$  6 mm
- quick and easy assembling through clamped back panel
- surface: galvanized blue, Cr 3

### steel roll container 1650, 600 x 800 mm




600 x 800 x 1.795 mm |  545 x 765 x 1.650 mm

steel roll container 3-sided

S3600800CC051





# Steel roll container ADB 1600, 800 x 1.200 mm

- base made of rectangular tube 30 x 20 mm
- with two swivel and two swivel castors with total brake, ø 125 mm, wheel center / tread: polypropylene
- side panels, back panel, lockable double wing door and roof made of square tube 22 mm with mesh 50 x 50 x 4 mm
- back panel and roof riveted for high theft protection
- vertical locking latch ensures ideal safety
- surface: galvanized blue, Cr 3

| steel roll container ADB 1600, 800 x 1200 mm  |                                                                                                                                                     |                                                                                                                                                       | 800 x 1.200 x 1.820 mm                                                                                                                                                     |
|------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                                                                                                                    | 5-sided<br>without intermediate shelf<br> 750 x 1.150 x 1.575 mm | 5-sided<br>incl. one intermediate shelf<br> 750 x 1.150 x 1.575 mm | 5-sided<br>with visual cover and<br>one intermediate shelf<br> 750 x 1.150 x 1.575 mm |
| steel roll container                                                                                                               | S58001200KCOZ016                                                                                                                                    | S58001200KC1Z016                                                                                                                                      | S58001200KC1Z116                                                                                                                                                           |
| handle set                                                                                                                         | S5ZUBF002                                                                                                                                           | S5ZUBF002                                                                                                                                             | S5ZUBF002                                                                                                                                                                  |





AVAILABLE WITH  
**VISUAL COVER**

5-SIDED  
INCL. ONE INTERMEDIATE SHELF  
AND VISUAL COVER



5-SIDED  
WITH VISUAL COVER



CHASSIS



800 x 1.200 x 1.820 mm



500 kg



5-sided



steel

- visual cover made of grey twin-wall sheet optionally available
- perfect privacy protection
- maximum theft protection



MAXIMUM THEFT PROTECTION  
THROUGH LOCKABLE DOOR  
(PADLOCK NOT INCLUDED IN THE DELIVERY SCOPE)

## All benefits at a glance



BACK PANEL AND ROOF RIVETED  
FOR HIGH THEFT PROTECTION



CHASSIS MADE OF  
RECTANGULAR TUBE 30 X 20 MM



STURDY, VERTICAL  
LOCKING MECHANISM



LOCKING LATCH  
WITH HANDLE UNIT

**NEW**



2-SIDED  
INCL. ONE INTERMEDIATE SHELF



HANDLE SET



INTERMEDIATE SHELF  
WITH UPSTAND



800 x 1.200 x 1.800 mm



500 kg



2-sided



steel

# Steel roll container 1600, 800 x 1.200 mm

- chassis made of rectangular tube 30 x 20 mm
- side panel and back panel strut made of square tube 22 x 22 mm
- with one swivel castor, one swivel castors with total brake and two fixed castors,  $\varnothing$  125 mm, wheel center / tread: polyamide / polyurethane
- can be loaded from both sides, ideal for order picking
- open back panel, only with a stabilizing strut
- intermediate shelves with and without upstand
- optionally available: handle set (Art.-Nr.: GRKS330C002), retrofittable
- surface: galvanized blue, Cr 3

steel roll container 800 x 1200 mm, 2-sided |  780 x 1.145 x 1.600 mm

steel roll container 800 x 1.200 mm, 2-sided,  
without intermediate shelf, Cr 3

S38001200KCOZ1E2

wire mesh intermediate shelf for steel roll  
container, 800 x 1.200 mm, without upstand /  
insertable, Cr 3

ZD1200DDKC001

wire mesh intermediate shelf for steel roll con-  
tainer, 800 x 1.200 mm, with 20 mm upstand /  
insertable, Cr 3

ZD1200DDKC002



3-SIDED



2-SIDED  
WITH HANDLES



415 x 680 x 1.555 mm



500 kg



2-/3-sided



steel

## Picking cart S

- chassis made of rectangular tube 30 x 20 mm
- with two swivel and two fixed castors,  $\varnothing$  100 mm, wheel center / tread: polyamide / polyurethane
- two side panels made of square tube 20 x 20 mm with mesh 50 x 50 mm
- load capacity: up to 500 kg / max. 50 kg per level
- only 415 mm wide, perfect for narrow corridors
- surface: galvanized blue, Cr 3

**picking cart**  405 x 640 x 1.390 mm

picking cart S, 415 x 680 mm, 2-sided, without intermediate shelf, Cr 3

K2415680KCOZ001E4

picking cart S, 415 x 680 mm, 3-sided, without intermediate shelf, Cr 3

K3415680KCOZ001E4

wire mesh intermediate shelf set for picking cart S,

ZDS680ORKKC001

406 x 640 mm, without upstand / fixed, Cr 3

wire mesh intermediate shelf for picking cart S,

ZD680ORKKC002

392 x 603 mm, without upstand / insertable, Cr 3

wire mesh intermediate shelf for picking cart S,

ZD680MRKKC003

377 x 603 mm, with 20 mm upstand / insertable, Cr 3

wire mesh intermediate shelf for picking cart S,

ZD680MRKKC004

377 x 603 mm, with 100 mm upstand / insertable, Cr 3

separation grid for wire mesh intermediate shelf for picking cart S,

TG680KC004

370 mm, insertable, Cr 3

picking board with clipboard, Cr 3, foldable at an angle

MKTKC02

handle set ME blue, 115 x 400 mm, for picking cart S/M/L

GS400K5010002





3-SIDED  
WITH FOLDING STEP



2-SIDED  
INCL. INTERMEDIATE SHELVES



2-SIDED



510 x 940 x 1.630 mm



300 kg



2-/3-sided





steel

# Picking cart M 510


- available in 2 different lengths 940 and 1.340 mm
- 2-sided picking cart with stabilizing strut
- with four bolt hole swivel castors, ø 125 mm, wheel center / tread: polyamide / polyurethane
- two side panels made of square tube 20 x 20 mm with mesh 50 x 50 mm
- load capacity: 300 kg
- surface: galvanized blue, Cr 3

| picking cart  510 x 940 x 1.630 mm |                                                                                                                       |
|-------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------|
|  2-sided<br>460 x 850 x 1.425 mm     |  3-sided<br>460 x 850 x 1.425 mm |
| picking cart M, 510 x 940 mm, 2-sided, without intermediate shelf, Cr 3                                                 | K2510940KCOZ001J3                                                                                                     |
| picking cart M, 510 x 940 mm, 3-sided, without intermediate shelf, Cr 3                                                 | K3510940KCOZ001J3                                                                                                     |
| wire mesh intermediate shelf set for picking cart M 940, 460 x 850 mm without upstand / fixed, Cr 3                     | ZDS940ORKKC001                                                                                                        |
| wire mesh intermediate shelf for picking cart M 940, 440 x 813 mm, without upstand / insertable, Cr 3                   | ZD940ORKKC002                                                                                                         |
| wire mesh intermediate shelf for picking cart M 940, 450 x 810 mm, with 20 mm upstand / insertable                      | ZD940MRKKC003                                                                                                         |
| folding step extension kit for picking cart M, Cr 3                                                                     | KLTS510K7015001                                                                                                       |

| picking cart  510 x 1.340 x 1.630 mm |                                                                                                                       |
|-------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------|
| 2-sided<br> 460 x 1.245 x 1.425 mm     | 3-sided<br> 460 x 1.245 x 1.425 mm |
| picking cart M, 510 x 1.340 mm, 2-sided, without intermediate shelf, Cr 3                                               |                                                                                                                       |
| picking cart M, 510 x 1.340 mm, 3-sided, without intermediate shelf, Cr 3                                               |                                                                                                                       |
| wire mesh intermediate shelf for picking cart M, 510 x 1.340 mm, without upstand / fixed, Cr 3                          | ZDS1280ORKKC001                                                                                                       |
| wire mesh intermediate shelf for picking cart M, 510 x 1.340 mm, without upstand / insertable, Cr 3                     | ZD1280ORKKC001                                                                                                        |
| wire mesh intermediate shelf for picking cart M, 510 x 1.340 mm, with upstand / insertable, Cr 3                        | ZD1280MRKKC001                                                                                                        |
| folding step extension kit for picking cart M, Cr 3                                                                     | KLTS510K7015001                                                                                                       |



| accessories for all picking carts 1425 ME                    |               |
|--------------------------------------------------------------|---------------|
| 5th wheel / guide wheel, ø 125mm                             | FÜR125KC01V7  |
| picking board with clipboard, inclined mountable, grey       | MKTKCO2       |
| handle set ME blue, 115 x 400 mm, for picking cart S / M / L | GS400K5010002 |



2-SIDED



3-SIDED

3-SIDED  
WITH FOLDING STEP AND PICKING BOARD



670 x 940 / 1340 x 1625 mm



300 kg



2-/3- sided



steel



## Picking cart L 670

- available in 2 different lengths 940 and 1.340 mm
- 2- and 3-sided version
- 2-sided picking cart with stabilizing strut
- with four bolt hole swivel castors, ø 125 mm, wheel center / tread: polyamide / polyurethan red
- two side panels made of square tube 20 x 20 mm with mesh 50 x 50 mm
- load capacity: 300 kg
- surface: galvanized blue, Cr 3

|                                                                                                          |                                                                                                                         |                                                                                                                       |
|----------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------|
| surface: galvanized blue, Cr 3                                                                           | picking cart  670 x 940 x 1.625 mm |                                                                                                                       |
|                                                                                                          | 2-sided<br> 620 x 850 x 1.425 mm     | 3-sided<br> 620 x 850 x 1.425 mm |
| L, 670 x 940 mm, 2-sided, without intermediate shelf, Cr 3                                               | K2670940KCOZ001J3                                                                                                       | K3670940KCOZ001J3                                                                                                     |
| L, 670 x 940 mm, 3-sided, without intermediate shelf, Cr 3                                               |                                                                                                                         |                                                                                                                       |
| wire mesh intermediate shelf set for picking cart L 940, 615 x 850 mm, without upstand / fixed, Cr 3     | ZDS940ORKKC004                                                                                                          |                                                                                                                       |
| wire mesh intermediate shelf for picking cart L 940, 600 x 810 mm, without upstand / insertable, Cr 3    | ZD940ORKKC005                                                                                                           |                                                                                                                       |
| wire mesh intermediate shelf for picking cart L 940, 600 x 810 mm, with 20 mm upstand / insertable, Cr 3 | ZD940MRKKC006                                                                                                           |                                                                                                                       |
| folding step extension kit for picking cart L, Cr 3                                                      | KLTS620K7015001                                                                                                         |                                                                                                                       |



|                                                                                                                                                        |                                                                                                                                |                                                                                                                              |
|--------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------|
|                                                                                                                                                        | <b>picking cart</b>  670 x 1.340 x 1.625 mm |                                                                                                                              |
|                                                                                                                                                        | <b>2-sided</b><br> 620 x 1.250 x 1.425 mm     | <b>3-sided</b><br> 620 x 1.250 x 1.425 mm |
| picking cart L, 670 x 1.340 mm, 2-sided, without intermediate shelf, Cr 3<br>picking cart L, 670 x 1.340 mm, 2-sided, without intermediate shelf, Cr 3 | K26701340KCOZ001J3                                                                                                             | K36701340KCOZ001J3                                                                                                           |
| wire mesh intermediate shelf Set for picking cart L 1340, 615 x 1.250 mm, without upstand / fixed, Cr 3                                                | ZDS1340ORKKC007                                                                                                                |                                                                                                                              |
| wire mesh intermediate shelf for picking cart L 1340, 600 x 1.200 mm, without upstand / insertable, Cr 3                                               | ZD1340ORKKC008                                                                                                                 |                                                                                                                              |
| wire mesh intermediate shelf for picking cart L 1340, 600 x 1.200 mm, with 20 mm upstand / insertable, Cr 3                                            | ZD1340MRKKC009                                                                                                                 |                                                                                                                              |
| folding step extension kit for picking cart L, Cr 3                                                                                                    | KLTS620K7015001                                                                                                                |                                                                                                                              |



|                                                              |                                           |  |
|--------------------------------------------------------------|-------------------------------------------|--|
|                                                              | accessories for all picking carts 1425 ME |  |
| 5th wheel / guide wheel, ø 125mm                             | FÜR5125KC01V7                             |  |
| picking board with clipboard, inclined mountable, grey       | MKTCKO2                                   |  |
| handle set ME blue, 115 x 400 mm, for picking cart S / M / L | GS400K5010002                             |  |



# Picking cart XL

- chassis made of rectangular tube 50 x 20 mm
- 2-sided picking cart with stabilizing strut
- with two swivel castors with brake and two fixed castors, ø 160 mm, wheel center / tread: polyamide / polyurethan
- two side panels made of square tube 25 x 25 mm with mesh 70 x 100 mm
- one back panel made of square tube 25 x 25 mm with mesh 50 x 100 mm, insertable
- load capacity: up to 500 kg / base: 200 kg / 150 kg per level
- surface: galvanized blue, Cr 3

|                                                                                                              | picking cart  800 x 1.247 x 1.400 mm |
|--------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------|
| picking cart XL, 800 x 1.300 mm, 2-sided, without intermediate shelf, Cr 3                                   | K28001300KCOZ001J8                                                                                                        |
| picking cart XL, 800 x 1.300 mm, 3-sided, without intermediate shelf, Cr 3                                   | K38001300KCOZ001J8                                                                                                        |
| separation grid for the base of picking cart XL<br>800 x 1.300 mm, without upstand / fixed, Cr 3             | TGF770200KC001                                                                                                            |
| wire mesh intermediate shelf for picking cart XL<br>800 x 1.300 mm, without upstand / fixed, Cr 3            | ZDS1300ORKK001                                                                                                            |
| separation grid for intermediate shelves of picking cart XL<br>800 x 1.300 mm, without upstand / fixed, Cr 3 | TGZS770200KC001                                                                                                           |
| plywood panel, 750 x 1.245 mm, for base and intermediate shelf<br>of picking cart XL                         | HPBS75012459SF                                                                                                            |
| upstand for intermediate shelves of picking cart XL<br>800 x 1.300 mm, fixed, Cr 3                           | RKZDS123530KC001                                                                                                          |
| grip-set ME blue, 115 x 400 mm, for picking cart XL                                                          | GS400K5010001                                                                                                             |
| folding step extension kit for picking cart XL, Cr 3                                                         | KLTS800K7015001                                                                                                           |
| forklift entry lugs for steel roll container and picking cart, Cr 3                                          | MKUF18090C                                                                                                                |
| picking board with clipboard, Cr 3, inclined mountable                                                       | MKTKCO2                                                                                                                   |



800 x 1.200 mm

500 kg

4-sided

steel

## Mesh stacking frame VZ on steel base

- chassis made of rectangular tube 30 x 20 mm  
loading platform: longitudinal bars made of flat steel with wire frame surface
- with two swivel and two swivel castors with total brake, Ø 125 mm, wheel center / tread: polypropylene
- one long side with 1/2 flap, tube frame Ø 22 x 1.8 mm,
- surface: galvanized blue, Cr 3

### mesh stacking frame galvanized on steel base

800 x 1.200 x 985 mm, usable height 800 mm

S48001200800CS1016

total height 800 x 1.200 x 1.185 mm

S480012001000CS1016

total height 800 x 1.200 x 1.385 mm

S480012001200CS1016




# Laundry containers



## Laundry containers

Whether in a spa or therm, in hotels, residential and nursing homes or the restaurant business, laundry containers are the perfect solution for the in-house transport of large amounts of laundry. These stable steel containers on castors are available with different bases, side panels and in various sizes. They can easily transport large quantities of items such as towels, workwear, and duvet covers. Thanks to the mounted castors, our laundry containers can be moved effortlessly, ensuring excellent manoeuvrability. Furthermore, pivotable and foldable doors guarantee easy handling.

so that everything  
**RUNS  
CLEAN**



numerous  
**ACCESSORIES**  
for individual  
needs

172

NEW

WITH **DIRECTIONAL  
LOCKING SYSTEM**

MORE ACCESSORIES AND  
CASTOR SETS AVAILABLE.

5-SIDED



875 x 650 x 1750 mm



400 kg



5-sided



Alu

## Laundry container 875 x 650 mm

- with four swivel castors (with directional locking system), ø 100 mm, wheel center / tread: polypropylene / thermopl. rubber
- plastic plates and a frame made of aluminium
- incl. 2 foldable intermediate shelves
- surface of the frame: anodized aluminium

laundry container 875 x 650 mm |  875 x 650 x 1.750 mm |  810 x 600 x 1.600 mm

alu

WWK58506301750A2Z000

86





3-SIDED, PLASTIC BOTTOM



4-SIDED, WOODEN BOTTOM

4-SIDED, STEEL BOTTOM



600 x 720 mm



400 kg



3- / 4-sided



plastic / wood / steel

# Laundry container 600 x 720 mm

- with two swivel and two fixed castors,  $\varnothing$  100 mm, wheel center / tread: polypropylene / thermopl. rubber
- infill made of round bar  $\varnothing$  6 mm vertical and  $\varnothing$  7.8 mm horizontal
- surface: galvanized blue, Cr 3

| laundry container    600 x 720 x 1.520 mm |                                                                                                                    |                                                                                                                      |
|------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------|
|                                                                                                                              | 3-sided    555 x 675 x 1.370 mm | 4-sided    555 x 675 x 1.370 mm |
| steel                                                                                                                        | WBS36007201520B00000                                                                                               | WBS46007201520B00000                                                                                                 |
| plastic                                                                                                                      | WBK36007201520B00000                                                                                               | WBK46007201520B00000                                                                                                 |
| wood                                                                                                                         | WBH36007201520B00000                                                                                               | WBH46007201520B00000                                                                                                 |

| laundry container    600 x 720 x 1.730 mm |                                                                                                                    |                                                                                                                      |
|------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------|
|                                                                                                                              | 3-sided    555 x 675 x 1.580 mm | 4-sided    555 x 675 x 1.580 mm |
| steel                                                                                                                        | WBS36007201730B00000                                                                                               | WBS46007201730B00000                                                                                                 |
| plastic                                                                                                                      | WBK36007201730B00000                                                                                               | WBK46007201730B00000                                                                                                 |
| wood                                                                                                                         | WBH36007201730B00000                                                                                               | WBH46007201730B00000                                                                                                 |



**WIDE RANGE  
FOR EVERY NEED**



3-SIDED, PLASTIC BOTTOM



4-SIDED, WOODEN BOTTOM

 600 x 740 mm

 400 kg

 3- / 4-sided

 plastic / wood / steel

## Laundry container 600 x 740 mm


- with two swivel and two fixed castors, ø 100 mm, wheel center / tread: polypropylene / thermopl. rubber
- frame made of ø 20 mm round tube, infill made of round bar ø 6 mm vertical and ø 7.8 mm horizontal
- different usable heights available
- surface: galvanized blue, Cr 3

|                                 | laundry container  600 x 740 mm |                                                                                                              |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------|
|                                 | 3-sided    555 x 695 mm          | 4-sided    555 x 695 mm |
| usable height 1.000 mm, steel   | WPS36007401150B00000                                                                                                | WPS46007401150B00000                                                                                         |
| usable height 1.000 mm, plastic | WPK36007401150B00000                                                                                                | WPK46007401150B00000                                                                                         |
| usable height 1.000 mm, wood    | WPH36007401150B00000                                                                                                | WPH46007401150B00000                                                                                         |
| usable height 1.200 mm, steel   | WPS36007401350B00000                                                                                                | WPS46007401350B00000                                                                                         |
| usable height 1.200 mm, plastic | WPK36007401350B00000                                                                                                | WPK46007401350B00000                                                                                         |
| usable height 1.200 mm, wood    | WPH36007401350B00000                                                                                                | WPH46007401350B00000                                                                                         |
| usable height 1.370 mm, steel   | WPS36007401520B00000                                                                                                | WPS46007401520B00000                                                                                         |
| usable height 1.370 mm, plastic | WPK36007401520B00000                                                                                                | WPK46007401520B00000                                                                                         |
| usable height 1.370 mm, wood    | WPH36007401520B00000                                                                                                | WPH46007401520B00000                                                                                         |






4-SIDED, STEEL BOTTOM



3-SIDED, PLASTIC BOTTOM



4-SIDED, WOODEN BOTTOM



600 x 810 mm



400 kg



3- / 4-sided



plastic / wood / steel

## Laundry container 600 x 810 mm

- with two swivel and two fixed castors,  $\varnothing$  100 mm, wheel center / tread: polypropylene / thermopl. rubber
- frame made of  $\varnothing$  20 mm round tube, infill made of round bar  $\varnothing$  6 mm vertical and  $\varnothing$  7.8 mm horizontal

|                                 | laundry container  600 x 810 mm |                                                                                                              |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------|
|                                 | 3-sided    555 x 765 mm         | 4-sided    555 x 765 mm |
| usable height 1.370 mm, steel   | WPS36008101520B00000                                                                                               | WPS46008101520B00000                                                                                         |
| usable height 1.370 mm, plastic | WPK36008101520B00000                                                                                               | WPK46008101520B00000                                                                                         |
| usable height 1.370 mm, wood    | WPH36008101520B00000                                                                                               | WPH46008101520B00000                                                                                         |
| usable height 1.550 mm, steel   | WPS36008101700B00000                                                                                               | WPS46008101700B00000                                                                                         |
| usable height 1.550 mm, plastic | WPK36008101700B00000                                                                                               | WPK46008101700B00000                                                                                         |
| usable height 1.550 mm, wood    | WPH36008101700B00000                                                                                               | WPH46008101700B00000                                                                                         |





720 x 810 mm



400 kg



3- / 4-sided



plastic / wood / steel

# Laundry container 720 x 810 mm

- with two swivel and two fixed castors,  $\varnothing$  100 mm, wheel center / tread: polypropylene / thermopl. rubber
- frame made of  $\varnothing$  20 mm round tube, infill made of round bar  $\varnothing$  6 mm vertical and  $\varnothing$  7.8 mm horizontal
- different usable heights available
- surface: galvanized blue, Cr 3

## ALL BENEFITS AT A GLANCE



STEEL BOTTOM



PLASTIC BOTTOM



WOODEN BOTTOM



WITH  $\varnothing$  100 MM TPR CASTORS

|                                 | laundry container  720 x 810 mm |                                                                                                             |
|---------------------------------|------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------|
|                                 | 3-sided<br> 675 x 765 mm        | 4-sided<br> 675 x 765 mm |
| usable height 1.000 mm, steel   | WPS37208101150B00000                                                                                             | WPS47208101150B00000                                                                                        |
| usable height 1.000 mm, plastic | WPK37208101150B00000                                                                                             | WPK47208101150B00000                                                                                        |
| usable height 1.000 mm, wood    | WPH37208101150B00000                                                                                             | WPH47208101150B00000                                                                                        |
| usable height 1.200 mm, steel   | WPS37208101350B00000                                                                                             | WPS47208101350B00000                                                                                        |
| usable height 1.200 mm, plastic | WPK37208101350B00000                                                                                             | WPK47208101350B00000                                                                                        |
| usable height 1.200 mm, wood    | WPH37208101350B00000                                                                                             | WPH47208101350B00000                                                                                        |
| usable height 1.370 mm, steel   | WPS37208101520B00000                                                                                             | WPS47208101520B00000                                                                                        |
| usable height 1.370 mm, plastic | WPK37208101520B00000                                                                                             | WPK47208101520B00000                                                                                        |
| usable height 1.370 mm, wood    | WPH37208101520B00000                                                                                             | WPH47208101520B00000                                                                                        |
| usable height 1.550 mm, steel   | WPS37208101700B00000                                                                                             | WPS47208101700B00000                                                                                        |
| usable height 1.550 mm, plastic | WPK37208101700B00000                                                                                             | WPK47208101700B00000                                                                                        |
| usable height 1.550 mm, wood    | WPH37208101700B00000                                                                                             | WPH47208101700B00000                                                                                        |
| usable height 1.650 mm, steel   | WPS37208101800B00000                                                                                             | WPS47208101800B00000                                                                                        |
| usable height 1.650 mm, plastic | WPK37208101800B00000                                                                                             | WPK47208101800B00000                                                                                        |
| usable height 1.650 mm, wood    | WPH37208101800B00000                                                                                             | WPH47208101800B00000                                                                                        |





## Laundry container 1590 / 1600

- with two swivel and two fixed castors, ø 100 mm, wheel center / tread: polypropylene / thermopl. rubber
- two intermediate shelves can be used as front panel
- laundry container 1590 mm with fixed, short front panel and clothes bar
- infill made of round bar ø 6 mm vertical and ø 7.8 mm horizontal
- surface: galvanized blue, Cr 3

| laundry container 1590   📏 940 x 560 x 1.740 mm |                      |
|-------------------------------------------------|----------------------|
| 4-sided   400 kg   📏 900 x 520 x 1.590 mm       |                      |
| steel                                           | WS49405601740B2Z000  |
| plastic                                         | WK49405601740B2Z000  |
| wood                                            | WH49405601740B2Z000  |
| laundry container 1600   📏 850 x 630 x 1.750 mm |                      |
| 3-sided   500 kg   📏 805 x 590 x 1.600 mm       |                      |
| steel                                           | WWS38506301750B2Z000 |
| plastic                                         | WWK38506301750B2Z000 |
| wood                                            | WWH38506301750B2Z000 |






STEEL BOTTOM



PLASTIC BOTTOM



WOODEN BOTTOM



850 x 630 x 1.750 mm



500 kg



4-sided



plastic / wood / steel

# Laundry container 1600

- with two swivel and two fixed castors,  $\varnothing$  100 mm, wheel center / tread: polypropylene / thermopl. rubber
- side panels, back panel and foldable front panel
- infill made of round bar  $\varnothing$  6 mm vertical and  $\varnothing$  7.8 mm horizontal
- surface: galvanized blue, Cr 3



DEFLECTION WHEEL



DIRECTIONAL LOCKING SYSTEM

| laundry container 1600 mm    850 x 630 x 1.750 mm |                      |
|---------------------------------------------------------------------------------------------------------------------------------------|----------------------|
| 4-sided    805 x 590 x 1.600 mm                    |                      |
| steel                                                                                                                                 | WSS48506301750B00000 |
| plastic                                                                                                                               | WSK48506301750B00000 |
| wood                                                                                                                                  | WSH48506301750B00000 |

**NEW**

**MORE ACCESSORIES AND  
CASTOR SETS AVAILABLE**



PLASTIC BOTTOM



WOODEN BOTTOM



METAL BOTTOM



825 x 738 x 1.710 mm



500 kg



3-sided



plastic / wood / steel

## Laundry container 825 x 738 mm

- with two swivel and two fixed castors, ø 100 mm, wheel center / tread: polypropylene / thermopl. rubber
- incl. two foldable intermediate shelves
- plastic, steel or wooden bottom
- infill made of round bar ø 6 mm vertical and oval bar ø 15 mm horizontal
- surface: galvanized blue, Cr3

| laundry container 825 x 738 mm    825 x 738 x 1.710 mm |                      |
|--------------------------------------------------------|----------------------|
| 3-sided   500 kg    755 x 685 x 1.550 mm               |                      |
| steel                                                  | WSS38257371710B2Z000 |
| plastic                                                | WSK38257371710B2Z000 |
| wood                                                   | WSH38257371710B2Z000 |

NEW



STEEL BOTTOM



PLASTIC BOTTOM



WOODEN BOTTOM



850 x 630 x 1.750 mm



500 kg



4-sided



plastic / wood / steel

# Laundry container 875 x 675 mm

- with two swivel and two fixed castors,  $\varnothing$  100 mm, wheel center / tread: polypropylene / thermopl. rubber
- incl. two foldable intermediate shelves
- plastic, steel or wooden bottom
- infill made of round bar  $\varnothing$  6 mm vertical and oval bar  $\varnothing$  15 mm horizontal
- surface: galvanized blue, Cr3

laundry container 875 x 675 mm | 850 x 630 x 1.750 mm

4-sided | 805 x 590 x 1.600 mm

steel

WSS48506301750B00000

plastic

WSK48506301750B00000

wood

WSH48506301750B00000



NEW

MORE ACCESSORIES AND  
CASTOR SETS AVAILABLE



PLASTIC BOTTOM



WOODEN BOTTOM



STEEL BOTTOM



710 x 810 x 1.860 mm



500 kg



5-sided



plastic / wood / steel

## Laundry container 710 x 810 mm

- with two swivel and two fixed castors,  $\varnothing$  100 mm, wheel center / tread: polypropylene / thermopl. rubber
- plastic, steel or wooden bottom
- frame made of square tube
- secure storage due to 50 x 50 mm mesh
- infill made of mesh 50 x 50 mm,  $\varnothing$  3.8 mm
- surface: galvanized blue, Cr3

| laundry container 710 x 810 mm    710 x 810 x 1.860 mm |                      |
|--------------------------------------------------------|----------------------|
| 5-sided   500 kg    660 x 760 x 1.660 mm               |                      |
| steel                                                  | WAS57008001840B00000 |
| plastic                                                | WAK57008001840B00000 |
| wood                                                   | WAH57008001840B00000 |

NEW

SMART 2-IN-1 SYSTEM THROUGH  
FOLDABLE FRONT PANEL

3-SIDED WITH  
THREE INTERMEDIATE SHELVES

3-SIDED WHEN FOLDED

WITH A CLOTHES RAIL



1.185 x 503 x 1.646 mm



400 kg



3-sided



steel

# Laundry container 1185 x 503 mm

- with two swivel and two fixed castors,  $\varnothing$  100 mm, wheel center / tread: polypropylene / thermopl. rubber
- incl. three foldable intermediate shelves
- infill made of round bar  $\varnothing$  6 mm vertical and  $\varnothing$  7.8 mm horizontal
- with a clothes rail
- surface: galvanized blue, Cr3

laundry container 1185 x 503 mm | 1.185 x 503 x 1.646 mm

3-/4-sided | 1.140 x 478 x 1.430 mm

steel

RWS311905101600B00000

# Accessories for laundry containers

---



## Laundry bag

Laundry bags are suspended on the inside of the laundry container and are used for the collection of dirty laundry. They protect the laundry against further dirt and damages and improve the appearance of the filled container.

### fabric:

- 100% polyester
- weight: ca. 220 g/m<sup>2</sup>
- with thermosetting, durable, easy-care

### version:

- toggle closure
- colour: blue / white
- logo printing possible



|                                                                                | laundry container    600 x 720 mm |                  |
|--------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------|------------------|
|                                                                                | laundry bag white                                                                                                    | laundry bag blue |
| laundry bag 555 x 720 x 1.370 mm<br>for laundry container 600 x 720 x 1.520 mm | WSW6007201520OL                                                                                                      | WSB6007201520OL  |
| laundry bag 555 x 720 x 1.580 mm<br>for laundry container 600 x 720 x 1.730 mm | WSW6007201730OL                                                                                                      | WSB6007201730OL  |

|                                                                                | laundry container    600 x 740 mm |                  |
|--------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------|------------------|
|                                                                                | laundry bag white                                                                                                    | laundry bag blue |
| laundry bag 555 x 735 x 1.000 mm<br>for laundry container 600 x 740 x 1.150 mm | WSW6007401150OL                                                                                                      | WSB6007401150OL  |
| laundry bag 555 x 735 x 1.200 mm<br>for laundry container 600 x 740 x 1.350 mm | WSW6007401350OL                                                                                                      | WSB6007401350OL  |
| laundry bag 555 x 735 x 1.370 mm<br>for laundry container 600 x 740 x 1.520 mm | WSW6007401520OL                                                                                                      | WSB6007401520OL  |

|                                                                                | laundry container    600 x 810 mm |                  |
|--------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------|------------------|
|                                                                                | laundry bag white                                                                                                      | laundry bag blue |
| laundry bag 555 x 800 x 1.370 mm<br>for laundry container 600 x 810 x 1.520 mm | WSW6008101520OL                                                                                                        | WSB6008101520OL  |
| laundry bag 555 x 800 x 1.550 mm<br>for laundry container 600 x 810 x 1.700 mm | WSW6008101700OL                                                                                                        | WSB6008101700OL  |

|                                                                                | laundry container    720 x 810 mm |                  |
|--------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------|------------------|
|                                                                                | laundry bag white                                                                                                      | laundry bag blue |
| laundry bag 675 x 800 x 1.000 mm<br>for laundry container 720 x 810 x 1.150 mm | WSW7208101150OL                                                                                                        | WSB7208101150OL  |
| laundry bag 675 x 800 x 1.200 mm<br>for laundry container 720 x 810 x 1.350 mm | WSW7208101350OL                                                                                                        | WSB7208101350OL  |
| laundry bag 675 x 800 x 1.370 mm<br>for laundry container 720 x 810 x 1.520 mm | WSW7208101520OL                                                                                                        | WSB7208101520OL  |
| laundry bag 675 x 800 x 1.550 mm<br>for laundry container 720 x 810 x 1.700 mm | WSW7208101700OL                                                                                                        | WSB7208101700OL  |
| laundry bag 675 x 800 x 1.650 mm<br>for laundry container 720 x 810 x 1.800 mm | WSW7208101800OL                                                                                                        | WSB7208101800OL  |

# Accessories for laundry containers

---



## Protective cover

Protective covers are used for the transport of clean laundry and are fixed from the outside to the laundry container. Mostly, they are used for the distribution of clean laundry and protect the laundry from dirt and damages.

### fabric:

- 100% polyester
- weight: ca. 220 g/m<sup>2</sup>
- with thermosetting, durable, easy-care

### version:

- toggle closure
- colour: blue / white
- logo printing possible

|                                                                                     | laundry container    600 x 720 mm |                       |
|-------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------|-----------------------|
|                                                                                     | protective cover white                                                                                               | protective cover blue |
| protective cover 600 x 720 x 1.392 mm<br>for laundry container 600 x 720 x 1.520 mm | AHW6007201520OL                                                                                                      | AHB6007201520OL       |
| protective cover 600 x 720 x 1.602 mm<br>for laundry container 600 x 720 x 1.730 mm | AHW6007201730OL                                                                                                      | AHB6007201730OL       |

|                                                                                     | laundry container    600 x 740 mm |                       |
|-------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------|-----------------------|
|                                                                                     | protective cover white                                                                                               | protective cover blue |
| protective cover 600 x 740 x 1.022 mm<br>for laundry container 600 x 740 x 1.150 mm | AHW6007401150OL                                                                                                      | AHB6007401150OL       |
| protective cover 600 x 740 x 1.222 mm<br>for laundry container 600 x 740 x 1.350 mm | AHW6007401350OL                                                                                                      | AHB6007401350OL       |
| protective cover 600 x 740 x 1.392 mm<br>for laundry container 600 x 740 x 1.520 mm | AHW6007401520OL                                                                                                      | AHB6007401520OL       |

|                                                                                     | laundry container    600 x 810 mm |                       |
|-------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------|-----------------------|
|                                                                                     | protective cover white                                                                                                 | protective cover blue |
| protective cover 600 x 810 x 1.392 mm<br>for laundry container 600 x 810 x 1.520 mm | AHW6008101520OL                                                                                                        | AHB6008101520OL       |
| protective cover 600 x 810 x 1.572 mm<br>for laundry container 600 x 810 x 1.700 mm | AHW6008101700OL                                                                                                        | AHB6008101700OL       |

|                                                                                     | laundry container    720 x 810 mm |                       |
|-------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------|-----------------------|
|                                                                                     | protective cover white                                                                                                 | protective cover blue |
| protective cover 720 x 810 x 1.022 mm<br>for laundry container 720 x 810 x 1.150 mm | AHW7208101150OL                                                                                                        | AHB7208101150OL       |
| protective cover 720 x 810 x 1.222 mm<br>for laundry container 720 x 810 x 1.350 mm | AHW7208101350OL                                                                                                        | AHB7208101350OL       |
| protective cover 720 x 810 x 1.392 mm<br>for laundry container 720 x 810 x 1.520 mm | AHW7208101520OL                                                                                                        | AHB7208101520OL       |
| protective cover 720 x 810 x 1.572 mm<br>for laundry container 720 x 810 x 1.700 mm | AHW7208101700OL                                                                                                        | AHB7208101700OL       |
| protective cover 720 x 810 x 1.672 mm<br>for laundry container 720 x 810 x 1.800 mm | AHW7208101800OL                                                                                                        | AHB7208101800OL       |



# Accessories for laundry containers



## intermediate shelf made of steel, insertable

- individually mountable intermediate shelf made of steel
- surface: galvanized blue, Cr 3

|                                                                                          |             |
|------------------------------------------------------------------------------------------|-------------|
| for laundry container 600 x 720 mm<br>external dimension (w x d x h): 611 x 660 x 0.5 mm | ZBSL600720B |
| for laundry container 600 x 740 mm<br>external dimension (w x d x h): 606 x 670 x 0.5 mm | ZBSL600740B |
| for laundry container 600 x 810 mm<br>external dimension (w x d x h): 606 x 740 x 0.5 mm | ZBSL600810B |
| for laundry container 720 x 810 mm<br>external dimension (w x d x h): 726 x 740 x 0.5 mm | ZBSL720810B |



## intermediate shelf made of steel, foldable

- fixed, foldable intermediate shelf made of steel
- surface: galvanized blue, Cr 3


|                                                                                         |             |
|-----------------------------------------------------------------------------------------|-------------|
| for laundry container 600 x 720 mm<br>external dimension (w x d x h): 615 x 660 x 10 mm | ZBSK600720B |
| for laundry container 600 x 740 mm<br>external dimension (w x d x h): 610 x 670 x 10 mm | ZBSK600740B |
| for laundry container 600 x 810 mm<br>external dimension (w x d x h): 610 x 740 x 10 mm | ZBSK600810B |
| for laundry container 720 x 810 mm<br>external dimension (w x d x h): 730 x 740 x 10 mm | ZBSK720810B |



## intermediate shelf with textured plastic panel, foldable

- fixed, foldable intermediate shelf with textured plastic panel
- surface: textured plastic panel; mesh: galvanized blue


|                                                                                         |              |
|-----------------------------------------------------------------------------------------|--------------|
| for laundry container 600 x 720 mm<br>external dimension (w x d x h): 615 x 660 x 10 mm | ZBSKK600720B |
| for laundry container 600 x 740 mm<br>external dimension (w x d x h): 610 x 670 x 10 mm | ZBSKK600740B |
| for laundry container 600 x 810 mm<br>external dimension (w x d x h): 610 x 740 x 10 mm | ZBSKK600810B |
| for laundry container 720 x 810 mm<br>external dimension (w x d x h): 730 x 740 x 10 mm | ZBSKK720810B |



## shelf with phenolic resin panel, foldable

- fixed, foldable intermediate shelf with phenolic resin panel
- surface: phenolic resin panel; mesh: galvanized blue, Cr 3

|                                                                                         |              |
|-----------------------------------------------------------------------------------------|--------------|
| for laundry container 600 x 720 mm<br>external dimension (w x d x h): 615 x 660 x 10 mm | ZBSKH600720B |
| for laundry container 600 x 740 mm<br>external dimension (w x d x h): 610 x 670 x 10 mm | ZBSKH600740B |
| for laundry container 600 x 810 mm<br>external dimension (w x d x h): 610 x 740 x 10 mm | ZBSKH600810B |
| for laundry container 720 x 810 mm<br>external dimension (w x d x h): 730 x 740 x 10 mm | ZBSKH720810B |



## intermediate shelf with phenolic resin panel, insertable

- insertable intermediate shelf with phenolic resin panel
- surface: phenolic resin panel; galvanized blue

|                                                                                         |             |
|-----------------------------------------------------------------------------------------|-------------|
| for laundry container 600 x 720 mm<br>external dimension (w x d x h): 615 x 660 x 10 mm | ZBSH600720B |
| for laundry container 600 x 740 mm<br>external dimension (w x d x h): 610 x 670 x 10 mm | ZBSH600740B |
| for laundry container 600 x 810 mm<br>external dimension (w x d x h): 610 x 740 x 10 mm | ZBSH600810B |
| for laundry container 720 x 810 mm<br>external dimension (w x d x h): 730 x 740 x 10 mm | ZBSH720810B |



## gummitex®, dark grey

- textile strap with elastic
- max. recommended span length 845/900 mm
- colour: dark grey, hook: galvanized blue, Cr 3

|                                                                    |           |
|--------------------------------------------------------------------|-----------|
| textile strap, 1 wire hook / 1 wire loop<br>dimension: 50 x 600 mm | E180001BL |
| textile strap, 1 wire hook / 1 wire loop<br>dimension: 50 x 640 mm | E180002BL |

# Accessories for laundry containers



## Document frame A4

- optionally available to insert or to rivet / to screw
- surface: galvanized blue, Cr 3

|                                                                                               |         |
|-----------------------------------------------------------------------------------------------|---------|
| A4 upright format, vertical insertable<br>external dimension (w x d x h): 225 x 305 x 16 mm   | DHGA4B  |
| A4 landscape format, vertical insertable<br>external dimension (w x d x h): 305 x 225 x 16 mm | DQGA4B  |
| A4 upright format, to rivet or screw<br>external dimension (w x d x h): 218 x 300 x 16 mm     | DHGSA4B |
| A4 landscape format, to rivet or screw<br>external dimension (w x d x h): 300 x 218 x 16 mm   | DQGSA4B |

## Document frame A5

- optionally available to insert or to rivet / to screw
- surface: galvanized blue, Cr 3



|                                                                                               |         |
|-----------------------------------------------------------------------------------------------|---------|
| A5 upright format, vertical insertable<br>external dimension (w x d x h): 152 x 212 x 16 mm   | DHGA5B  |
| A5 landscape format, vertical insertable<br>external dimension (w x d x h): 212 x 152 x 16 mm | DQGA5B  |
| A5 upright format, to rivet or screw<br>external dimension (w x d x h): 150 x 220 x 16 mm     | DHGSA5B |
| A5 landscape format, to rivet or screw<br>external dimension (w x d x h): 220 x 150 x 16 mm   | DQGSA5B |

## Document frame A6

- optionally available to insert or to rivet / to screw
- surface: galvanized blue, Cr 3

|                                                                                               |         |
|-----------------------------------------------------------------------------------------------|---------|
| A6 upright format, vertical insertable<br>external dimension (w x d x h): 107 x 152 x 16 mm   | DHGA6B  |
| A6 landscape format, vertical insertable<br>external dimension (w x d x h): 152 x 107 x 16 mm | DQGA6B  |
| A6 upright format, to rivet or screw<br>external dimension (w x d x h): 110 x 155 x 16 mm     | DHGSA6B |
| A6 landscape format, to rivet or screw<br>external dimension (w x d x h): 155 x 110 x 16 mm   | DQGSA6B |



## Slip-on chalkboard A5

- vertical slip-on chalkboard
- surface: galvanized blue, Cr 3
- writable surface

|                                                                                 |         |
|---------------------------------------------------------------------------------|---------|
| A5 upright format, slip-on<br>external dimension (w x d x h): 315 x 150 x 16 mm | AHGBA5B |
|---------------------------------------------------------------------------------|---------|





## Clothes rail

- vertical insertable
- surface: galvanized blue, Cr 3

|                                                                                                                          |         |
|--------------------------------------------------------------------------------------------------------------------------|---------|
| for laundry container 600 x 720 mm,<br>600 x 740 mm and 600 x 810 mm<br>external dimension (w x d x h): 570 x 20 x 20 mm | WKS600B |
| for laundry container 720 x 810 mm<br>external dimension (w x d x h): 690 x 20 x 20 mm                                   | WKS720B |
| for laundry container 850 x 630 mm<br>external dimension (w x d x h): 825 x 20 x 20 mm                                   | WKS850B |
| for laundry container 940 x 560 mm<br>external dimension (w x d x h): 880 x 20 x 20 mm                                   | WKS940B |



## Deflection wheels

- protect the laundry containers and the surrounding
- wheel center: polypropylene
- wheel tread: thermoplastic rubber
- external dimension: ø 50 mm (external) / ø 22 mm (internal)

|                               |        |
|-------------------------------|--------|
| for laundry container 3-sided | AWRBP3 |
| for laundry container 4-sided | AWRBP4 |



## Directional locking system

- with only one click / one movement of the foot two swivel castors can be transformed into two fixed castors and back into two swivels.
- for ø 100 mm PP/TPR castors, on request also available for other types of castors
- surface: flame red similar to RAL 3000

|                                                                                                                          |             |
|--------------------------------------------------------------------------------------------------------------------------|-------------|
| for laundry container 600 x 720 mm,<br>600 x 740 mm and 600 x 810 mm<br>external dimension (w x d x h): 476 x 20 x 20 mm | US450TPE100 |
| for laundry container 720 x 810 mm<br>external dimension (w x d x h): 596 x 20 x 20 mm                                   | US570TPE100 |
| for laundry container 850 x 630 mm<br>external dimension (w x d x h): 506 x 20 x 20 mm                                   | US480TPE100 |
| for laundry container 940 x 560 mm<br>external dimension (w x d x h): 426 x 20 x 20 mm                                   | US400TPE100 |

rolldolly®




For further information  
about the rolldolly® please  
visit our website  
[www.feil.eu](http://www.feil.eu)



# rolldolly®

The name is to the point. Rolldolly® stands for quality, durability and need-based configuration. The diversity of variants offers a huge product range. Use the advantages of the particular rolldolly made of plastic, aluminium, steel or stainless steel.



LOGISTIC  
SOLUTIONS  
for special  
DEMANDS



huge  
range of  
WHEELS AND  
CASTORS  
162



IDEAL FOR  
**EURONORM BOX**  
600 X 400 MM

rollidolly® LIGHT  
VERSION CLOSED

rollidolly® LIGHT  
VERSION OPEN

rollidolly® LIGHT VERSION GRID

415 x 615 x 175 mm
 250 kg
 plastic

# rollidolly® LIGHT

- plastic bottom made of high-quality ABS-material
- with four bolt hole swivel castors, ø 100 mm, wheel center / tread: polypropylene / thermopl. rubber
- assembling of the castors with bolt hole: one screw per castor
- other castors possible on request
- standard colours available in traffic red similar to RAL 3020, and traffic blue similar to RAL 5017
- other RAL-colours possible on request

| rollidolly® LIGHT |                                 |                                  |
|-------------------|---------------------------------|----------------------------------|
|                   | 415 x 615 x 175 mm              | 405 x 605 x 20 mm                |
|                   | traffic red similar to RAL 3020 | traffic blue similar to RAL 5017 |
| version open      | M410610ABS3020OBLB7             | M410610ABS5017OBLB7              |
| version grid      | M410610ABS3020RBLB7             | M410610ABS5017RBLB7              |
| version closed    | M410610ABS3020GBLB7             | M410610ABS5017GBLB7              |



IDEAL FOR  
**REUSABLE CONTAINERS**  
600 X 400 MM

**rollidolly®**

rollidolly® CLASSIC OPEN VERSION



rollidolly® FAVORIT  
WELDED VERSION



ADAPTER FRAME FOR TRAPEZOID  
REUSEABLE CONTAINERS

 410 x 610 x 190 mm

 300 kg

 plastic

## rollidolly® CLASSIC & FAVORIT

- plastic bottom made of high-quality HDPE-material, version FAVORIT with closed subfloor outline
- ideal securing of the plastic boxes through double safety edge
- easy handling of the empties through build-in stacking holes
- with four swivel castors,  $\varnothing$  100 mm, wheel center / tread: polypropylene / thermopl. rubber
- assembling of the castors with plate: 4 screws per castor
- optionally available for trapezoid reusable containers: adapter frame made of 2 mm thick, galvanized sheet steel
- embossing of the front side and long side possible
- available in colours flame red similar to RAL 3000, gentian blue similar to RAL 5010, light blue similar to RAL 5012, telegrey similar to RAL 7046 and black similar to RAL 9005

| rollidolly® CLASSIC/FAVORIT                      |                                                                                                        |
|--------------------------------------------------|--------------------------------------------------------------------------------------------------------|
|                                                  |  410 x 610 x 190 mm |
|                                                  |  402 x 602 x 15 mm  |
| CLASSIC                                          | F92702PE3000OL029                                                                                      |
| FAVORIT                                          | F92601PE3000OL029                                                                                      |
| adapter frame                                    | ARTR400600CM                                                                                           |
| Handrail bracket for<br>rollidolly® 400 x 600 mm | GSTH400KC001                                                                                           |
| handle bar                                       | GSTS800KC001                                                                                           |



- handle bar made of bent pipe  $\varnothing$  20 mm
- height handle bar ca. 800 mm
- adapter plate for screwing on and inserting the handle bar
- surface: galvanized blue, Cr 3

\* The rollidolly® CLASSIC & FAVORIT is apart from the standard colour flame red, similar to RAL 3000, also available in the following colours: gentian blue similar to RAL 5010, light blue similar to RAL 5012, telegrey similar to RAL 7046 and black similar to RAL 9005. To generate the correct colour code, please replace the corresponding digits in the item number. (Ex.: in item number „F92702PE3000OL029“ „3000“ stands for flame red.).

# rolldolly® XL

## CLASSIC & FAVORIT

UP TO  
**500 KG LOAD CAPACITY**



The rolldolly® XL is designed and optimized for the transport of Euronorm boxes. With up to 500 kg load capacity in an area of 600 x 800 mm it is one of the biggest in the sector. However, its potential is not yet exhausted with these features.



### TECHNICAL HIGHLIGHTS

- plastic surface made of high-quality HDPE
- double stacking edge for optimal transport of boxes
- build-in stacking holes for safe and easy handling of empties
- drains ensure quick cleaning
- recessed grips ease the working with the rolldolly®
- The FAVORIT offers with its closed subfloor a HACCP conform logistic
- embossing possible on both front sides

### rolldolly® XL CLASSIC & FAVORIT

 612 x 814 x 195 mm |  602 x 802 x 15 mm

PP / TPR castors, Ø 100 mm, 300 kg load capacity

E50O00PE25010OL025

PA / PU castors, Ø 125 mm, 500 kg load capacity

E50O00PE25010OL0G5

Handrail bracket for rolldolly® XL

GSTHS600KC001

handle bar

GSTS800KC001





The basic measurement is designed for the ideal utilization of the trucks loading space.

As a result of the excellent stacking, only very few space is needed on the truck for the return of the empty rolldolly XL.



The FAVORIT model has a closed subfloor outline and can be used in areas with high hygienic requirements.

## TECHNICAL DATA

 612 x 814 x 195 mm

 300 / 500 kg

 plastic



Optionally, three rows of fixed castors can be fitted to the FAVORIT model. The middle row is positioned lower and serves as pivot point.



**rollidolly®**

rollidolly® FLEX  
810 x 1.210 MM



rollidolly® FLEX  
310 x 410 MM



rollidolly® FLEX  
610 x 410 MM

 300 kg
 steel / plastic

# rollidolly® FLEX

- steel profile frame with four plastic corners, red
- with four bolt hole swivel castors, ø 100 mm, wheel center / tread: polypropylene / thermopl. rubber
- assembling of the castors with bolt hole: one screw per castor
- different special dimensions possible on request

|                                                                                                                                                                                                                     | rollidolly® FLEX  |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------|
|  310 x 410 x 170 mm<br> 305 x 405 x 20 mm     | M310410S3020BLB7  |
|  410 x 610 x 170 mm<br> 405 x 605 x 20 mm     | M410610S3020BLB7  |
|  610 x 810 x 170 mm<br> 605 x 805 x 20 mm     | M610810S3020BLB7  |
|  810 x 1.210 x 170 mm<br> 805 x 1.205 x 20 mm | M8101210S3020BLB7 |





FUNCTIONAL HELPERS IN EVERY AREA



rolltainer®

nestainer®

Steel roll containers

Laundry containers

rolldolly®

Cargo systems

Special applications

Wheels and castors

Accessories





**rolldolly®**

416 X 618 MM  
WITH TPR AND PP CASTORS



416 X 618 MM  
WITH TPR AND PP CASTORS



IDEAL FOR  
EURONORM BOXES

 418 x 618 x 132 mm

 150 kg

 aluminium

## rolldolly® ALU

- made of untreated aluminium-angle section
- with four swivel castors, ø 80 mm, wheel center / tread: polypropylene or polypropylene / thermopl. rubber
- assembling of the castors with bolt hole: one screw per castor
- all around safety edge, ideal for the transportation of Euronorm boxes


| rolldolly® ALU                                                                                         |                                                                                                         |
|--------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------|
|  418 x 618 x 132 mm |  409 x 609 x 20 mm |
| ALU ø 80 polypropylene black                                                                           | ATR420618031                                                                                            |
| ALU ø 80 polypropylene / thermopl. rubber grey                                                         | ATR420618033                                                                                            |

NEW



rolldolly®

MODULAR SYSTEM



SAFE AND SPACE-SAVING  
STORAGE



ALSO SUITABLE FOR  
ROLLDOLLY LIGHT

30 418 x 618 x 132 mm

150 kg

steel

## rolldolly® Tower ME 1035

- chassis made of 30 x 30 mm square tube
- with four swivel castors, ø 80 mm, wheel center / tread: polyamide / polyurethane
- tubular frame modular screwable onto the chassis, different usable heights available
- surface: galvanized blue, Cr 3

rolldolly® Tower ME 1035, 425 x 500 mm, Cr 3

rolldolly® Tower ME 1035

425 x 500 x 1.170 mm | 385 x 490 x 1.035 mm

TRT425500KC0184





**rolldolly®**

300 kg    stainless steel

600 X 800 MM

400 X 600 MM

600 X 800 MM AND 400 X 600 MM

**IDEAL FOR EURONORM BOX 400 X 600 MM AND 600 X 800 MM**

**RUST-FREE**

## rolldolly® STAINLESS STEEL

- welded stainless steel-frame, front sides made of section tube, long sides made of stainless steel sheet
- three wheels per long side
- six wheels, ø 125 mm, wheel center / tread: polyamide, stainless steel plain bearing, screwed stainless steel axis
- middle wheels are in a lower position, the rollidolly can be rotated on the spot and can easily be slid over an edge

| rolldolly® STAINLESS STEEL             |              |  |
|----------------------------------------|--------------|--|
| 410 x 655 x 170 mm   405 x 603 x 25 mm | ETR4106550H7 |  |
| 615 x 862 x 172 mm   605 x 803 x 30 mm | ETR6158830H7 |  |





IDEAL FOR  
EUROPALLETS

**rolldolly®**

ROLLDOLLY® STEEL  
800 X 1200 MM



ROLLDOLLY® STEEL  
313 X 413 MM



ROLLDOLLY® STEEL  
800 X 1200 MM



300 / 500 kg



steel

# rolldolly® STEEL

rolldolly® STEEL, 313 x 413 mm

- rolldolly® made of steel, surface powder coated gentian blue similar to RAL 5010
- with three swivel and one swivel castor with total brake, Ø 100 mm, wheel center / tread: polyamide / elastic
- assembling of the castors with plate

rolldolly® STEEL, 800 x 1.200 mm

- pallet frame made of steel, surface hot-dipped
- with two swivel and two swivel castors with total brake, Ø 125 mm, wheel center / tread: polypropylene
- assembling of the castors with plate

rolldolly® STEEL, 313 x 413 mm, 300 kg

■ 313 x 413 x 168 mm | ■ 305 x 405 x 36 mm

rolldolly® STEEL, 800 x 1.200 mm, 500 kg

■ 810 x 1.210 x 213 mm | ■ 802 x 1.202 x 46 mm

**rolldolly® STEEL**

STR41331350100I2

MBR8221220F016



**THE RIGHT SIZE  
FOR EVERY DEMAND**



200 kg - 1200 kg



wood with non-slip coating

## Furniture dolly

- wooden base made of multiplex plywood with full covering non-slip coating
- with four swivel castors, different diameter and treads possible

|                                                | furniture dolly | packing unit |
|------------------------------------------------|-----------------|--------------|
| 600 x 300 mm, Ø 75 mm thermopl. rubber castors | MR60030075G     | 2 pieces     |
| 600 x 300 mm, Ø 100 mm solid rubber castors    | MR600300100G    | 2 pieces     |
| 600 x 300 mm, Ø 100 mm polypropylene castors   | MR600300100P    | 2 pieces     |
| 600 x 350 mm, Ø 100 mm solid rubber castors    | MR600350100G    | 2 pieces     |
| 600 x 350 mm, Ø 100 mm polypropylene castors   | MR600350100P    | 2 pieces     |
| 600 x 400 mm, Ø 125 mm solid rubber castors    | MR600400125G    | 1 piece      |
| 600 x 600 mm, Ø 200 mm solid rubber castors    | MR600600200G    | 1 piece      |
| 600 x 600 mm, Ø 125 mm polyurethane castors    | MR600600125PU   | 1 piece      |
| 800 x 600 mm, Ø 125 mm solid rubber castors    | MR800600125G    | 1 piece      |
| 480 x 720 mm, Ø 100 mm solid rubber castors    | MR480720100GG   | 2 piece      |



## Lid KU 600 x 800 mm

- HDPE-plastic in black similar to RAL 9005
- internal dimension: ca. 603 x 803 mm (w x l x h)
- external dimension: ca. 618 x 822 x 93 mm (w x l x h)
- max. stacking load: 2.000 kg

### SPECIAL FEATURE

- two lashing straps integrated into the lid (2.000 mm strap length) for hooking onto rolldollies

lid KU black,  
600 x 800 mm, 2 lashing straps

LL120035



## Lid KU 800 x 1200 mm

- HDPE-plastic in black similar to RAL 9005
- internal dimension: ca. 803 x 1.203 mm (w x l x h)
- external dimension: ca. 810 x 1.210 x 100 mm (w x l x h)
- max. stacking load: 2.000 kg
- geeignet für 4x Euro-Kisten 400 x 600 mm oder 2x 600 x 800 mm, oder 1x 800 x 1.200 mm

### SPECIAL FEATURE

- two lashing straps integrated into the lid (2.000 mm strap length) for hooking onto rolldollies

lid KU black,  
800 x 1.200 mm, 2 lashing  
straps

LL120696



lid for load securing  
suitable for rolldolly® INDUSTRY  
and adapter pallet INDUSTRY



**NEW**

**STACKABLE**

**OPTIONALLY AVAILABLE  
WITH CATCH CORNER**

**OPTIONALLY  
AVAILABLE**

CATCH CORNER  
FOR  
MOBILE FRAME  
400 X 600 MM

IDEAL FOR EURONORM BOXES

rolldolly® INDUSTRY  
MOBILE FRAME 400 X 600 MM

# rolldolly® INDUSTRY chassis 400 x 600 mm

- chassis made of rectangular tube: 15 x 30 mm
- wheelbase: 317 x 400 mm (centre - centre wheel)
- loading surface and storage height: 142 mm
- with four bolt hole swivel castors, ø 100 mm, wheel center / tread: polypropylene  
optionally: four bolt hole swivel castors, ø 100 mm, wheel center / tread: polyamide, electric conductive: max. 105 Ohm leakage resistance
- external dimensions: 400 x 600 x 157 mm (l x w x h)
- internal dimensions: 370 x 570 mm
- max. load capacity: 250 kg
- surface: steel parts galvanized blue, Cr 3

## Catch corner for chassis 400 x 600 mm


- catch corner made of laser-cut sheet steel t = 2 mm, conically edged
- four holes ø 5.5 mm, including four blind rivets 5 x 12 mm
- surface: galvanized blue, Cr 3

|                     | 4 swivel castors ø 100 mm,<br>PP white | 4 swivel castors ø 100 mm,<br>PA black,<br>max. leakage resistance 105 Ohm |
|---------------------|----------------------------------------|----------------------------------------------------------------------------|
| rolldolly® INDUSTRY | FR400600C0R7                           | FR400600C0R8                                                               |
| Catch Corner        |                                        | FEK157402C                                                                 |


120

NEW

## STABLE STORAGE- AND TRANSPORT SYSTEM



ADAPTER PALLET WITH  
4 X rolldolly® INDUSTRY, 400 X 600 MM



ADAPTER PALLET  
INDUSTRY 1200 X 800 MM



ADAPTER PALLET WITH  
rolldolly® INDUSTRY

# Adapter pallet INDUSTRY 1200 x 800 mm

- extreme stable storage and transport system for rolldolly® INDUSTRY, 400 x 600 mm, 600 x 800 mm, 800 x 1.200 mm
- intuitive locking system of the rolldolly® via one-foot operation
- the „space saver“ for storage and transport space
- europallet dimensions 1.200 x 800 mm
- stackable (15-times)
- optimal material flow management in combination of roller unit and forklift capability
- forklift pickup on short and long side
- electric conductive (ESD)

### TECHNICAL DATA:

- external dimensions: 800 x 1.210 x 125 mm
- loading capacity:
  - > 4x rolldolly® INDUSTRY, 400 x 600 mm
  - > 2x rolldolly® INDUSTRY, 400 x 600 mm + 1x rolldolly® INDUSTRY, 600 x 800 mm
  - > 2x rolldolly® INDUSTRY, 600 x 800 mm
  - > 1x rolldolly® INDUSTRY, 800 x 1.200 mm
- self-weight: 32 kg
- load capacity: 1.000 kg
- surface: galvanized blue, Cr 3

adapter pallet INDUSTRY

APA8001200C001

NEW

IDEAL FOR  
EUROPALLETS AND  
EUROPALLET CAGES



CARRIER



CARRIER WITH  
STACKING FRAME



CARRIER WITH  
STACKING FRAME

## Pallet carrier and stacking frame

- chassis made of sturdy welded angle steel construction 50 x 50 x 5 mm
- castors optionally with a tread made of TPR, polyamide, heavy-duty elastic or PULastic
- catching plates welded to all four corners for safe loading of the pallet carrier
- all chassis can be retrofitted with a stacking frame as well as a drawbar and coupling
- surface: hot-dipped

pallet carrier, 1.210 x 810 mm, hot-dipped |  1.260 x 860 x 350 mm

750 kg, TPR castors FR8101210HD0P2

1.200 kg, polyamide castors FR8101210HD0P4

1.200 kg, heavy duty elastic castors FR8101210HD0I9

2.000 kg, polyurethane-elastic castors (PULastic) FR8101210HD0O6

stacking frame, 1.200 x 800 mm, hot-dipped |  1.260 x 860 x 200 mm

stacking frame, H=160 mm AR8101210160HD

stacking frame, H=260 mm AR8101210260HD


stacking frame, H=360 mm AR8101210360HD

122



NEW

PALLET CARRIER CAN BE MOVED  
IN A COMPOUND FOR A  
**LIFTING AND FORKLIFT-FREE  
PRODUCTION**



CARRIER IN A COMPOUND  
TUGGER TRAIN



CARRIER WITH  
PUSH HANDLE



CARRIER WITH DRAWBAR  
AND COUPLING SYSTEM

## Drawbar and coupling set and push handle for carriers

- spring-supported drawbar, length: 500 mm, eye  $\varnothing$  30 mm
- coupling mandrel made of shaft  $\varnothing$  25 mm with drill hole for safety pin (not included)
- comes standard with the drawbar mounted on the side of the swivel castors
- surface: hot-dipped


push handle for pallet carrier,  
 $\varnothing$  27 mm, screwable, hot-dipped

GSTK600805HD

drawbar and coupling set,  
Cr 3, for steell roll containers  
800 x 1.200 mm and 950 x 1.350 mm

FDSPFC





plastic  
made of  
recycled  
material

**BASIC**  
*line*  
just good





## rollidolly® BASIC

### rollidolly® BASIC

- up to 300 kg load capacity
- external dimension: 610 x 410 x 190 mm
- internal dimension: 602 x 402 mm
- transportroller for Euronorm boxes 600 x 400 mm
- plastic base made of recycling material
- with four swivel castors, ø 100 mm, wheel center / tread: polypropylene / thermoplastic rubber
- ideal securing of the plastic boxes through double safety edge

### rollidolly® XL BASIC

- up to 300 kg load capacity
- external dimension: 612 x 814 x 195 mm / interior: 602 x 804 mm
- plastic base made of recycling material
- with two swivel and two fixed castors ø 100 mm  
wheel center: polypropylene  
tread: thermoplastic rubber
- ideal securing of the plastic boxes through double safety edge

rollidolly® BASIC

F92702RC9005OL029

rollidolly® XL BASIC

E50O00RC29005OL025

**Want to see more  
BASICline products?**

**You can find the right rolltainer®  
and ADB on page 44-46.**





For further information about  
cargo systems please  
visit our website  
[www.feil.eu](http://www.feil.eu)



## Cargo systems

The europallet is the carrier par excellence. However, the full potential often can only be tapped with the right top parts. In the following chapter you can find the right stacking frames for your business. Choose between different usable heights and powder coated or galvanized surfaces. Certainly you will find further interesting accessories for optimizing your logistics.



Very good and functional  
**LOGISTIC SOLUTIONS**



All models are  
**EASY TO ASSEMBLE**  
and provide a  
**FIRM SUPPORT**



rolltainer®

nestainer®

Steel roll  
containers

Laundry  
containers

rolldolly®

Cargo systems

Special  
applications

Wheels and  
castors

Accessories

**EASY CARRYING** – ECONOMIZES  
FORKLIFT AND LIFTING CAR



EUROPALLET



EUROPALLET ROLLER SET

 800 x 1.200 x 144 mm

 1.000 kg

### europallet

- produced according to UIC-Norm 435-2
- SGS certified
- EPAL control clamp
- chamber-dried
- with IPPC-treatment
- logs made of solid wood

### europallet roller

- set made of 2 europallet rollers
- each with two swivel castors,  $\varnothing$  100 mm , wheel center / tread: aluminium / polyurethane
- incl. slot for easy handling

|                                                                   | europallets |
|-------------------------------------------------------------------|-------------|
| europallet new                                                    | EUPA8001200 |
| europallet used                                                   | EUR8001200G |
| europallet roller set, $\varnothing$ 100 aluminium / polyurethane | EUPAROC-0C9 |





800 x 1.200 mm

800 kg

4-sided

steel

# Mesh stacking frame PB

- suitable for europallet 800 x 1200 mm
- tube frame made of  $\varnothing$  22 mm round tube
- one long side with 1/2 flap
- four catching plates for optimal stacking
- net load: 800 kg
- extra load: 1.600 kg
- surface: powder coated, may green similar to RAL 6017



|                                        | mesh stacking frame powder coated |
|----------------------------------------|-----------------------------------|
| 800 x 1.200 x 400 mm, 100 x 100 mesh   | AR80012004006017S1                |
| 800 x 1.200 x 800 mm, 100 x 100 mesh   | AR80012008006017S1                |
| 800 x 1.200 x 1.000 mm, 100 x 100 mesh | AR800120010006017S1               |
| 800 x 1.200 x 1.200 mm, 100 x 100 mesh | AR800120012006017S1               |
| 800 x 1.200 x 1.600 mm, 100 x 100 mesh | AR800120016006017S1               |
| 800 x 1200 x 800 mm, 50 x 50 mesh      | AR80012008006017S3                |
| 800 x 1.200 x 1.000 mm, 50 x 50 mesh   | AR800120010006017S3               |



800 x 1.200 x 1.000 MM  
100 x 100 MESH  
FLAP OPEN



800 x 1.200 x 1.000 MM  
100 x 100 MESH  
FLAP CLOSED



THREE TIMES STACKABLE



800 x 1.200 mm



800 kg



4-sided



steel

# Mesh stacking frame VZ

- suitable for europallet 800 x 1200 mm
- tube frame made of  $\varnothing$  22 mm round tube
- one long side with 1/2 flap
- mesh: 100 x 100 x 3.8 mm
- four catching plates for optimal stacking
- net load: 800 kg
- extra load: 1.600 kg
- available in three different usable heights
- surface: galvanized blue, Cr 3



|                                        | mesh stacking frame galvanized |
|----------------------------------------|--------------------------------|
| 800 x 1.200 x 800 mm, 100 x 100 mesh   | AR8001200800CS1                |
| 800 x 1.200 x 1.000 mm, 100 x 100 mesh | AR80012001000CS1               |
| 800 x 1.200 x 1.200 mm, 100 x 100 mesh | AR80012001200CS1               |

130

NEW

LONG SIDE WITH  
1/2 FLAP

4-SIDED, FOLDABLE

FOLDED AND STACKED

STACKABLE

500 kg

4-sided

steel

# Wire mesh container ME

- foldable wire mesh container made of wire mesh  $\varnothing$  5 und 10 mm
- one long side with 1/2 flap
- side panel, back panel and front panel foldable when empty
- 15-times stackable when empty
- 3-times stackable when loaded
- mesh: 50 x 100 mm
- net load: 500 kg
- extra load: 1.500 kg
- all versions come with wheel plates, optionally available with castors
- surface: galvanized blue, Cr 3

Optionally  
available  
with castors

## wire mesh container ME

wire mesh container ME, 600 x 800 mm, 4-sided  
610 x 800 x 620 mm | 550 x 700 x 466 mm

S4600800600CC1100

wire mesh container ME, 800 x 1.000 mm, 4-sided  
810 x 1.000 x 870 mm | 750 x 900 x 716 mm

S48001000850CC1100

wire mesh container ME, 800 x 1.200 mm, 4-sided  
810 x 1.200 x 920 mm | 750 x 1.100 x 766 mm

S48001200900CC1100

wire mesh container ME, 1.000 x 1.200, 4-sided  
1.010 x 1.200 x 920 mm | 950 x 1.100 x 766 mm

S410001200900CC1100





DISPOSAL CONTAINER  
ON PLASTIC PALLET



DISPOSAL CONTAINER  
ON PLASTIC PALLET



DISPOSAL CONTAINER  
ON WOODEN PALLET



800 x 1.200 x 1.780 mm



500 kg



3- / 4-sided



steel / plastic / wood

- 3- / 4-sided container, permanently mounted on a plastic pallet 800 x 1200 mm, made of HDPE-recycling material
- alternatively mounted on a europallet with a galvanized mounting frame
- side panels, back panel and foldable front panel made of round tube  $\varnothing$  22 mm, mesh 50 x 50 x 4 mm
- surface: galvanized blue, Cr 3

|                            | disposal container                                                                                                    |                                                                                                                         |
|----------------------------|-----------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------|
|                            | 3-sided<br> 770 x 1.150 x 1.600 mm | 4-sided<br> 750 x 1.150 x 1.600 mm |
| disposal container plastic | S38001200FC0KU                                                                                                        | S48001200FC0KU                                                                                                          |
| disposal container wood    | S38001200FC0HO                                                                                                        | S48001200FC0HO                                                                                                          |

## Haven't found the right product yet?

Special applications are one of our specialties: We would be happy to develop a cargo system with you, which is precisely tailored to your needs. Feel free to contact us!



FEEL FREE  
TO CONTACT  
US!

+49 2952 - 970958-80





WOODEN STACKING FRAME



WOODEN STACKING FRAME WITH DIVIDER



STACKING CORNERS AVAILABLE AS ACCESSORIES



800 x 1.200 x 195 mm



4-sided



wood

## Wooden stacking frame

- 1 plank version, 20 mm
- four hinges
- planed material
- chamber-dried
- with IPPC-treatment
- longitudinal and cross divider available each with three slots
- stacking corners made of plastic for more stability (available as accessories)



STACKING CORNERS FOR MORE STABILITY

|                                              | wooden stacking frame |
|----------------------------------------------|-----------------------|
| wooden stacking frame height 195 mm          | HOAR8001200           |
| longitudinal divider with three slots        | TWH11601933           |
| cross divider with three slots               | TWH7601933            |
| stacking corner KU for wooden stacking frame | HOARSTE1021           |



# PalletEdge

## Pallet spacer for pallets with stacking frame

- consisting of 4 stacking posts
- height: 250 mm
- static load capacity: up to 1.000 kg
- material: steel, galvanized blue, Cr 3
- attachable and lockable
- corner assembly for stacking loaded pallets




|                             |              |
|-----------------------------|--------------|
| PalletEdge in height 250 mm | WKE-1-250-00 |
| PalletEdge in height 350 mm | WKE-1-350-00 |
| PalletEdge in height 500 mm | WKE-1-500-00 |


# PalletStack Pro

## Rigid and telescopic pallet stacking system for europallet dimensions

- dimensions (l x w x h): 1.220 x 820 x 330-490 mm
- load capacity: 200 kg
- telescopic corner bracket, galvanized blue, Cr 3
- side parts made of aluminium
- perfect load securing on the pallet
- unit loads can be accessed from all 4 sides



|                                                        |              |
|--------------------------------------------------------|--------------|
| PalletStack Pro – foldable, telescopic corner brackets | WKP1001-00   |
| PalletStack Pro – rigid, telescopic corner brackets    | WKP1001-S-00 |
| PalletStack Classic - foldable, rigid corner brackets  | WKP1001-01   |
| PalletStack Classic - rigid, rigid corner brackets     | WKP1001-S-01 |




# SteelBox Basic

## Drawer box made of sturdy sheet steel construction

- external dimensions: 1.250 x 860 x 940 / 1.020 mm
- number of drawers: 2, fully extendable
- 2 x size L (1.050 x 750 x 331 mm)
- colour of the drawers: Dust gray (RAL 7037)
- colour of the body: Papyrus white (RAL 9018)
- drawers with heavy-duty telescopic bottom runner
- lockable with pull-out stop, stackable
- stacking pockets with integrated lashing and lifting eyes
- work surface made of weather-resistant screen printing plate
- illustration similar, without accessories
- load capacity: 75 - 120 kg

SteelBox Basic

WKGIS-02-01-0



# SteelBox Pro

## Drawer box made of sturdy sheet steel construction

- external dimensions: 1.250 x 860 x 940 / 1.020 mm
- number of drawers: 2, fully extendable
- sizes:
  - XS 1/6 drawers: 1.050 x 750 x 106 mm
  - M 1/3 drawers: 1.050 x 750 x 218.5 mm
  - L 1/2 drawers: 1.050 x 750 x 331 mm
- colour of the drawers: Signal blue (similar to RAL 5005)
- colour of the body: Stone grey (similar to RAL 7030)
- drawers with heavy-duty telescopic bottom runner
- safety closing and locking system
- stacking pockets with integrated lashing and lifting eyes
- work surface made of weather-resistant screen printing plate
- illustration similar, without accessories
- load capacity: 75 - 120 kg

A wide range of accessories is optionally available.

SteelBox Pro

WKGIS-03-01-0



ANGLE FRAME 3-SIDED  
WITH PUSH HANDLE



ANGLE FRAME 3-SIDED



ANGLE FRAME FOR PALLET CAGE



500 kg



steel

# Angle frame for pallets and pallet cages

- open angle frame optionally available with push handle
- pallets and pallet cages can easily be placed per lifting car
- load capacity: 500 kg
- angle frame made of 60 x 40 x 6 mm angles
- push handle made of  $\varnothing$  27 mm round tube; surface: galvanized blue; Cr 3
- dimensions of push handle: 600 x 175 x 805 mm
- with four bolt hole swivel castors,  $\varnothing$  50 mm, wheel center / tread: steel / polyurethane
- surface: galvanized blue, Cr 3

|                                                                                                     | angle frame       |
|-----------------------------------------------------------------------------------------------------|-------------------|
| angle frame ME, 600 x 800, 3-sided, with push handle<br>605 x 960 x 110 mm   600 x 820 x 34 mm      | WRK606833GSTC0F9  |
| angle frame ME, 600 x 800, 3-sided<br>605 x 835 x 110 mm   600 x 820 x 34 mm                        | WRK606833C0F9     |
| angle frame ME, 800 x 1200, 3-sided, with push handle<br>835 x 1.330 x 110 mm   820 x 1.200 x 34 mm | WRK1206833GSTC0F9 |
| angle frame ME, 800 x 1200, 3-sided<br>835 x 1.330 x 110 mm   820 x 1.200 x 34 mm                   | WRK1206833C0F9    |
| push handle for angle frame ME<br>600 x 800 / 800 x 1.200 mm   600 x 805 x 175 mm                   | GSTK600805C       |



# Insulated container

FACH-PAK containers consist of a double-walled PE base body, which is filled with either PU or PE foam. This double-walled structure gives the container its insulating properties, which is where it gets its name. Thanks to certified materials, the containers are suitable for contact with food and are therefore particularly well suited for use in the fish, meat, and food industries.


This basic structure, which is manufactured monolithically - from a single piece - ensures that the containers are more stable and impact-resistant. This also enables cross-industry use, for example in manufacturing. The smooth walls allow for easy hygienic cleaning and resistance to a variety of oils, acids, and alkalis.

Right from the beginning, **FACH-PAK** has placed great importance on compatibility, ensuring that many of our products are stackable with our competitors' standard products. This allows for flexibility without having to replace the existing product portfolio.

Your containers can be customized with your logo or graphics. We use techniques such as screen printing, engraving, or in-mold marking for this purpose.


Our products available from stock are highlighted in bold in the tables. The standard colour is blue. Other colours can be found in the colour coding and are available from one piece.

For further information, we recommend our main catalog for insulated containers, or we are of course also happy to assist you.



## AT A GLANCE:

- standard colour: blue, custom colours and individual printing available
- double-walled insulated containers made of new PE material either with foamed insulation made of PE or PUR (on request)
- resistant to a variety of oils, acids, and alkalis, therefore also perfectly suitable for workshops and production facilities
  - easy to clean thanks to the completely closed and smooth surface
  - extremely stable and durable, can be reused as often as desired, easy to repair in case of minor damage
- environmentally friendly and sustainable - 100% recyclable



## Typ 460 PE

### Insulated container

- it is suitable, for example, for transporting fresh fish and seafood
- for storing fresh raw materials
- very durable and resistant
- external dimension: 1.230 x 1.030 x 580 mm
- capacity: 445 l
- material: PE-1A
- insulation: polyethylene foam (PE)
- 4 drain holes with plugs

Insulated Container | Typ 460

ICF460APEOL5010



## Typ 605 PE

### Insulated container

- especially suitable for meat and poultry processing industry
- external dimension: 1.200 x 1.000 x 760 mm
- capacity: 605 l
- material: PE-1A
- insulation: polyethylene foam (PE)
- 2 drain holes with plugs
- 4 non-slip stacking corners

Insulated Container | Typ 605

ICF605APEOL5010



## Typ 630 PE

### Insulated container

- multifunctional container, especially recommended for fish and meat processing industry, aquaculture, transport and other sectors
- with high thermic insulation characteristics
- external dimension: 1.200 x 1.000 x 785 mm
- capacity: 630 l
- material: PE-1A
- insulation: polyethylene foam (PE)
- 2 drain holes with plugs

Insulated Container | Typ 630

ICF630APEOL5010



## Typ 660 PE

### Insulated container

- especially recommended for fish and meat processing industry, aquaculture, transport and other sectors
- external dimension: 1.230 x 1.030 x 750 mm
- capacity: 630 l
- material: PE-1A
- insulation: polyethylene foam (PE)
- 4 drain holes with plugs

Insulated Container | Typ 660B

ICF660BPEOL5010

Insulated Container | Typ 660G

ICF660GPEOL5010





# Accessories



Optionally, most of our products can be fitted with a matching PUR-insulated lid. These lids are equipped with UV-resistant rubber tensioners. The lids' design allows for stacking with other containers.

lid for insulated container | 1230 x 1030 mm | blue

ICDF123103APUX5010



## Foil covers for pallet containers and insulated hygiene containers

The covers are made of tear-resistant polyethylene (PE) and offer a cost-effective yet efficient solution for hygienic sealing, isolating product odors. The stretchable coating allows for easy application and removal.



## Rubber tensioners

Strong, UV-resistant rubber tensioners for attaching the lid to the container.



## Adapter for insulated containers

Adapter: BCS 56x4 external thread to BSP 2" internal thread.

Adapter for insulated containers | S56x4 außen auf 2" BSP innen | schwarz

ICFZA556A2BSPIX9005



## Threaded plug for insulated containers

Threaded plug with sealing ring for a secure seal of the drain opening. Optionally available with a  $\frac{3}{4}$ " drain hole for connecting a hose or drain valve.

Gewindestopfen for insulated containers | S56x4 | weiß

ICFZGS56X9010



## RFID-identification

RFID transmitters enable fast and efficient product identification, facilitating improved inventory management and tracking. If you are interested in this option, please contact us for more information and pricing.

# Big Boxes

Our plastic pallet containers are particularly robust and impress with their low weight and high capacity. The containers are a cost-effective investment as they can be used for many years. After use, they can be easily recycled, which underlines their environmental friendliness. Our containers are not only resistant to moisture, but can also be cleaned and disinfected. They are therefore extremely versatile.

Our containers are as individual as their areas of application. Depending on the model, they are available with bottom runner, feet, or wheels. Various colours make it easy to distinguish between them, e.g. by department or area of application. Depending on requirements, the containers are available in closed, perforated, and foldable versions.

Matching plastic lids reliably protect the goods from dirt and moisture. The containers are easily stackable.




## AT A GLANCE

- dimensions: 1.200 x 800 mm and 1.200 x 1.000 mm
- dynamic load capacity: up to 750 kg
- standard colours: grey, green, red, blue, yellow, black
- costum colours and individual printing possible



- available as closed or perforated version
- with feet or bottom runners
- made of 100% new HDPE – food-safe
- matching lids are also available
- deliverable also as foldable version
- 4-way container – accessible from all four sides with a pallet truck
- castor set for easy self-assembly sold separately
- resistant to a variety of oils, acids, and alkalis, therefore also perfectly suitable for workshops and production facilities; easy to clean thanks to the completely closed and smooth surface



## Big Box closed

These closed containers are characterized by their robust construction with closed and smooth walls. Their smooth design makes them easy to clean and to disinfect. The base dimensions in ISO and EURO standards enable the worldwide transport of heavy, bulky goods as well as small, sensitive goods that require special protection during transport. Various configuration options enable cross-industry use for the storage and transport of goods.

|                                                                     | Big Box closed            |                           |
|---------------------------------------------------------------------|---------------------------|---------------------------|
|                                                                     | 1.200 x 1.000 x 760 mm    | 1.200 x 800 x 790 mm      |
| Big Box closed with 3 bottom runners   grey                         | BBFIG760SEK3X <b>7040</b> | BBFEG790SEK3X <b>7040</b> |
| Big Box closed with 4 feet   grey                                   | BBFIG760SEF4X <b>7040</b> | BBFEG790SEF4X <b>7040</b> |
| lid for Big Box   grey                                              | BDFIAOLX <b>7040</b>      | BDFEAOLX <b>7040</b>      |
| set of castors   Big Box                                            | on request                |                           |
| bottom runner for replacement for Big Box 1200 x 1000 mm   centre   | BBFZKAIEKPX9005           |                           |
| bottom runner for replacement for Big Box 1200 x 1000 mm   exterior | BBFZKMIEKPX9005           |                           |

### Range of colours

The Big Boxes are available in different colours. Please choose one of the colours from the list on the right and replace the corresponding digits in the item number with the corresponding colour code from the list to generate the correct item number for your order. Example: In the item number BBFIG790SKOL**7040** „7040“ stands for grey. For a different colour please use one of the following colour codes:

■ 1018 yellow  
■ 3013 red  
■ 5003 blue

■ 6017 green  
■ 7040 grey  
■ 9005 black





**WITH VENTILATION SLITS  
IN THE BOTTOM AND SIDES**



OPTIONALLY WITH 4 FEET  
OR 3 BOTTOM RUNNERS



SET OF CASTORS  
OPTIONALLY AVAILABLE

## Big Box perforated

The perforated version made of high-quality plastic impresses with its robustness and large capacity. Our containers are particularly suitable for products that require ventilation, e.g., in the food industry. The ventilation slots prevent condensation and excessive heat build-up. The base dimensions of 1.200 x 1.000 mm enable easy transport with pallet trucks and forklifts. Our standard products are available from stock with no minimum purchase quantity.

Our perforated containers are available with 4 feet or 3 bottom runners in the colours grey and green.

|                                                 | Big Box perforated<br>1.200 x 1.000 x 760 mm |
|-------------------------------------------------|----------------------------------------------|
| Big Box perforated with 3 bottom runners   grey | BBFIP760SEK3X <b>7040</b>                    |
| Big Box perforated with 4 feet   grey           | BBFIP760SEF4X <b>7040</b>                    |
| lid for Big Box   grey                          | BDFIAOLX <b>7040</b>                         |
| set of castors   Big Box                        | on request                                   |



BIG BOX FOLDABLE CLOSED



FLAP FOR EASY LOADING  
AND UNLOADING



SPACE-SAVING FOLDABLE

# Big Box foldable

The foldable version made of high-quality plastic impresses with its robustness and large capacity. The containers with a flap make loading and unloading much easier. After use, the container can be stored away in a space-saving manner until its next use. This practical box is the first choice, especially in areas where storage capacity is limited. The optionally available lid reliably protects your goods from environmental influences. Our standard products are available from stock with no minimum purchase quantity.

**Please note that the foldable pallet containers 1200 x 800 are not food-safe.**

|                                                      | Big Boxes foldable            |                               |
|------------------------------------------------------|-------------------------------|-------------------------------|
|                                                      | 1.200 x 1.000 mm              | 1.200 x 800 mm                |
| Big Box foldable closed with 3 bottom runners   grey | BBFIG800FEK3X <b>7040</b> -10 | BBFEG800FEK3X <b>7040</b> -02 |
| lid for Big Box   grey                               | BDFIAOLX <b>7040</b>          | BDFEAOLX <b>7040</b>          |

# Plastic pallets

Lightweight, inexpensive and reliable – these are the characteristics that every pallet should have from a logistical point of view – and these are precisely the characteristics that are a feature of plastic pallets. Some of our pallets are made from high-quality recycled plastic and can be returned to the raw material cycle after years of use. The special design of a plastic pallet makes it much more robust than wooden pallets. They meet the essential criteria for a pallet and their dimensions allow them to be transported with a pallet truck or forklift. They also impress with their temperature and weather resistance. Unlike conventional wooden pallets, they are resistant to bacteria, acids and various types of chemicals.

Our pallets are available in standard EURO and ISO formats, but can of course also be supplied in special sizes on request.

Individual marking with a logo or serial number, as well as production in RAL colours, is possible. We would be happy to provide you with a quote.



## AT A GLANCE:

- dimensions: 800 x 600 mm; 1.200 x 800 mm and 1.200 x 1.000 mm
- version: light, universal, heavy duty and hygiene pallets – food-safe
- with closed or open surface
- with feet or bottom runners
- also as ESD version available (on request)





LIGHT PALLET WITH OPEN SURFACE



UNIVERSAL PALLET  
ANTHRACITE/BLACK



HEAVY DUTY PALLET  
ANTHRACITE/BLACK

# Plastic pallets

## Light pallets

- low self-weight but nevertheless high load capacity
- space-saving nestable
- usable worldwide
- with safety edge
- 100 % recyclable

## Universal pallets

- Euro- or ISO-size
- open or closed surface
- load capacity up to 600 kg in a shelf
- dynamic load capacity up to 1.000 kg

## Heavy duty pallets

- Euro- or ISO-size
- open or closed surface
- load capacity up to 600 kg in a shelf
- dynamic load capacity up to 1.000 kg

|                                                                                | plastic pallets     |                     |                     |
|--------------------------------------------------------------------------------|---------------------|---------------------|---------------------|
|                                                                                | 800 x 600 mm        | 800 x 1.200 mm      | 1.000 x 1.200 mm    |
| light pallet   open   6 feet   black   recycled                                | LPFHO7O130F6OX9005R | -                   | -                   |
| light pallet   open   9 feet   black   recycled                                | -                   | LPFEO7O153F9OX9005R | LPFIO7O153F9OX9005R |
| universal pallet   open   3 bottom runners   black   recycled   height: 145 mm | -                   | UPFEO7O145K3OX9005R | -                   |
| universal pallet   open   3 bottom runners   black   recycled   height: 150 mm | -                   | -                   | UPFIOKO150K3OX9005R |
| universal pallet   open   3 bottom runners   black   recycled   height: 155 mm | -                   | UPFEO7O155K3OX9005R | -                   |
| heavy duty pallet   closed   3 bottom runners   black   recycled               | -                   | SPFEG7O145K3OX9005R | SPFIG7O145K3OX9005R |
| heavy duty pallet   closed   3 bottom runners   grey                           | -                   | SPFEG7O150K3OX7040  | -                   |



# Hygienic pallet

Particularly noteworthy are our for food accredited hygiene pallets, which are quick and easy to clean thanks to their closed construction. Manufactured exclusively from impact-resistant new material, they can be used without hesitation in the food industry. The smooth, non-porous surface prevents the pallets from absorbing moisture and prevents the accumulation of germs and bacteria.

- quick and easy to clean
- very good weather resistance
- food-safe
- suitable for global transport
- with and without safety edge

|                                                                       | hygienic pallets     |                       |
|-----------------------------------------------------------------------|----------------------|-----------------------|
|                                                                       | 800 x 1.200 mm       | 1.000 x 1.200 mm      |
| hygienic pallet - closed - 9 feet - blue                              | HPFEG7G130F9GX5010   | HPFIG7G130F9GX5010    |
| hygienic pallet - closed - 3 bottom runners - grey                    | HPFEG7G160K3GX7040   | HPFIG7G160K3GX7040    |
| hygienic pallet - open - 3 bottom runners - grey                      | H1FEO7O160K3GX7040-M | -                     |
| hygienic pallet - closed - 5 bottom runners - grey                    | -                    | HPFIG7G160K5GX7040    |
| hygienic pallet - closed - 5 bottom runners - grey - 3 strengthenings | -                    | HPFIG7G160K5GX7040-3V |
| hygienic pallet - closed - 5 bottom runners- grey - 5 strengthenings  | -                    | HPFIG7G160K5GX7040-5V |



BUCKETS IN DIFFERENT SIZES



BIN 100 LITER



ROLLDOLLY® FOR  
75 AND 100 LITER BINS

## Buckets and bins


- in sizes of 0.5 up to 200 liter available
- durable, high-quality and robust buckets, bins and lids
- material: PE, food-safe, standard colour: white, individual colour wishes and individual prints possible
- perfectly suitable for the storage and keeping of food, as e.g. fish, meat or milk products, fruits and vegetables, animal feeds, household chemicals, products for house and garden, as e.g. fertilizer, but also for the storage of liquids and much more

|                                  | bucket with lids |
|----------------------------------|------------------|
| bucket 0.5 liter, 81 x ø 100 mm  | EDF0005OL9010    |
| bucket 1 liter, 131 x ø 122 mm   | EDF0010OL9010    |
| bucket 2,5 liter, 157 x ø 162 mm | EDF0025OL9010    |
| bucket 3 liter, 155 x ø 158 mm   | EDF0030OL9010    |
| bucket 5 liter, 188 x ø 214 mm   | EDF0050OL9010    |
| bucket 10 liter, 267 x ø 250 mm  | EDF0100OL9010    |
| bucket 12 liter, 252 x ø 260 mm  | EDF0120OL9010    |
| bucket 15 liter, 315 x ø 290 mm  | EDF0150OL9010    |
| bucket 20 liter, 320 x ø 310 mm  | EDF0200OL9010    |
| bucket 25 liter, 305 x ø 400 mm  | EDF0250OL9010    |
| bucket 30 liter, 362 x ø 388 mm  | EDF0350OL9010    |

|                               | bins and lids   |
|-------------------------------|-----------------|
| bin 35 liter, 410 x ø 390 mm  | TF035OL9010     |
| lids for bin 35 liter         | TDF035AOL9010   |
| bin 50 liter, 470 x ø 460 mm  | TF050OL9010     |
| lids for bin 50 liter         | TDF050AOL9010   |
| bin 75 liter, 570 x ø 480 mm  | TF075OL9010     |
| lids for bin 75 liter         | TDF075AOL9010   |
| bin 100 liter, 670 x ø 520 mm | TF100OL9010     |
| lids for bin 100 liter        | TDF100AOL9010   |
| bin 200 liter, 810 x ø 670 mm | TF200OL9010     |
| lids for bin 200 liter        | TDF200AOL9010   |
| rolldolly® for 75/100 liter   | TRF532250OL7016 |



# Special applications



For further information  
about special applications  
please visit our website  
[www.feil.eu](http://www.feil.eu)



# 150

## Special applications

We always try to react to customer individual requirements as best as we can. Our wide product range offers incredibly many variation possibilities. Often it is sufficient to combine the right components with each other to get a product which fits ones needs. Many products would not be part of todays product range, if we had not always worked on individual solutions. Some of them have made it into our core range and are now available to all of our customers.



Individual  
**SOLUTIONS**  
for your  
**APPLICATION**



numerous  
**ACCESSORIES**  
for individual  
needs

172

rolltainer®

nestainer®

Steel roll  
containers

Laundry  
containers

rolldolly®


Cargo systems

Special  
applications

Wheels and  
castors

Accessories





WE CREATE INDIVIDUAL  
**SPECIAL DESIGNS**

---



152



The product development starts with a meeting with the customer and a detailed analysis of the application. The product requirements are defined and features are determined. We create a first draft using CAD, which then can be used for the reconciliation with the customer. 3D views quickly provide information as to whether the chosen direction leads to the goal. Once this milestone has been reached, the individual components are designed. These components form the basis for the production. More complex developments start with the construction of a prototype. We accompany the sampling, so that we can optimally consider necessary adjustments. After the final construction is created, the series can be produced.

Even with the individual product development we try to use as many standard components as possible for reaching the best price-performance ratio. Here, for example, we have been using the plastic-joining technology for several years. Existing plastic components, like plastic bases and interme-

## Do not compromise!

- ✓ We create a product for you, which is exactly geared to your needs.
- ✓ Parts of our product range can be recombined.
- ✓ Existing products can be adjusted and varied.

mediate shelves, can be cut and put together with new dimensions.

If, for example, only the width of the base is reduced, we can still use the standard side panels for the new rolltainer.

## Examples for special applications according to the customers' request



FEEL FREE  
TO CONTACT  
US!

+49 2952 970958-80


# Plastic components in special dimensions

---

The plastic bases and intermediate shelves made of plastic are produced with the injection moulding-procedure, which means liquid plastic is inserted into a predefined form. With this procedure, there are almost no possibilities to influence the dimensions of the components. The dimensions are predetermined through the existing form.

Here, our plastic-joining technology offers new opportunities to adjust the components for specific requirements. The plastic bases or plastic intermediate shelves are cut to the right dimensions. Afterwards the pre-cuts are put together with a stub welding machine. The plastic is welded at the join patch and creates a very stable linkage. With this, we can create new sizes for you, so that you can adjust the rolltainer® even better to your needs.

Feel free to contact us. We are happy to check your needs and advise you on the existing options.



## All benefits at a glance

- ✓ individual adjustment to your needs with consistent quality
- ✓ use the versatility of our existing products for your purposes
- ✓ we will find the right solution for your requirements!



## Examples for welding technique



Feel free  
to contact us!

+49 2952 970958-80



# WE CREATE BESPOKE

## Customised solutions with electric drives

---



### EasyGo Premium Medium

---

**electric drive with 2 x PU wheels, foamed ø 200 mm**

- load capacity: 500 kg
- batteries: 20Ah / AGM (The special absorbent glass mat (AGM) absorbs the entire acid in the battery, ensuring a high cycle stability. Thus the battery can be repeatedly charged and discharged without any loss of performance.)
- charger - charging time: 2.5 A, 24V – 6 hours
- driving time up to 10 km (on level ground without incline)
- engine power: 350 W
- weight with battery: 32 kg
- speed infinitely variable: 1 – 5.5 km/h
- external dimensions: 575 x 380 x 230 mm (w x l x h)
- delivery with remote control available for an additional charge



EasyGo Premium Medium

I100955



### EasyGo One

---



**electric drive with one elastic wheel**

- load capacity: 400 kg
- batteries: 9Ah / AGM
- charger - charging time: 2.5 A, 24V – 6 hours
- driving time up to 5 km (on level ground without slope)
- engine power: 250 W
- weight with battery: 10 kg
- speed infinitely variable: 1 – 4.5 km/h
- external dimensions: 780 x 260 x 156 mm (w x l x h)
- delivery with remote control available for an additional charge

EasyGo ONE

I103352




# Translet Walker

## stand-up tractor with 3 x pneumatic tyres ø 260 mm

- load capacity: 125 kg
- pulling force: 750 kg
- batteries: 20 Ah / AGM
- charger - charging time: 7 A, 24 V – 6 hours
- driving time up to 10 km (on level ground without incline)
- speed max. 10 km/h
- turning radius: 750 mm
- engine power: 1.200 W
- weight with battery: 90 kg
- external dimensions: 673 x 935 x 1.270 mm (w x l x h)

Translet Walker

I102313



# S-Dozer

## pulling tractor with pneumatic tyres ø 260 mm

- load capacity: 450 kg
- batteries: 20 Ah / AGM
- charger - charging time: 2.5 A, 24 V – 6 hours
- lifting function with electric linear drive: max. stroke: 150 mm, min. ground clearance: 130 mm
- driving time up to 10 km (on level ground without incline)
- engine power: 350 W
- weight with battery: 90 kg
- speed 3.5 – 6 km/h (turtle / rabbit)
- external dimensions: 600 x 530 x 1.220 mm (w x l x h)
- delivery with remote control available for an additional charge

S-Dozer  
pulling tractor with pneumatic  
tyres ø 260 mm

I101243

S-Dozer „Spildop 660L“,  
pulling tractor with lifting  
device and gripping  
mechanism wheels

I101244

# Transport equipment for trade, crafts, industry and logistics

Whether in the workshop, warehouse, production area, or shipping department: our transport equipment ensures smooth workflows in everyday work. From lightweight trolleys to heavy-duty transport solutions – with us you will find well-designed, robust, and field-tested products for internal transport.



## Push bar trolley

- versatile use in the workplace
- easy to maneuver
- robust steel construction
- for boxes, cartons, and containers



## Front wall trolley with mesh wall

- safe transport of loose cargo
- good visibility of the load
- stable and durable
- ideal for warehousing and shipping



## Warehouse trolley

- order and clarity in material flow
- quick access to small parts
- perfect for order picking
- space-saving and efficient





SHELF TROLLEY HIGH VERSION

## All benefits at a glance


- ✓ Proven standard solutions for industrial applications.
- ✓ High-quality workmanship for everyday use.
- ✓ A valuable complement to customized FEIL solutions.
- ✓ Clear system for efficient material flows.
- ✓ Consulting, delivery, and project support from a single source.
- ✓ Permanently welded design.



ASSEMBLY DOLLY



TABLE TROLLEY TUBE FRAME



SHELF TROLLEY



TABLE TROLLEY



PALLET CHASSIS



HAND TRUCK WITH SLIDING EDGE



PUSH BAR TROLLEY

Feel free  
to contact us!

+49 2952 970958-80


# Custom made transport solutions for efficient logistics and ergonomic working

Whether in modern high-bay warehouses, specialized manufacturing facilities, or demanding shipping environments: Our transport equipment combines maximum stability with ease of use. From maneuverable standard platform trolleys to custom-designed special constructions.



## Steel cylinder trolley 2 x 50 ltr.

- safe transport of gas cylinders
- high stability
- ideal for mobile use on construction sites
- available in various versions for 10, 20 and 50 liter gas cylinders



## Tire hand truck

- large push handle with soft plastic grip cover
- lever system with hold-open and clamping function via gas springs
- demountable, therefore all parts are replaceable
- wheel weight close to the axle, due to the rearward-curved axle



## Hand platform trolley

- order and clarity in material flow
- quick access to small parts
- perfect for order picking
- space-saving and efficient
- permanently welded design





SHELF TROLLEY

## All benefits at a glance

- ✓ Proven standard solutions for industrial applications.
- ✓ High-quality workmanship for everyday use.
- ✓ A valuable complement to customized FEIL solutions.
- ✓ Clear system for efficient material flows.
- ✓ Consulting, delivery, and project support from a single source.
- ✓ Permanently welded design.



DRUM TURNER



DRUM DOLLY



WIRE MESH  
CAGE TROLLEY



HANDBARROW



PANEL TROLLEY



SHELF TROLLEY FOR EUROBOXES



WAREHOUSE TROLLEY

Feel free  
to contact us!

+49 2952 970958-80



# Wheels & castors



For further information about  
wheels and castors please  
visit our website  
[www.feil.eu](http://www.feil.eu)



## The right choice

What is the best way to transport my goods from A to B? Of course, on wheels. But which castors do I need for my intended purpose? Different influences should be considered when selecting the appropriate castors: load capacity, temperature range, floors, volume, working environment and of course also the price. In the following we would like to give an overview, which can serve as a guide to help you in your decision-making process.

### ■ 2 or rather 4 swivel castors?

No matter if you choose 2 swivel castors and 2 fixed castors or rather 4 swivel castors, both versions have their right to exist. If you use your rolltainer® for long ways, we recommend the use of 2 swivel and 2 fixed castors, because this ensures a better directional stability and the user does not need to correct the direction of movement all the way. However, if you need to transport the goods through small corridors (e.g.: shopping trolley in the supermarket), the version with 4 swivel castors is the right choice, as you stay flexible in the side movements and you can rotate on a point.

### ■ When do I need a total brake?

Here, we usually differentiate a total brake, which completely blocks the wheel, from a directional lock, where the wheel still rotates, but where the direction is locked, which means the swivel castor can no longer turn, but „only“ works like a fixed castor. The most common version of locking devices with castors is the total brake (or also double stop). It is important to note that it is not working like a real brake, but as a lock, which only secures the rolltainer® against rolling away. We guarantee the functionality under the following definition:

combination 2 fixed castors – 1 swivel castor – **1 swivel castor with total brake**

- securing of an empty or loaded rolltainer® against rolling away on a basically level surface, but with a slope of max. 2%
- securing of an empty or loaded rolltainer® against rolling away in light winds
- short-term securing of an empty or loaded rolltainer® on truck lifting platforms in combined use with the roll-off protection of the lift

combination 2 fixed – **2 swivel castors with total brake**

- securing of an empty or loaded rolltainer® against rolling away on surfaces with a slope of max. 5%
- securing of an empty or loaded rolltainer® against rolling away in strong winds (does not protect the container against tipping over)
- securing of an empty or loaded rolltainer® on the truck in combination with legally compliant load securing. As far as possible, the securing devices should not be activated in the moving truck.

[The operator is obliged to operate in accordance with the applicable legislation, e.g. the road haulage law.]

### ■ How do I calculate the load capacity?

When using four castors under a transport trolley, you must always assume that one castor is „hanging“ in the air - due to an uneven floor for example - and cannot contribute to the stability of the trolley. Therefore, the total load capacity of a trolley is always calculated with 3 out of 4 castors. The details of the load capacity on the following pages always refer to the dynamic properties of the respective DIN standards (EN 12530 - 12533) per castor. If you multiply these values by 3, you get the total load capacity of the trolley according to the corresponding DIN standard and its requirements.

### ■ Which material do I choose for my intended purpose?

Probably the most difficult question which you need to answer for choosing the suitable castors for you, is the question of the material. Each material has different properties and accordingly different advantages and disadvantages as well. Material can be soft or hard, loud or quiet, solid or light and much more. On the following pages we will bring you closer to the advantages of each series and hope to be able to support you with your decision. If you have unanswered questions, please do not hesitate to contact us. On the one hand, we are happy to provide with help and advice due to many years of experience, on the other hand you may also need a special solution, which we would be happy to explain to you in a personal conversation.

# The classic ones

The classic castors used for rolltainer® are 108 mm Ø castors made of polypropylene (PP) or polyamide (PA). Our PP castors of the series POP0 convince through a perfect price-performance-ratio and are the ideal helpers for the daily transport of your goods. When the environmental requirements increase, our PA castors of the series NON0 are the right choice. Heavy loads and high as well as low temperatures pose no problem for the castors made of polyamide (PA).



## Ø 108 mm PP white

|                    |                     |
|--------------------|---------------------|
| wheel center       | polypropylene white |
| tread              | polypropylene white |
| bearing            | roller bearing      |
| total height       | 132 mm              |
| hole pattern       | 80 x 60 mm          |
| dyn. load capacity | 150 kg              |

|                                            |                   |
|--------------------------------------------|-------------------|
| swivel castor Ø 108 mm                     | SIP25WC108POP0R1W |
| fixed castor Ø 108 mm                      | FIP22WC108POP0R1W |
| swivel castor with total brake<br>Ø 108 mm | TIP25WC108POP0R1W |

- ✓ flexible everyday helper
- ✓ price-performance-ratio
- ✓ low starting resistance and therefore energy-saving



## Ø 108 mm PA white

|                    |                 |
|--------------------|-----------------|
| wheel center       | polyamide white |
| tread              | polyamide white |
| bearing            | roller bearing  |
| total height       | 132 mm          |
| hole pattern       | 80 x 60 mm      |
| dyn. load capacity | 200 kg          |

|                                            |                   |
|--------------------------------------------|-------------------|
| swivel castor Ø 108 mm                     | SBP25WC108NON0R1W |
| fixed castor Ø 108 mm                      | FBP22WC108NON0R1W |
| fixed castor strengthened<br>Ø 108 mm      | FPP65WC108NON0R1W |
| closed fixed castor Ø 108 mm               | FPP74WC108NON0R1W |
| swivel castor with total brake<br>Ø 108 mm | TBP25WC108NON0R1W |

- ✓ durable and strong allrounder
- ✓ suitable at low and high temperatures
- ✓ available in different colours and special designs



# The small and large classic ones

Of course, our classics are also available in different sizes. The features and characteristics are the same as for the 108 mm castors. Larger diameters however, help to pass over gaps, uneven floor surfaces, small holes and objects more easily. If you are limited by the total height of the rolltainer® or want to save money, you should decide in favour of the smaller wheel diameter.



## Ø 100 mm / 125 mm PP white

|                    |                     |
|--------------------|---------------------|
| wheel center       | polypropylene white |
| tread              | polypropylene white |
| bearing            | roller bearing      |
| total height       | 125 mm / 155 mm     |
| hole pattern       | 80 x 60 mm          |
| dyn. load capacity | 100 kg / 150 kg     |

|                                         |                   |
|-----------------------------------------|-------------------|
| swivel castor Ø 100 mm                  | SIP25WC100P0P0R1W |
| fixed castor Ø 100 mm                   | FIP22WC100P0P0R1W |
| swivel castor with total brake Ø 100 mm | TIP25WC100P0P0R1W |
| swivel castor Ø 125 mm                  | SBP95WC125X0P0R1W |
| fixed castor Ø 125 mm                   | FBP92WC125X0P0R1W |
| swivel castor with total brake Ø 125 mm | TBP95WC125X0P0R1W |

- ✓ flexible everyday helper
- ✓ price-performance-ratio
- ✓ low starting resistance and therefore energy-saving



## Ø 100 mm / 125 mm PA white

|                    |                 |
|--------------------|-----------------|
| wheel center       | polyamide white |
| tread              | polyamide white |
| bearing            | roller bearing  |
| total height       | 125 mm / 155 mm |
| hole pattern       | 80 x 60 mm      |
| dyn. load capacity | 150 kg / 200 kg |

|                                         |                   |
|-----------------------------------------|-------------------|
| swivel castor Ø 100 mm                  | SIP25WC100N0N0R1W |
| fixed castor Ø 100 mm                   | FIP22WC100N0N0R1W |
| swivel castor with total brake Ø 100 mm | TIP25WC100N0N0R1W |
| swivel castor Ø 125 mm                  | SBP95WC125Y0N0R1W |
| fixed castor Ø 125 mm                   | FBP92WC125Y0N0R1W |
| swivel castor with total brake Ø 125 mm | TBP95WC125Y0N0R1W |

- ✓ durable and strong allrounder
- ✓ suitable at low and high temperatures
- ✓ available in different colours and special designs

# The noiseless ones

Of course, these castors are not completely noiseless. But our elastic castors of the series R4E1/R4E2 convince through their low-noise running due to their extra soft tread. The high amount of natural rubber ensures a low starting resistance and a durable material even with high load capacities.



## Ø 100 mm / 125 mm elastic blue

|                    |                          |
|--------------------|--------------------------|
| wheel center       | polyamide black          |
| tread              | elastic 65° Shore A blue |
| bearing            | roller bearing           |
| total height       | 125 mm / 155 mm          |
| hole pattern       | 80 x 60 mm               |
| dyn. load capacity | 160 kg / 200 kg          |

|                                         |                   |
|-----------------------------------------|-------------------|
| swivel castor Ø 100 mm                  | SBP25WC100R4E1R0N |
| fixed castor Ø 100 mm                   | FBP22WC100R4E1R0N |
| swivel castor with total brake Ø 100 mm | TBP25WC100R4E1R0N |
| swivel castor Ø 125 mm                  | SBP35WC125R4E1R0N |
| fixed castor Ø 125 mm                   | FBP32WC125R4E1R0N |
| swivel castor with total brake Ø 125 mm | TBP35WC125R4E1R0N |

- ✓ low-noise running on all surfaces
- ✓ sufficient load capacity in the established Basics version
- ✓ also with grey tread as stainless steel version V2A available



## Ø 100 mm / 125 mm elastic grey

|                    |                          |
|--------------------|--------------------------|
| wheel center       | polyamide black          |
| tread              | elastic 65° Shore A grey |
| bearing            | central ball bearing     |
| total height       | 128 mm / 155 mm          |
| hole pattern       | 80 x 60 mm               |
| dyn. load capacity | 200 kg / 220 kg          |

|                                         |                   |
|-----------------------------------------|-------------------|
| swivel castor Ø 100 mm                  | SPP21WC100R4E2B34 |
| fixed castor Ø 100 mm                   | FPP22WC100R4E2B34 |
| swivel castor with total brake Ø 100 mm | TPP21WC100R4E2B34 |
| swivel castor Ø 125 mm                  | SPP31WC125R4E2B34 |
| fixed castor Ø 125 mm                   | FPP35WC125R4E2B34 |
| swivel castor with total brake Ø 125 mm | TPP31WC125R4E2B34 |

- ✓ low-noise running on all surfaces
- ✓ high load capacities in the strong Premium version
- ✓ ball bearing as axle bearing for improved rolling resistance

# The tough ones

Our castors of the series N2U6 and M6N2 are exceedingly tough and resilient. The serie N2U6 consists of a tread made of thermoplastic polyurethane (TPU) and a wheel center made of polyamide with a central ball bearing. This serie is also available with roller bearing. TPU is particularly resistant to a lot of acids, oils and fats. The series M6N2 combines the advantages of the PA serie with a noise reduction and the possibility of sideward movement.



## Ø 100 mm / 125 mm PA / PU

|                    |                              |
|--------------------|------------------------------|
| wheel center       | polyamide grey               |
| tread              | polyurethane 95° Shore A red |
| bearing            | central ball bearing         |
| total height       | 125 mm / 155 mm              |
| hole pattern       | 80 x 60 mm                   |
| dyn. load capacity | 150 kg / 200 kg              |

|                                         |                   |
|-----------------------------------------|-------------------|
| swivel castor Ø 100 mm                  | SBP25WC100N2U6B32 |
| fixed castor Ø 100 mm                   | FBP22WC100N2U6B32 |
| swivel castor with total brake Ø 100 mm | TBP25WC100N2U6B32 |
| swivel castor Ø 125 mm                  | SBP35WC125N2U6B32 |
| fixed castor Ø 125 mm                   | FBP32WC125N2U6B32 |
| swivel castor with total brake Ø 125 mm | TBP35WC125N2U6B32 |

- ✓ particular resistance to acids, oils and fats
- ✓ high load capacities in various temperature ranges
- ✓ noise-reduced running due to the slightly elastic tread



## Ø 100 mm / 125 mm PA Sandwich

|                    |                                  |
|--------------------|----------------------------------|
| wheel center       | polyamide grey with elastic ring |
| tread              | polyamide grey                   |
| bearing            | roller bearing                   |
| total height       | 128 mm / 155 mm                  |
| hole pattern       | 80 x 60 mm                       |
| dyn. load capacity | 160 kg / 200 kg                  |

|                                         |                   |
|-----------------------------------------|-------------------|
| swivel castor Ø 100 mm                  | SPP21WC100M6N2R32 |
| fixed castor Ø 100 mm                   | FPP25WC100M6N2R32 |
| swivel castor with total brake Ø 100 mm | TPP21WC100M6N2R32 |
| swivel castor Ø 125 mm                  | SPP31WC125M6N2R32 |
| fixed castor Ø 125 mm                   | FPP35WC125M6N2R32 |
| swivel castor with total brake Ø 125 mm | TPP31WC125M6N2R32 |

- ✓ durable alternative with high load capacities
- ✓ noise-reduced running due to the absorbing inner elastic ring
- ✓ sideward movement, e.g. on a truck, possible without any problems



# The Light ones

If the goods which need to be transported do not have a high self-weight and you nevertheless want to have a noise-reduced running, our TPR castors of the series P2W2 and P2G2 are the best choice. Here design meets functionality. These castors are mainly used indoors and, thanks to their elastic surface, ensure that your internal transport runs smoothly or that your goods are presented in an attractive way.



## Ø 100 mm PP / TPR

|                    |                                   |
|--------------------|-----------------------------------|
| wheel center tread | polypropylene grey                |
| bearing            | thermopl. rubber 95° Shore A grey |
| total height       | roller bearing                    |
| hole pattern       | 125 mm                            |
| dyn. load capacity | 80 x 60 mm                        |
|                    | 100 kg                            |

|                                         |                   |
|-----------------------------------------|-------------------|
| swivel castor Ø 100 mm                  | SBP26WC100P2W2R1W |
| fixed castor Ø 100 mm                   | FBP22WC100P2W2R1W |
| swivel castor with total brake Ø 100 mm | TBP25WC100P2W2R1W |

- ✓ noise-reduced running on all surfaces
- ✓ sufficient load capacity in the established Basics version
- ✓ established bestseller as castor under the rolldolly®



## Ø 100 mm / 125 mm PP / TPR

|                    |                                   |
|--------------------|-----------------------------------|
| wheel center tread | polypropylene grey                |
| bearing            | thermopl. rubber 65° Shore A grey |
| total height       | central ball bearing              |
| hole pattern       | 125 mm / 155 mm                   |
| dyn. load capacity | 80 x 60 mm                        |
|                    | 135 kg / 165 kg                   |

|                                         |                   |
|-----------------------------------------|-------------------|
| swivel castor Ø 100 mm                  | SBP26WC100P2G2B32 |
| fixed castor Ø 100 mm                   | FBP22WC100P2G2B32 |
| swivel castor with total brake Ø 100 mm | TBP25WC100P2G2B32 |
| swivel castor Ø 125 mm                  | SBP35WC125P2G2B32 |
| fixed castor Ø 125 mm                   | FBP32WC125P2G2B32 |
| swivel castor with total brake Ø 125 mm | TBP35WC125P2G2B32 |

- ✓ low-noise running on all surfaces
- ✓ extraordinary design
- ✓ ball bearing as axle bearing for improved rolling resistance

# The strong ones

Special situations require special actions! If you have not found the right product by now, you certainly will find it with our strong alternatives, the series AAE2 and AAU5 with a wheel center made of aluminium. If four castors are used, goods with up to 900 kg can be transported. Both series, the elastic as well as the cast polyurethane persuade with different advantages. Convince yourself!



## Ø 100 mm / 125 mm alu / elastic

|                    |                          |
|--------------------|--------------------------|
| wheel center       | aluminium                |
| tread              | elastic 65° Shore A grey |
| bearing            | double ball bearing      |
| total height       | 128 mm / 155 mm          |
| hole pattern       | 80 x 60 mm               |
| dyn. load capacity | 200 kg / 250 kg          |

|                                            |                   |
|--------------------------------------------|-------------------|
| swivel castor Ø 100 mm                     | SPP37WC100AAE2D0N |
| fixed castor Ø 100 mm                      | FPP33WC100AAE2D0N |
| swivel castor with total brake<br>Ø 100 mm | TPP37WC100AAE2D0N |
| swivel castor Ø 125 mm                     | SPP37WC125AAE2D0N |
| fixed castor Ø 125 mm                      | FPP33WC125AAE2D0N |
| swivel castor with total brake<br>Ø 125 mm | TPP37WC125AAE2D0N |

- ✓ is able to transport goods up to 750 kg!
- ✓ low-noise running due to the soft elastic tread
- ✓ does not leave any marks even at high loads



## Ø 100 mm / 125 mm alu / PU

|                    |                                |
|--------------------|--------------------------------|
| wheel center       | aluminium                      |
| tread              | polyurethane 92° Shore A brown |
| bearing            | double ball bearing            |
| total height       | 128 mm / 155 mm                |
| hole pattern       | 80 x 60 mm                     |
| dyn. load capacity | 250 kg / 300 kg                |

|                                            |                   |
|--------------------------------------------|-------------------|
| swivel castor Ø 100 mm                     | SPP37WC100AAU5D0N |
| fixed castor Ø 100 mm                      | FPP33WC100AAU5D0N |
| swivel castor with total brake<br>Ø 100 mm | TPP37WC100AAU5D0N |
| swivel castor Ø 125 mm                     | SPP37WC125AAU5D0N |
| fixed castor Ø 125 mm                      | FPP33WC125AAU5D0N |
| swivel castor with total brake<br>Ø 125 mm | TPP37WC125AAU5D0N |

- ✓ is able to transport goods up to 900 kg!
- ✓ particular resistance to acids, oils and fats
- ✓ extremely robust to external influences / impacts

# The agile ones

The physical stress of the employee when transporting and processing the goods plays an increasingly important role in the evaluation of the working environment and ergonomics today. For this reason we developed two wheels (series N4B5 and series AAB5) which convince with huge flexibility and low resistance even at high loads. Through the spherical and small contact face of the wheel on the floors, friction and resistance are minimized and contribute to a simplification of the handling of the goods.



## ø 100 mm / 125 mm PU brown

|                    |                                |
|--------------------|--------------------------------|
| wheel center       | polyamide black                |
| tread              | polyurethane 92° Shore A brown |
| bearing            | ball bearing                   |
| total height       | 128 mm / 155 mm                |
| hole pattern       | 80 x 60 mm                     |
| dyn. load capacity | 200 kg / 250 kg                |

|                                         |                   |
|-----------------------------------------|-------------------|
| swivel castor ø 100 mm                  | SPP21WC100N4B5B34 |
| fixed castor ø 100 mm                   | FPP25WC100N4B5B34 |
| swivel castor with total brake ø 100 mm | TPP21WC100N4B5B34 |
| swivel castor ø 125 mm                  | SPP31WC125N4B5B34 |
| fixed castor ø 125 mm                   | FPP35WC125N4B5B34 |
| swivel castor with total brake ø 125 mm | TPP31WC125N4B5B34 |

- ✓ ergonomic features even at high loads
- ✓ noise-reduced running due to the resilience of the polyurethane
- ✓ particular resistance to acids / oils / fats



## ø 100 mm / 125 mm PU brown

|                    |                                |
|--------------------|--------------------------------|
| wheel center       | aluminium                      |
| tread              | polyurethane 92° Shore A brown |
| bearing            | double ball bearing            |
| total height       | 128 mm / 155 mm                |
| hole pattern       | 80 x 60 mm                     |
| dyn. load capacity | 250 kg / 300 kg                |

|                                         |                   |
|-----------------------------------------|-------------------|
| swivel castor ø 100 mm                  | SPP27WC100AAB5D39 |
| fixed castor ø 100 mm                   | FPP23WC100AAB5D39 |
| swivel castor with total brake ø 100 mm | TPP27WC100AAB5D39 |
| swivel castor ø 125 mm                  | SPP37WC125AAB5D39 |
| fixed castor ø 125 mm                   | FPP33WC125AAB5D39 |
| swivel castor with total brake ø 125 mm | TPP37WC125AAB5D39 |

- ✓ ergonomic features even at high loads
- ✓ noise-reduced running due to the resilience of the polyurethane
- ✓ particular resistance to acids / oils / fats



# The rust-free ones

Some business areas require the use of rust-free material like plastic or stainless steel. Even for these cases we have suitable solutions for you. The housings of our stainless steel castors of the series N0N0 & N2U6 are made of V2A (AISI 304), hence they are corrosion-resistant, weatherproof, durable, heat resistant and in addition also very hygienic.



## Ø 100 mm / 125 mm PA white

|                    |                               |
|--------------------|-------------------------------|
| wheel center       | polyamide white               |
| tread              | polyamide white               |
| bearing            | stainless steel plain bearing |
| total height       | 128 mm / 155 mm               |
| hole pattern       | 80 x 60 mm                    |
| dyn. load capacity | 150 kg / 200 kg               |

|                                         |                   |
|-----------------------------------------|-------------------|
| swivel castor Ø 100 mm                  | SIP26SC100N0N0L0N |
| fixed castor Ø 100 mm                   | FIP22SC100N0N0L0N |
| swivel castor with total brake Ø 100 mm | TIP26SC100N0N0L0N |
| swivel castor Ø 125 mm                  | SIP36SC125N0N0L0N |
| fixed castor Ø 125 mm                   | FIP32SC125N0N0L0N |
| swivel castor with total brake Ø 125 mm | TIP36SC125N0N0L0N |

- ✓ rust-free version for a durable use
- ✓ durable and strong allrounder
- ✓ suitable at low and high temperatures



## Ø 100 mm / 125 mm PA / PU red

|                    |                                        |
|--------------------|----------------------------------------|
| wheel center       | polyamide grey                         |
| tread              | thermopl. polyurethane 95° Shore A red |
| bearing            | stainless steel roller bearing         |
| total height       | 128 mm / 155 mm                        |
| hole pattern       | 80 x 60 mm                             |
| dyn. load capacity | 150 kg / 200 kg                        |

|                                         |                   |
|-----------------------------------------|-------------------|
| swivel castor Ø 100 mm                  | SIP26SC100N2U6Q0N |
| fixed castor Ø 100 mm                   | FIP22SC100N2U6Q0N |
| swivel castor with total brake Ø 100 mm | TIP26SC100N2U6Q0N |
| swivel castor Ø 125 mm                  | SIP36SC125N2U6Q0N |
| fixed castor Ø 125 mm                   | FIP32SC125N2U6Q0N |
| swivel castor with total brake Ø 125 mm | TIP36SC125N2U6Q0N |

- ✓ rust-free version for a durable use
- ✓ particular resistance to acids / oils / fats
- ✓ noise-reduced running due to the slightly elastic tread

# Accessories



For further information about  
our extensive accessories  
please visit our website  
[www.feil.eu](http://www.feil.eu)



## Accessories

Choose the appropriate supplements for your rolltainer® or nestainer® out of the various accessories. Use protective covers to protect your goods or use our safety handle tainergrip® for your own protection. Secure the goods with the innovative gummitex® straps or establish order in your day-to-day business with the help of intermediate shelves. The opportunities are not infinite but numerous. Make your choice on the following pages.

The **RIGHT**  
**ACCESSORIES**  
available for every  
requirement



**IMPROVE  
YOUR  
CONTAINER**  
according to your  
wishes



# Securing grid for rolltainer®

Although a roll container protects the goods better than an ordinary pallet and accessories like straps bring additional safety, still a lot of disposable packaging in the form of stretch foil is used. With our securing grid this is no longer necessary. An important step to more sustainability.

## TECHNICAL HIGHLIGHTS

- solid mesh with 8 mm thick frame made of wire and two hinges, surface: galvanized blue, Cr 3, Cr 3
- flexibility and adaptability through a new developed double hinge
- it is secured with two straps (textile strap or gummitex®)
- the compression of empties and their return take place as before



The securing grids can be mounted on the side panels with  $\varnothing$  22 mm round tube with minimum effort. No drilling or similar work necessary.

Optionally, the plastic hinge can be mounted below the horizontal flat bar. We offer an additional pipe clamp for this purpose, which serves as a hinge support.

|                    | securing grid   |
|--------------------|-----------------|
| usable height 1350 | SGK1220580S0B5C |
| usable height 1450 | SGK1320580S0B4C |



A sheet metal board is welded to the securing grid. Here you will find space for barcode labels or your company logo.

#### securing grid for usable height 1350

- 580 x 1.220 mm (w x h)
- frame made of  $\varnothing$  8 mm wire, circumferential
- $\varnothing$  5 mm wire, 112 x 118 mm, 4 x vertical, 9 x horizontal
- sheet metal board 107 x 116 x 1.5 mm
- ca. 3.5 kg

#### securing grid for usable height 1450

- 580 x 1.320 mm (w x h)
- frame made of  $\varnothing$  8 wire, circumferential
- $\varnothing$  5 wire, 112 x 118 mm, 4 x vertical, 10 x horizontal
- sheet metal board 107 x 116 x 1.5 mm
- ca. 3.7 kg



The overhead stacking is also possible with mounted securing grids.



# Sustainability and climate protection

## Alternatives to stretch foil

Stretch foil is often used by users of the two- and three-sided rolltainer® for load securing and protecting stored goods. To reduce plastic waste in this area, a textile securing cover and a securing plate have been added to the product range as new, environmentally friendly options, in addition to the existing securing grid. This is an important step towards sustainability and reduced resource consumption.

The three alternatives are easy to install and use. The familiar securing grid is attached to the side panel on one side using double hinges made of high-quality plastic and then secured with tension straps. When not in use, the securing grid can be folded against the side panel and secured there with the tension straps.

The textile door is made of PVC coated fabric and reinforced with fiberglass rods and is installed in the same way as the securing grid. In addition to the option of opening the cover like a door and folding it to the side, it can also be folded horizontally in half. This allows, for example, access to items only from the upper part of the roll container while keeping the goods at the bottom secure.

The Roll-Safe securing plates are thin, twin-wall sheets. They are attached to the side panels either on both sides using tension straps with hooks, or on one side with hinged straps, allowing the Roll-Safe panels to be opened like a door.

### Securing grid



### Textile doors



### Roll-Safe securing plate





# tainerlift for rolltainer®

version:

- liftable and lowerable U-shaped construction made of laser-cut and edged sheet steel
- lifting height 22 mm
- suitable for rolltainer, wheels ø 100 mm (with adapter for wheels ø 108 and 125 mm)
- lifting handle made of steel tube ø 25 x 2 x 1.300 mm
- 4 x wheels ø 80 mm, PA
- surface: galvanized blue, Cr 3, Cr 3
- load capacity: 250 kg



Watch the product video  
 Scan the QR-Code to see how it works.

## Flexibly adaptable: one tool for different wheel diameters

The tainerlift is a tool for loading and unloading standard roll containers laterally. An innovative lever system allows for the easy lifting and movement of heavy loads. The lifting force acts on the two fixed casters of the roll containers, quickly lifting them and enabling easy lateral movement.

In particular, the tainerlift now allows roll containers with rubber and elastic casters to be moved laterally and loaded in a space-optimized manner. The Tainerlift can be adapted to different clearance heights and wheel diameters using an adapter plate. For quick changeovers between different roll containers with varying clearance heights and wheel diameters (ø 108 and 125 mm), we offer a foldable adapter plate.



| tainerlift for rolltainer®                                               |                                                                                            |                                                                                                        |
|--------------------------------------------------------------------------|--------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------|
| ground clearance                                                         |  120 mm |  128 mm or 150 mm |
| tainerlift ME, 675 mm, lifting 22 mm, for rolltainer® F10 ø 100 mm, Cr 3 | TLA67522KC004                                                                              |                                                                                                        |
| adapter plate screwable, tainerlift ME, 659 x 60 mm, Cr 3                |                                                                                            | TLAA65960KC004                                                                                         |
| adapter plate foldable, tainerlift ME, 688 x 28 mm, Cr 3                 |                                                                                            | TLAA68828KC004                                                                                         |

# Accessories protective covers



## One-way cover for rolltainer® 724 x 815 mm

- Usable as rain protection and dust protection

usable height 1.460 mm | transparent

EPA14600000

usable height 1.650 mm | transparent

EPA16500000



## One-way cover for rolltainer® 724 x 815 mm

- Usable as rain protection and dust protection

usable height 1.460 mm | milky-white

EPA14609010

usable height 1.650 mm | milky-white

EPA16509010



## One-way cover for rolltainer® 724 x 815 mm

- Usable as rain protection and dust protection

usable height 1.460 mm | black

EPA14609005

## Personalize

### the cover with your logo

The protective cover made of PE-woven fabric can be personalized. We are happy to place a patch with your logo or other requested information on the cover.

Feel free to contact us, we are happy to advise you!



### Protective cover for rolltainer® 724 x 815 mm

- protective cover made of PE-woven fabric grey
- both head sides can be opened completely with 2 sewn-in zippers, allowing the roll container to be opened even with the cover on
- usable as rain protection, visual and theft protection
- for repeated use, very solid version
- prints on the cover possible on request

usable height 1.460 mm

AHA14609010

usable height 1.650 mm

AHA16509010



### Protective cover for nestainer® 3-sided 1450 / 1550

- dimensions ca. 735 x 825 x 1.560 mm (w/d/h)
- made of PE-woven fabric
- colour: light grey
- one head side (735er width) can be opened with 2 sewn-in zippers

usable height 1.560 mm

AHA15309010



### Thermal cover for rolltainer® 724 x 815 mm

- short-termed thermal protection or protection against cold for roll containers 724 x 815 mm
- made of air bubble film (3 mm) with one-sided alu steamed polyester film with tread ply
- average heat conductivity 0,0344 l [W/mK]
- thermal resistivity 0,09 R [m²K/W], heat trasmission value 11,46 k [W/m²K]
- both head sides can be opened completely with 2 sewed zips, therefore the roll container can be opened as well in spite of the superimposed cover

usable height 1.460 mm

THA14609006



# Accessories tainergrip®




## tainergrip® orange for rolltainer®, unmounted version for side panel with flat bars

- plastic handle set for roll containers, consisting of two handles
- version for attaching to side panels with flat bars
- ergonomically shaped handle
- material: PA orange

handle set KU orange for rolltainer®

F90A01PAF2004S2



## tainergrip® red for rolltainer®, unmounted version for side panel with tube

- plastic handle set for roll containers, consisting of two handles
- version for attaching to side panel with tube
- ergonomically shaped handle
- material: PA red

handle set KU red for rolltainer®

F90A00PAQ3000S2



## tainergrip® red for steel roll containers, version for permanent installation

- plastic handle set for roll containers for permanent installation, consisting of two handles
- easy assembling, for all side panels made of round tube  $\varnothing$  22 mm and square pipe 22 x 22 mm
- ergonomically shaped handle
- material: PA red

handle set KU red for steel roll containers

F90A02PAV3000S2M

## SAFETY AT WORK IS A TOP PRIORITY

Through the mounted handles you have on the one hand a better possibility to grab the roll container and therefore get a better handling, on the other hand the safety distance to the roll container is extended and you avoid bruises and abrasions. Safe and effective work is guaranteed. A big advantage of the trainergrip® is the quick and easy assembling and thus a smooth workflow.



### Handle set ME, Cr 3, for steel roll containers with panels made of round tube Ø 22 mm

- easy assembling, for all side panels made of round tube Ø 22 mm
- set = two handles incl. assembling material
- surface: galvanized blue, Cr 3, Cr 3
- retrofitting possible

handle set ME, Cr 3 for steel roll containers  
round tube

S5ZUBF001




### Handle set ME, Cr 3, for steel roll containers with panels made of square pipe 22 x 22 mm

- easy assembling, for all side panels made of square pipe 22 x 22 mm
- set = two handles incl. assembling material
- surface: galvanized blue, Cr 3, Cr 3

handle set ME, Cr 3 for steel roll containers  
square pipe

S5ZUBF001

# Accessories extensions



## Back panel frame ME, for rolltainer® 724 x 815 mm, Cr 3

- stability frame made of  $\varnothing$  22 mm round tube, incl. four plastic clamps, screws and nuts as well as two end plugs
- surface: galvanized blue, Cr 3

back panel frame ME

MSR300650DMC030



## Clothes rail ME, Cr 3, for rolltainer® 724 x 815 mm

- bar made of round tube  $\varnothing$  22 mm
- mounting on one side with plastic clamp and screw
- surface: galvanized blue, Cr 3

clothes bar ME

SK673C



## Document holder KU, for rolltainer® side panel, retrofittable

- document holder made of plastic PE
- easy assembling through clamping at the side panel
- dimension: 270 x 160 mm

document holder KU red

KATA3000

document holder KU blue

KATA5010



## Document holder KU blue, without foot, retrofittable

- document holder made of plastic PE gentian blue similar to RAL 5010
- version for 4 vertical flat bars
- dimension: 225 x 160 mm

document holder KU blue, without foot

KATAUOF5010





## Picking board with clipboard, Cr 3

- metal board made of sheet steel, type DIN A4
- with metal clamp for attaching documents
- surface: galvanized blue, Cr 3

picking board with clipboard

MKTEC01




## Picking board with clipboard, Cr 3, inclinable

- metal board made of sheet steel, type DIN A4
- with steel clamp for attaching documents
- wire attachment in the back for inclination
- surface: galvanized blue, Cr 3

picking board with clipboard, inclinable

MKTKC02



## Sheet metal board for rolltainer® side panel, Cr 3, retrofittable

- retrofittable sheet metal board for the standard side panels of the roll containers, surface: galvanized blue, Cr 3
- easy assembling through clamping and riveting at the side panels
- dimension: 160 x 166 mm

sheet metal board for side panels of roll containers

BTK160166CM



## Sheet metal board with laser writing, Cr 3, retrofittable

- with individual laser engraving
- retrofittable sheet metal board for the standard side panels of the roll containers, surface: galvanized blue, Cr 3
- easy assembling through clamping and riveting at the side panels
- dimension: 160 x 166 mm

sheet metal board

---

# Accessories extensions



## Drawbar and coupling set, Cr 3, for roll containers with plastic base, 724 x 815 and 682 x 815 mm

- adapter cassette with welded coupling mandrel made of solid material  $\varnothing$  25 mm
- ideal for building a tugger train
- suitable for all roll containers with plastic base
- drawbar with double torsion spring, as u-profile ca. 520 x 50 mm, hole dimension  $\varnothing$  30 mm
- surface: galvanized blue, Cr 3

drawbar and coupling set,  
for roll containers with plastic base

FDSKSC



## Drawbar and coupling set, Cr 3, for steel roll containers 800 x 1200 mm and 950 x 1350 mm

- drawbar made of flat bars 8 mm, length 390 mm
- hole dimension 26 mm, equipped with spring technique
- suspension usable for tube 40 x 20 mm or 50 x 20 mm
- coupling made of solid material  $\varnothing$  20 mm, ca. 80 mm length
- surface: galvanized blue, Cr 3

drawbar and coupling set, for steel roll  
containers 800 x 1200 mm and 950 x 1350 mm

FDSF20C



## Compactor for plastic film, Cr 3, for roll containers 724 x 815 mm

- auxiliary equipment for the collection and compression of packaging foils as insert in roll containers (724 x 815 mm)
- through the opening, packing films can be collected and effectively compacted
- surface: galvanized blue, Cr 3

compactor for plastic film

FVDKDMC01



## Forklift infeed lugs for steel roll containers

- safe transport with a forklift, for steel roll container type 800 x 1200 / 950 x 1350
- dimensions: 190 x 35 mm, entry height: 90 mm
- two drilled holes ( $\varnothing$  8 mm) for screwing to the frame
- surface: galvanized blue, Cr 3

forklift infeed lugs for steel roll containers


MKUF18090C



## Rubber strap, black

- dimension: 530 x 38 mm
- max. recommended span length 750 mm
- colour black, hook: galvanized blue, Cr 3


|                                                         |         |
|---------------------------------------------------------|---------|
| rubber strap, 2 hooks<br>dimension: 530 x 38 mm         | B454001 |
| rubber strap, 1 hook / 1 loop<br>dimension: 530 x 38 mm | B454002 |



## gummitex®, dark grey

- textile strap with elastic
- max. recommended span length 750 mm
- colour: dark grey, hook: galvanized blue, Cr 3


|                                                                     |           |
|---------------------------------------------------------------------|-----------|
| gummitex®, 1 hook / 1 loop,<br>without logo, dimension: 50 x 560 mm | E150001BL |
| gummitex®, 2 hooks,<br>without logo, dimension: 50 x 520 mm         | E150002BL |



## Textile strap with sewn-in elastic strap, 1 clamp lock / 1 hook

- two elastic textile straps made of PP with a hook and a clamp lock
- dimension: 1.050 x 25 mm, max. recommended span length 800 mm

|        |         |
|--------|---------|
| yellow | E459960 |
| black  | E459966 |
| red    | E459961 |
| blue   | E459965 |



## Textile strap, 1 clamp lock / 1 hook

- textile strap with a hook and a clamp lock
- dimension: 1.050 x 25 mm, max. recommended span length 800 mm

|        |         |
|--------|---------|
| yellow | E459940 |
| black  | E459943 |
| red    | E459941 |
| blue   | E459945 |



# rolltainer® intermediate shelves

| assignment of loose intermediate shelves<br>in the rolltainer®           |                                                                      | intermediate shelf<br>716 x 812<br>(RB 2-sided 724) | intermediate shelf<br>716 x 762 (RB2 -<br>3-sided 724) | intermediate shelf<br>716x 762 ( 2- 3<br>sided 724) rec. | intermediate shelf<br>716 x 712 (RB<br>4-sided 724) | intermediate shelf<br>716x 762<br>(4- sided 724) rec. | intermediate shelf<br>674 x 812<br>(RB 2-sided 682) | intermediate shelf<br>674 x 762<br>(RB 3-sided 682) | intermediate shelf<br>674 x 712<br>(RB 4-sided 682) |
|--------------------------------------------------------------------------|----------------------------------------------------------------------|-----------------------------------------------------|--------------------------------------------------------|----------------------------------------------------------|-----------------------------------------------------|-------------------------------------------------------|-----------------------------------------------------|-----------------------------------------------------|-----------------------------------------------------|
|                                                                          |                                                                      | F70A02PEF33000                                      | E70A23PEF33000                                         | E70A23RCF39005                                           | E70A04PEF33000                                      | E70A04RCF39005                                        | E70B02PEF33000                                      | E70B03PEF33000                                      | E70B04PEF33000                                      |
| <b>rolltainer® with plug-in system</b><br>► in the catalogue on page 6   | KB2A50101350CS01101V<br>KB2A50101450CS02101V<br>KB2A50101650CS14101V | ✓                                                   | ✓                                                      | ✓                                                        | ( ✓ )                                               | ( ✓ )                                                 |                                                     |                                                     |                                                     |
| <b>rolltainer® 1350 QP   2-sided</b><br>► in the catalogue on page 13    | KB2A501013505010S01101                                               | ✓                                                   | ✓                                                      | ✓                                                        | ( ✓ )                                               | ( ✓ )                                                 |                                                     |                                                     |                                                     |
| <b>rolltainer® 1450 QP   2-sided</b><br>► in the catalogue on page 13    | KB2A501014505010S02101                                               | ✓                                                   | ✓                                                      | ✓                                                        | ( ✓ )                                               | ( ✓ )                                                 |                                                     |                                                     |                                                     |
| <b>rolltainer® 1350 QP   3-sided</b><br>► in the catalogue on page 13    | KB3A501013505010S01101                                               |                                                     | ✓                                                      | ✓                                                        | ( ✓ )                                               | ( ✓ )                                                 |                                                     |                                                     |                                                     |
| <b>rolltainer® 1450 QP   3-sided</b><br>► in the catalogue on page 13    | KB3A501014505010S02101                                               |                                                     | ✓                                                      | ✓                                                        | ( ✓ )                                               | ( ✓ )                                                 |                                                     |                                                     |                                                     |
| <b>rolltainer® 1350 QV   2-sided</b><br>► in the catalogue on page 14    | KB2A50101350CS01101                                                  | ✓                                                   | ✓                                                      | ✓                                                        | ( ✓ )                                               | ( ✓ )                                                 |                                                     |                                                     |                                                     |
| <b>rolltainer® 1450 QV   2-sided</b><br>► in the catalogue on page 14    | KB2A50101450CS02101                                                  | ✓                                                   | ✓                                                      | ✓                                                        | ( ✓ )                                               | ( ✓ )                                                 |                                                     |                                                     |                                                     |
| <b>rolltainer® 1350 QV   3-sided</b><br>► in the catalogue on page 14    | KB3A50101350CS01101                                                  |                                                     | ✓                                                      | ✓                                                        | ( ✓ )                                               | ( ✓ )                                                 |                                                     |                                                     |                                                     |
| <b>rolltainer® 1450 QV   3-sided</b><br>► in the catalogue on page 14    | KB3A50101450CS02101                                                  |                                                     | ✓                                                      | ✓                                                        | ( ✓ )                                               | ( ✓ )                                                 |                                                     |                                                     |                                                     |
| <b>rolltainer® 1350 QV   4-sided</b><br>► in the catalogue on page 14    | KB4A50101350CS01101                                                  |                                                     |                                                        |                                                          | ✓                                                   | ✓                                                     |                                                     |                                                     |                                                     |
| <b>rolltainer® 1450 QV   4-sided</b><br>► in the catalogue on page 14    | KB4A50101450CS02101                                                  |                                                     |                                                        |                                                          | ✓                                                   | ✓                                                     |                                                     |                                                     |                                                     |
| <b>rolltainer® 682 1460   2-sided</b><br>► in the catalogue on page 26   | KB2B50101460CS03101                                                  |                                                     |                                                        |                                                          |                                                     |                                                       | ✓                                                   | ( ✓ )                                               | ( ✓ )                                               |
| <b>rolltainer® 682 1460   3-sided</b><br>► in the catalogue on page 26   | KB3B50101460CS03101                                                  |                                                     |                                                        |                                                          |                                                     |                                                       |                                                     | ✓                                                   | ( ✓ )                                               |
| <b>rolltainer® 682 1500 F   2-sided</b><br>► in the catalogue on page 29 | KB2B50101500HDS00101                                                 |                                                     |                                                        |                                                          |                                                     |                                                       |                                                     |                                                     |                                                     |
| <b>rolltainer® 682 1500 F   3-sided</b><br>► in the catalogue on page 29 | KB3B50101500HDS00101                                                 |                                                     |                                                        |                                                          |                                                     |                                                       |                                                     |                                                     |                                                     |
| <b>rolltainer® 682 1500 F   4-sided</b><br>► in the catalogue on page 29 | KB4B50101500HDS00101                                                 |                                                     |                                                        |                                                          |                                                     |                                                       |                                                     |                                                     |                                                     |
| <b>rolltainer® 675 1460   2-sided</b><br>► in the catalogue on page 30   | KB2D50101460CS03101                                                  |                                                     |                                                        |                                                          |                                                     |                                                       | ✓                                                   | ( ✓ )                                               | ( ✓ )                                               |
| <b>rolltainer® 675 1460   3-sided</b><br>► in the catalogue on page 30   | KB3D50101460CS03101                                                  |                                                     |                                                        |                                                          |                                                     |                                                       |                                                     | ✓                                                   | ( ✓ )                                               |
| <b>rolltainer® 1460 FV   2-sided</b><br>► in the catalogue on page 16    | KB2A50101460CS03101                                                  | ✓                                                   | ✓                                                      | ✓                                                        | ( ✓ )                                               | ( ✓ )                                                 |                                                     |                                                     |                                                     |
| <b>rolltainer® 1650 FV   2-sided</b><br>► in the catalogue on page 17    | KB2A50101650CS04101                                                  | ✓                                                   | ✓                                                      | ✓                                                        | ( ✓ )                                               | ( ✓ )                                                 |                                                     |                                                     |                                                     |
| <b>rolltainer® 1460 FV   3-sided</b><br>► in the catalogue on page 16    | KB3A50101460CS03101                                                  |                                                     | ✓                                                      | ✓                                                        | ( ✓ )                                               | ( ✓ )                                                 |                                                     |                                                     |                                                     |
| <b>rolltainer® 1650 FV   3-sided</b><br>► in the catalogue on page 17    | KB3A50101650CS04101                                                  |                                                     | ✓                                                      | ✓                                                        | ( ✓ )                                               | ( ✓ )                                                 |                                                     |                                                     |                                                     |

✓ suitable combination  
( ✓ ) suitable combination with restrictions



# rolltainer® intermediate shelves

| assignment of loose intermediate shelves<br>in the rolltainer®                                      |                     | intermediate shelf<br>716 x 812<br>(RB 2-sided 724) | intermediate shelf<br>716 x 762 (RB2-<br>3-sided 724) | intermediate shelf<br>716x 762 ( 2- 3<br>sided 724) rec. | intermediate shelf<br>716 x 712 (RB<br>4-sided 724) | intermediate shelf<br>716x 762<br>(4- sided 724) rec. | intermediate shelf<br>674 x 812<br>(RB 2-sided 682) | intermediate shelf<br>674 x 762<br>(RB 3-sided 682) | intermediate shelf<br>674 x 712<br>(RB 4-sided 682) |
|-----------------------------------------------------------------------------------------------------|---------------------|-----------------------------------------------------|-------------------------------------------------------|----------------------------------------------------------|-----------------------------------------------------|-------------------------------------------------------|-----------------------------------------------------|-----------------------------------------------------|-----------------------------------------------------|
|                                                                                                     |                     | F70A02PEF33000                                      | E70A23PEF33000                                        | E70A23RCF39005                                           | E70A04PEF33000                                      | E70A04RCF39005                                        | E70B02PEF33000                                      | E70B03PEF33000                                      | E70B04PEF33000                                      |
| rolltainer® 1460 FV with one<br>foldable front panel   4-sided<br>► in the catalogue on page 16     | KB4A50101460CS03101 |                                                     |                                                       |                                                          | ✓                                                   | ✓                                                     |                                                     |                                                     |                                                     |
| rolltainer® 1650 FV with one<br>foldable front panel   4-sided<br>► in the catalogue on page 17     | KB4A50101650CS04101 |                                                     |                                                       |                                                          | ✓                                                   | ✓                                                     |                                                     |                                                     |                                                     |
| rolltainer® 1650 FV with two pivota-<br>ble front panels   4-sided<br>► in the catalogue on page 17 | KB4A50101650CS04201 |                                                     |                                                       |                                                          | ✓                                                   | ✓                                                     |                                                     |                                                     |                                                     |
| rolltainer® 1460 FV with one<br>pivotable front panel   4-sided<br>► in the catalogue on page 16    | KB4A50101460CS03301 |                                                     |                                                       |                                                          | ✓                                                   | ✓                                                     |                                                     |                                                     |                                                     |
| rolltainer® 1650 FV with one<br>pivotable front panel   4-sided<br>► in the catalogue on page 17    | KB4A50101650CS04301 |                                                     |                                                       |                                                          | ✓                                                   | ✓                                                     |                                                     |                                                     |                                                     |
| rolltainer® 1460 FV   2-sided<br>► in the catalogue on page 16                                      | MB2AC1460CS03101    | ✓                                                   | ✓                                                     | ✓                                                        | ( ✓ )                                               | ( ✓ )                                                 |                                                     |                                                     |                                                     |
| rolltainer® 1650 FV   2-sided<br>► in the catalogue on page 17                                      | MB2AC1650CS04101    | ✓                                                   | ✓                                                     | ✓                                                        | ( ✓ )                                               | ( ✓ )                                                 |                                                     |                                                     |                                                     |
| rolltainer® 1460 FV   3-sided<br>► in the catalogue on page 16                                      | MB3AC1460CS03101    |                                                     | ✓                                                     | ✓                                                        | ( ✓ )                                               | ( ✓ )                                                 |                                                     |                                                     |                                                     |
| rolltainer® 1650 FV   3-sided<br>► in the catalogue on page 17                                      | MB3AC1650CS04101    |                                                     | ✓                                                     | ✓                                                        | ( ✓ )                                               | ( ✓ )                                                 |                                                     |                                                     |                                                     |
| rolltainer® 1460 FV with one<br>foldable front panel   4-sided<br>► in the catalogue on page 16     | MB4AC1460CS03101    |                                                     |                                                       |                                                          | ✓                                                   | ✓                                                     |                                                     |                                                     |                                                     |
| rolltainer® 1650 FV with one<br>foldable front panel   4-sided<br>► in the catalogue on page 17     | MB4AC1650CS04101    |                                                     |                                                       |                                                          | ✓                                                   | ✓                                                     |                                                     |                                                     |                                                     |
| rolltainer® 1650 FV with two<br>pivotable front panels   4-sided<br>► in catalogue on page 17       | MB4AC1650CS04201    |                                                     |                                                       |                                                          | ✓                                                   | ✓                                                     |                                                     |                                                     |                                                     |
| rolltainer® 1460 FV   2-sided<br>► in the catalogue on page 16                                      | HB2AN1460CS03101    |                                                     |                                                       |                                                          | ✓                                                   | ✓                                                     |                                                     |                                                     |                                                     |
| rolltainer® 1650 FV   2-sided<br>► in the catalogue on page 17                                      | HB2AN1650CS04101    |                                                     |                                                       |                                                          | ✓                                                   | ✓                                                     |                                                     |                                                     |                                                     |
| rolltainer® 1460 FV   3-sided<br>► in the catalogue on page 16                                      | HB3AN1460CS03101    | ✓                                                   | ✓                                                     | ✓                                                        | ( ✓ )                                               | ( ✓ )                                                 |                                                     |                                                     |                                                     |
| rolltainer® 1650 FV   3-sided<br>► in the catalogue on page 17                                      | HB2AN1650CS04101    | ✓                                                   | ✓                                                     | ✓                                                        | ( ✓ )                                               | ( ✓ )                                                 |                                                     |                                                     |                                                     |
| rolltainer® 1460 FV   3-sided<br>► in the catalogue on page 16                                      | HB3AN1460CS03101    |                                                     | ✓                                                     | ✓                                                        | ( ✓ )                                               | ( ✓ )                                                 |                                                     |                                                     |                                                     |
| rolltainer® 1650 FV   3-sided<br>► in the catalogue on page 17                                      | HB3AN1650CS04101    |                                                     | ✓                                                     | ✓                                                        | ( ✓ )                                               | ( ✓ )                                                 |                                                     |                                                     |                                                     |

✓ suitable combination  
( ✓ ) suitable combination with restrictions



|                                                                 |                                                      |                                                           |                                                           |                                                                                 |                                                                                 |                                                   |                                                       |                                                       |                                                        |                                                       |                                       |             |                                                                                    |
|-----------------------------------------------------------------|------------------------------------------------------|-----------------------------------------------------------|-----------------------------------------------------------|---------------------------------------------------------------------------------|---------------------------------------------------------------------------------|---------------------------------------------------|-------------------------------------------------------|-------------------------------------------------------|--------------------------------------------------------|-------------------------------------------------------|---------------------------------------|-------------|------------------------------------------------------------------------------------|
| half plastic inter-<br>mediate shelf<br>made of E70A-<br>23PEF3 | half plastic inter-<br>mediate shelf<br>made of rec. | intermediate shelf<br>716 x 812 closed<br>version 2-sided | intermediate shelf<br>716 x 762 closed<br>version 3-sided | intermediate shelf<br>716 x 812 closed<br>version 2-sided<br>stainless steel FE | intermediate shelf<br>716 x 762 closed<br>version 3-sided<br>stainless steel FE | intermediate shelf<br>for ADB with<br>3 flat bars | intermediate shelf<br>steel (RB<br>2/3/4/5-sided 724) | intermediate shelf<br>wood (RB 2/3/4/5-<br>sided 724) | intermediate shelf<br>712 x 808 (RB<br>comfort system) | intermediate shelf<br>steel (RB<br>2/3/4/5-sided 682) | intermediate shelf<br>steel rollshelf | wire basket | intermediate shelf<br>steel 715 x 767 mm,<br>type FZ, with 30<br>mm anti-slip edge |
| E70H23PEF23000                                                  | E70H23RCF39005                                       | F71A02PEF37046                                            | F71A03PEF37046                                            | F71A02PEF37046E                                                                 | F71A03PEF37046E                                                                 | F73F05PEF37046                                    | ZBD725ADLC004                                         | ZBH660710F2                                           | W70A02PPF57004                                         | ZBD682ADLC008                                         | ZBD810RRMRC01                         | DK720C01    | ZBD715767MRKD                                                                      |
| ✓                                                               | ✓                                                    |                                                           |                                                           |                                                                                 |                                                                                 | ✓                                                 | ✓                                                     | ✓                                                     |                                                        |                                                       |                                       |             |                                                                                    |
| ✓                                                               | ✓                                                    |                                                           |                                                           |                                                                                 |                                                                                 | ✓                                                 | ✓                                                     | ✓                                                     |                                                        |                                                       |                                       |             |                                                                                    |
| ✓                                                               | ✓                                                    |                                                           |                                                           |                                                                                 |                                                                                 | ✓                                                 | ✓                                                     | ✓                                                     |                                                        |                                                       |                                       |             |                                                                                    |
| ✓                                                               | ✓                                                    |                                                           |                                                           |                                                                                 |                                                                                 | ✓                                                 | ✓                                                     | ✓                                                     |                                                        |                                                       |                                       |             |                                                                                    |
| ✓                                                               | ✓                                                    | ✓                                                         |                                                           |                                                                                 |                                                                                 | ✓                                                 | ✓                                                     | ✓                                                     | ✓                                                      |                                                       |                                       |             |                                                                                    |
| ✓                                                               | ✓                                                    | ✓                                                         |                                                           |                                                                                 |                                                                                 | ✓                                                 | ✓                                                     | ✓                                                     | ✓                                                      |                                                       |                                       |             |                                                                                    |
| ✓                                                               | ✓                                                    |                                                           | ✓                                                         |                                                                                 |                                                                                 | ✓                                                 | ✓                                                     | ✓                                                     |                                                        |                                                       |                                       |             |                                                                                    |
| ✓                                                               | ✓                                                    |                                                           | ✓                                                         |                                                                                 |                                                                                 | ✓                                                 | ✓                                                     | ✓                                                     |                                                        |                                                       |                                       |             |                                                                                    |
| ✓                                                               | ✓                                                    |                                                           |                                                           |                                                                                 |                                                                                 | ✓                                                 | ✓                                                     | ✓                                                     |                                                        |                                                       |                                       |             |                                                                                    |
| ✓                                                               | ✓                                                    |                                                           |                                                           |                                                                                 |                                                                                 |                                                   |                                                       |                                                       |                                                        |                                                       |                                       |             |                                                                                    |
| ✓                                                               | ✓                                                    |                                                           |                                                           |                                                                                 |                                                                                 | ✓                                                 | ✓                                                     | ✓                                                     |                                                        |                                                       |                                       |             |                                                                                    |
| ✓                                                               | ✓                                                    |                                                           |                                                           |                                                                                 |                                                                                 | ✓                                                 | ✓                                                     | ✓                                                     |                                                        |                                                       |                                       |             |                                                                                    |
| ✓                                                               | ✓                                                    | ✓                                                         |                                                           |                                                                                 |                                                                                 | ✓                                                 | ✓                                                     | ✓                                                     | ✓                                                      |                                                       |                                       |             |                                                                                    |
| ✓                                                               | ✓                                                    | ✓                                                         |                                                           |                                                                                 |                                                                                 | ✓                                                 | ✓                                                     | ✓                                                     | ✓                                                      |                                                       |                                       |             |                                                                                    |
| ✓                                                               | ✓                                                    | ✓                                                         | ✓                                                         |                                                                                 |                                                                                 | ✓                                                 | ✓                                                     | ✓                                                     | ✓                                                      |                                                       |                                       |             |                                                                                    |
| ✓                                                               | ✓                                                    |                                                           | ✓                                                         |                                                                                 |                                                                                 | ✓                                                 | ✓                                                     | ✓                                                     |                                                        |                                                       |                                       |             |                                                                                    |

# rolltainer® intermediate shelves

| assignment of loose intermediate shelves<br>in the rolltainer®                                                         |                     | intermediate shelf<br>716 x 812<br>(RB 2-sided 724) | intermediate shelf<br>716 x 762 (RB2-<br>3-sided 724) | intermediate shelf<br>716x 762 ( 2- 3<br>sided 724) rec. | intermediate shelf<br>716 x 712 (RB<br>4-sided 724) | intermediate shelf<br>716x 762<br>(4- sided 724) rec. | intermediate shelf<br>674 x 812<br>(RB 2-sided 682) | intermediate shelf<br>674 x 762<br>(RB 3-sided 682) | intermediate shelf<br>674 x 712<br>(RB 4-sided 682) |
|------------------------------------------------------------------------------------------------------------------------|---------------------|-----------------------------------------------------|-------------------------------------------------------|----------------------------------------------------------|-----------------------------------------------------|-------------------------------------------------------|-----------------------------------------------------|-----------------------------------------------------|-----------------------------------------------------|
|                                                                                                                        |                     | F70A02PEF33000                                      | E70A23PEF33000                                        | E70A23RCF39005                                           | E70A04PEF33000                                      | E70A04RCF39005                                        | E70B02PEF33000                                      | E70B03PEF33000                                      | E70B04PEF33000                                      |
| rolltainer® 1460 FV with one<br>foldable front panel   4-sided<br>► in the catalogue on page 16                        | HB4AN1460CS03101    |                                                     |                                                       |                                                          | ✓                                                   | ✓                                                     |                                                     |                                                     |                                                     |
| rolltainer® 1650 FV with one<br>foldable front panel   4-sided<br>► in the catalogue on page 17                        | HB4AN1650CS04101    |                                                     |                                                       |                                                          | ✓                                                   | ✓                                                     |                                                     |                                                     |                                                     |
| rolltainer® 1650 FV with two pivotable<br>front panels   4-sided<br>► in the catalogue on page 16                      | HB4AN1650CS04201    |                                                     |                                                       |                                                          | ✓                                                   | ✓                                                     |                                                     |                                                     |                                                     |
| rolltainer® 1460 FV with one pivotable<br>front panel   4-sided<br>► in the catalogue on page 17                       | HB4AN1460CS03301    |                                                     |                                                       |                                                          | ✓                                                   | ✓                                                     |                                                     |                                                     |                                                     |
| rolltainer® 1650 FV with one pivotable<br>front panel   4-sided<br>► in the catalogue on page 16                       | HB4AN1650CS04301    |                                                     |                                                       |                                                          | ✓                                                   | ✓                                                     |                                                     |                                                     |                                                     |
| rolltainer® rollshelf with three inter-<br>mediate shelves with 20° inclination  <br>3-sided ► in catalogue on page 18 | KRR3A50101600C104   |                                                     |                                                       |                                                          |                                                     |                                                       |                                                     |                                                     |                                                     |
| rolltainer® rollshelf with three inter-<br>mediate shelves with inclination  <br>3-sided ► in the catalogue on page 18 | KRR3A50101600C204   |                                                     |                                                       |                                                          |                                                     |                                                       |                                                     |                                                     |                                                     |
| rolltainer® 682 ADB 1600   3-sided<br>► in the catalogue on page 28                                                    | KAD3B50101600COZ101 |                                                     |                                                       |                                                          |                                                     |                                                       |                                                     |                                                     |                                                     |
| rolltainer® 682 ADB 1600   4-sided<br>► in the catalogue on page 28                                                    | KAD4B50101600COZ101 |                                                     |                                                       |                                                          |                                                     |                                                       |                                                     |                                                     |                                                     |
| rolltainer® 682 ADB 1600   5-sided<br>► in the catalogue on page 28                                                    | KAD5B50101600COZ101 |                                                     |                                                       |                                                          |                                                     |                                                       |                                                     |                                                     |                                                     |
| rolltainer® ADB 1600   3-sided<br>► in the catalogue on page 22                                                        | KAD3A50101600COZ101 |                                                     |                                                       |                                                          |                                                     |                                                       |                                                     |                                                     |                                                     |
| rolltainer® ADB 1350   3-sided<br>► in the catalogue on page 21                                                        | KAD3A50101350COZ101 |                                                     |                                                       |                                                          |                                                     |                                                       |                                                     |                                                     |                                                     |
| rolltainer® ADB 1020   3-sided<br>► in the catalogue on page 20                                                        | KAD3A50101020COZ101 |                                                     |                                                       |                                                          |                                                     |                                                       |                                                     |                                                     |                                                     |
| rolltainer® ADB 1600   4-sided<br>► in the catalogue on page 22                                                        | KAD4A50101600COZ101 |                                                     |                                                       |                                                          |                                                     |                                                       |                                                     |                                                     |                                                     |
| rolltainer® ADB 1350   4-sided<br>► in the catalogue on page 21                                                        | KAD4A50101350COZ101 |                                                     |                                                       |                                                          |                                                     |                                                       |                                                     |                                                     |                                                     |
| rolltainer® ADB 1020   4-sided<br>► in the catalogue on page 20                                                        | KAD5A50101600COZ101 |                                                     |                                                       |                                                          |                                                     |                                                       |                                                     |                                                     |                                                     |
| rolltainer® ADB 1600   5-sided<br>► in the catalogue on page 22                                                        | KAD4A50101020COZ101 |                                                     |                                                       |                                                          |                                                     |                                                       |                                                     |                                                     |                                                     |

✓ suitable combination  
 (✓) suitable combination with restrictions

[illegible]



# nestainer® intermediate shelves

| assignment of loose intermediate shelves<br>in the nestainer®      |                 | intermediate shelf<br>716 x 812<br>(RB 2-sided 724) | intermediate shelf<br>716 x 762<br>(RB2- 3-sided 724) | intermediate shelf<br>716x 762 (2- 3<br>sided 724) rec. | intermediate shelf<br>716 x 712<br>(RB 4-sided 724) | intermediate shelf<br>716x 762 (4- sided<br>724) rec. | intermediate shelf<br>674 x 812<br>(RB 2-sided 682) |
|--------------------------------------------------------------------|-----------------|-----------------------------------------------------|-------------------------------------------------------|---------------------------------------------------------|-----------------------------------------------------|-------------------------------------------------------|-----------------------------------------------------|
|                                                                    |                 | F70A02PEF33000                                      | E70A23PEF33000                                        | E70A23RCF39005                                          | E70A04PEF33000                                      | E70A04RCF39005                                        | F70A02PEF33000                                      |
| nestainer® Ergo 1460 S   2-sided<br>► in the catalogue on page 44  | N2700800CCOZ019 | ✓                                                   | ✓                                                     | ✓                                                       |                                                     |                                                       |                                                     |
| nestainer® Ergo 1460 S   3-sided<br>► in the catalogue on page 44  | N3700800CCOZ019 |                                                     | ✓                                                     | ✓                                                       |                                                     |                                                       |                                                     |
| nestainer® Ergo 1460 S   4-sided<br>► in the catalogue on page 44  | N4700800CCOZ019 |                                                     |                                                       |                                                         | ✓                                                   | ✓                                                     |                                                     |
| nestainer® ERGO 1460 S   2-seitig<br>► in the catalogue on page 52 | N2700800CCOZ019 | ✓                                                   | ✓                                                     | ✓                                                       |                                                     |                                                       |                                                     |
| nestainer® ERGO 1460 S   3-seitig<br>► in the catalogue on page 52 | N3700800CCOZ019 |                                                     | ✓                                                     | ✓                                                       |                                                     |                                                       |                                                     |
| nestainer® ERGO 1460 S   4-seitig<br>► in the catalogue on page 52 | N4700800CCOZ019 |                                                     |                                                       |                                                         | ✓                                                   | ✓                                                     |                                                     |

✓ suitable combination  
(✓) suitable combination with restrictions

|   |   |   |   |   |   |                |                                                                            |
|---|---|---|---|---|---|----------------|----------------------------------------------------------------------------|
| ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | E70A23PEF33000 | intermediate shelf<br>674 x 762<br>(RB 3-sided 682)                        |
|   |   |   |   |   |   | E70A04PEF33000 | intermediate shelf<br>674 x 712<br>(RB 4-sided 682)                        |
| ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | E70A04RCF39005 | half plastic intermediate shelf made of<br>E70A23PEF3                      |
| ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | F70A02PEF33000 | half plastic intermediate shelf made<br>of rec.                            |
|   |   |   |   |   |   | E70A23PEF33000 | intermediate shelf<br>716 x 812<br>closed version<br>2-sided               |
|   |   |   |   |   |   | E70A23RCF39005 | intermediate shelf<br>716 x 762<br>closed version<br>3-sided               |
|   |   |   |   |   |   | E70A04PEF33000 | intermediate shelf 716<br>x 812 closed version<br>2-sided stainl. steel FE |
|   |   |   |   |   |   | E70A04RCF39005 | intermediate shelf 716<br>x 762 closed version<br>3-sided stainl. steel FE |
| ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | F70A02PEF33000 | intermediate shelf for<br>ADB with 3 flat bars<br>without cutout           |
| ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | E70A23PEF33000 | intermediate shelf<br>steel<br>(RB 2/3/4/5-sided<br>724)                   |
| ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | E70A23RCF39005 | intermediate shelf<br>wood (RB 2/3/4/5-sided<br>724)                       |
|   |   |   | ✓ |   | ✓ | E70A04PEF33000 | intermediate shelf<br>712 x 808<br>(RB comfort system)                     |

# rolltainer® spare parts

|                |                     | side panel                                               |                   | back panel                                               |                   | 1 piece foldable                             |
|----------------|---------------------|----------------------------------------------------------|-------------------|----------------------------------------------------------|-------------------|----------------------------------------------|
| catalogue page | rolltainer article  | article name                                             | article number    | article name                                             | article number    | article name                                 |
| page 13        | rolltainer 1350 QP  | side panel 1350 powder coated, blue similar to RAL 5010  | SG1350790S0015010 | back panel 1340 powder coated, blue similar to RAL 5010  | RW1340650R0015010 |                                              |
|                | rolltainer 1350 QP  | side panel 1350 powder coated, green similar to RAL 6024 | SG1350790S0016024 | back panel 1340 powder coated, green similar to RAL 6024 | RW1340650R0016024 |                                              |
|                | rolltainer 1350 QP  | side panel 1350 powder coated, red similar to RAL 3000   | SG1350790S0013000 | back panel 1340 powder coated, red similar to RAL 3000   | RW1340650R0013000 |                                              |
| page 13        | rolltainer 1450 QP  | side panel 1450 powder coated, blue similar to RAL 5010  | SG1450790S0025010 | back panel 1440 powder coated, blue similar to RAL 5010  | RW1440650R0025010 |                                              |
|                | rolltainer 1450 QP  | side panel 1450 powder coated, green similar to RAL 6024 | SG1450790S0026024 | back panel 1440 powder coated, green similar to RAL 6024 | RW1440650R0026024 |                                              |
|                | rolltainer 1450 QP  | side panel 1450 powder coated, red similar to RAL 3000   | SG1450790S0023000 | back panel 1440 powder coated, red similar to RAL 3000   | RW1440650R0023000 |                                              |
| page 15        | rolltainer 1350 QV  | side panel 1350, Cr3                                     | SG1350790S001C    | back panel 1340, Cr3                                     | RW1340650R001C    |                                              |
|                | rolltainer 1450 QV  | side panel 1450, Cr3                                     | SG1450790S002C    | back panel 1440, Cr3                                     | RW1440650R002C    |                                              |
|                | rolltainer 1650 QV  | side panel 1650, Cr3                                     | SG1650790S104C    | back panel 1640, Cr3                                     | RW1640650R004C    |                                              |
| page 16        | rolltainer 1460 FV  | side panel 1460, Cr3                                     | SG1460790S003C    | back panel 1450, Cr3                                     | RW1450650R003C    | front panel 1440 foldable and pivotable, Cr3 |
| page 17        | rolltainer 1650 FV  | side panel 1650, Cr3                                     | SG1650790S004C    | back panel 1640, Cr3                                     | RW1640650R004C    | front panel 1640 foldable and pivotable, Cr3 |
| page 18        | rollshelf           | side panel rollshelf right, 20° inclination              | SG1600702RR01C    | back panel rollshelf, Cr3                                | RW1610735RR01C    |                                              |
|                |                     | side panel rollshelf left, 20° inclination               | SG1600702RL01C    |                                                          |                   |                                              |
| page 20        | rolltainer ADB 1020 | side panel ADB 1020 right, Cr3                           | ADB1020SGREC04    | back panel ADB 1020, Cr3                                 | ADB1020RWC04      |                                              |
|                |                     | side panel ADB 1020 left, Cr3                            | ADB1020SGLIC04    |                                                          |                   |                                              |
| page 21        | rolltainer ADB 1350 | side panel ADB 1350 right, Cr3                           | ADB1350SGREC04    | back panel ADB 1350, Cr3                                 | ADB1350RWC04      |                                              |
|                |                     | side panel ADB 1350 left, Cr3                            | ADB1350SGLIC04    |                                                          |                   |                                              |
| page 22        | rolltainer ADB 1600 | side panel ADB 1600 right, Cr3                           | ADB1600SGREC04    | back panel ADB 1600, Cr3                                 | ADB1600RWC04      |                                              |
|                |                     | side panel ADB 1600 left, Cr3                            | ADB1600SGLIC04    |                                                          |                   |                                              |
| page 23        | rolltainer ADB 1600 | side panel ADB 1600 right, Cr3                           | ADB1600SGREC15    | back panel ADB 1600, Cr3                                 | ADB1600RWC04      |                                              |
|                |                     | side panel ADB 1600 left, Cr3                            | ADB1600SGLIC15    |                                                          |                   |                                              |

- ✓ suitable combination
- (✓) suitable combination with restrictions



| front panel    |                                           |                |                                    |                | roof               |                |
|----------------|-------------------------------------------|----------------|------------------------------------|----------------|--------------------|----------------|
| and pivotable  | 2-part pivotable                          |                | 1 piece pivotable                  |                |                    |                |
| article number | article name                              | article number | article name                       | article number | article name       | article number |
|                |                                           |                |                                    |                |                    |                |
|                |                                           |                |                                    |                |                    |                |
|                |                                           |                |                                    |                |                    |                |
|                |                                           |                |                                    |                |                    |                |
|                |                                           |                |                                    |                |                    |                |
|                |                                           |                | front panel 1350<br>one piece, Cr3 | VW1305650F801C |                    |                |
|                |                                           |                | front panel 1450<br>one piece, Cr3 | VW1305650F801C |                    |                |
|                |                                           |                | front panel 1650<br>one piece, Cr3 | VW1640650F204C |                    |                |
| VW1440650F103C |                                           |                | front panel 1440<br>one piece, Cr3 | VW1440650F203C |                    |                |
| VW1640650F104C | front panel 1640 2-part<br>pivotable, Cr3 | VW1640650F304C | front panel 1640<br>one piece, Cr3 | VW1640650F204C |                    |                |
|                |                                           |                |                                    |                |                    |                |
|                |                                           |                |                                    |                |                    |                |
|                |                                           |                | door ADB 1020 one piece,<br>Cr3    | ADB1020TÜC04   | roof ADB 1020, Cr3 | ADB1600DAC04   |
|                |                                           |                |                                    |                |                    |                |
|                |                                           |                | door ADB 1350 one piece,<br>Cr3    | ADB1350TÜC04   | roof ADB 1350, Cr3 | ADB1600DAC04   |
|                |                                           |                |                                    |                |                    |                |
|                |                                           |                | door ADB 1600 one piece,<br>Cr3    | ADB1600TÜC04   | roof ADB 1600, Cr3 | ADB1600DAC04   |
|                |                                           |                |                                    |                |                    |                |
|                | door ADB 1600 oben, Cr3                   | ADB1600TÜOTC15 |                                    |                | roof ADB 1600, Cr3 | ADB1600DAC04   |
|                | door ADB 1600 unten, Cr3                  | ADB1600TÜUTC15 |                                    |                |                    |                |

# rolltainer® spare parts

|                |                                    | side panel                     |                 | back panel                 |                 | 1 piece foldable                             |
|----------------|------------------------------------|--------------------------------|-----------------|----------------------------|-----------------|----------------------------------------------|
| catalogue page | rolltainer article                 | article name                   | article number  | article name               | article number  | article name                                 |
| page 25        | ADB 1600 special application       | on request                     |                 | on request                 |                 |                                              |
| page 24        | rolltainer ADB 1600 "the disposer" | side panel ADB 1600 right, Cr3 | ADB1600SGREC16  | back panel ADB 1600, Cr3   | ADB1600RWC16    |                                              |
|                |                                    | side panel ADB 1600 left, Cr3  | ADB1600SLIC16   |                            |                 |                                              |
| page 26        | rolltainer 682 1460                | side panel 1460, Cr3           | SG1460790S003C  | back panel 1450, Cr3       | RW1450667R003C  |                                              |
|                | rolltainer 682 1650                | side panel 1650, Cr3           | SG1650790S004C  | back panel 1640, Cr3       | RW1640667R004C  |                                              |
| page 28        | rolltainer 682 ADB 1600            | side panel ADB 1600 right, Cr3 | ADB1600SGREC08  | back panel ADB 1600, Cr3   | ADB1600RWC08    |                                              |
|                |                                    | side panel ADB 1600 left, Cr3  | ADB1600SLIC08   |                            |                 |                                              |
| page 29        | rolltainer 682 1500 F              | side panel 1500 hot-dipped     | SG1500790S000HD | back panel 1440 hot-dipped | RW1440620R000HD | front panel 1448 foldable, hot-dipped        |
| page 44        | rolltainer BASIC                   | side panel 1350, Cr3           | SG1350790S0C8C  | back panel 1340, Cr3       | RW1340704R0C8C  | front panel 1292 foldable and pivotable, Cr3 |
| page 46        | rolltainer ADB Basic               | side panel ADB 1600 right, Cr3 | ADB1600SGREC    | back panel ADB 1600, Cr3   | ADB1600RWC      |                                              |
|                |                                    | side panel ADB 1600 left, Cr3  | ADB1600SLIC     |                            |                 |                                              |

| spare parts                                                  |        |
|--------------------------------------------------------------|--------|
| plastic clamp for ø 22 mm round tube incl. mounting material | SETK01 |
| plastic hinge for ø 22 mm round tube incl. mounting material | SETK02 |
| plastic hinge inclined ø 22er tube incl. screw and nut       | SETK03 |
| plastic clamp ø 20er tube incl. screw and nut                | SETK04 |
| plastic hinge ø 20er tube incl. screw M8                     | SETK05 |

- ✓ suitable combination
- (✓) suitable combination with restrictions

| front panel     |                          |                |                                 |                | roof              |                |
|-----------------|--------------------------|----------------|---------------------------------|----------------|-------------------|----------------|
| and pivotable   | 2-part pivotable         |                | 1 piece pivotable               |                |                   |                |
| article number  | article name             | article number | article name                    | article number | article name      | article number |
|                 |                          |                | on request                      |                | on request        |                |
|                 | door ADB 1600 oben, Cr3  | ADB1600TÜOTC16 |                                 |                |                   |                |
|                 | door ADB 1600 unten, Cr3 | ADB1600TÜUTC16 |                                 |                |                   |                |
|                 |                          |                |                                 |                |                   |                |
|                 |                          |                |                                 |                |                   |                |
|                 |                          |                | door ADB 1600 one piece, Cr3    | ADB1600TÜC08   | roof ADB 1600 Cr3 | ADB1600DAC08   |
|                 |                          |                |                                 |                |                   |                |
| VW1448620F000HD |                          |                |                                 |                |                   |                |
| VW1292686F0C8C  |                          |                | front panel 1280 one piece, Cr3 | VW1280686F1C8C |                   |                |
|                 |                          |                | door ADB 1600 one piece, Cr3    | ADB1600TÜC     | roof ADB 1600 Cr3 | ADB1600DAC     |
|                 |                          |                |                                 |                |                   |                |



# Our products at a glance

## rolltainer®

|                                                       |    |
|-------------------------------------------------------|----|
| Accessories – intermediate shelf                      | 38 |
| Base                                                  | 9  |
| Base BASIC                                            | 45 |
| Base with push handle                                 | 33 |
| Plastic base special                                  | 34 |
| rolltainer® 1350 / 1450                               | 13 |
| rolltainer® 1350 / 1450 / 1650                        | 14 |
| rolltainer® 1460                                      | 16 |
| rolltainer® 1650                                      | 17 |
| rolltainer® 675 1460 / 1650                           | 30 |
| rolltainer® 682 1350                                  | 27 |
| rolltainer® 682 1460 / 1650                           | 26 |
| rolltainer® 682 1500 FH                               | 29 |
| rolltainer® 682 ADB 1600                              | 28 |
| rolltainer® 1590 KU                                   | 35 |
| rolltainer® ADB 1020                                  | 20 |
| rolltainer® ADB 1350                                  | 21 |
| rolltainer® ADB 1600                                  | 22 |
| rolltainer® ADB 1600 with foldable intermediate shelf | 23 |
| rolltainer® ADB 1600 "the disposer"                   | 24 |
| rolltainer® ADB BASIC                                 | 46 |
| rolltainer® ADB special applications                  | 25 |
| rolltainer® BASIC                                     | 44 |
| rolltainer® hygienic stainless steel                  | 31 |
| rolltainer® rollshelf 1600                            | 18 |
| rolltainer® Special                                   | 32 |
| rolltainer® with comfort system                       | 40 |
| rolltainer® with double clamping                      | 37 |
| rolltainer® with plug-in system                       | 6  |

## nestainer®

|                                       |    |
|---------------------------------------|----|
| nestainer® 1450                       | 54 |
| nestainer® 1630                       | 55 |
| nestainer® ADB 1450                   | 56 |
| nestainer® ADB 1600 ME, 800 x 1200 mm | 58 |
| nestainer® ADB 1600                   | 57 |
| nestainer® ERGO 1460 K                | 50 |
| nestainer® ERGO 1460 S                | 52 |
| nestainer® ERGO 1570 S „light“        | 53 |
| nestainer® ERGO Fold                  | 60 |
| nestainer® with pendulum rod          | 61 |

|                                |    |
|--------------------------------|----|
| nestainer® -L KU 800 x 1100 mm | 59 |
|--------------------------------|----|

## Steel roll containers

|                                              |    |
|----------------------------------------------|----|
| Ball cart , 610 x 1040 mm                    | 72 |
| Mesh stacking frame VZ on steel base         | 83 |
| Steel roll container 1600, 950 x 1350 mm     | 68 |
| Steel roll container 1490, 600 x 600 mm      | 65 |
| Steel roll container 1600, 800 x 1200 mm     | 66 |
| Steel roll container 1600, 800 x 1200 mm     | 76 |
| Steel roll container 1600, 800 x 1600 mm     | 69 |
| Steel roll container 1650, 600 x 800 mm      | 73 |
| Steel roll container 1665, 460 x 640 mm      | 64 |
| Steel roll container 620 x 1500 mm           | 70 |
| Steel roll container ADB 1600, 800 x 1200 mm | 74 |
| Picking cart L                               | 80 |
| Picking cart M                               | 78 |
| Picking cart S                               | 77 |
| Picking cart XL                              | 82 |

## Laundry containers

|                                  |    |
|----------------------------------|----|
| Accessories – Laundry containers | 98 |
| Laundry containers 600 x 720 mm  | 87 |
| Laundry containers 600 x 740 mm  | 88 |
| Laundry containers 600 x 810 mm  | 89 |
| Laundry containers 710 x 810 mm  | 96 |
| Laundry containers 720 x 810 mm  | 90 |
| Laundry containers 825 x 738 mm  | 94 |
| Laundry containers 875 x 650 mm  | 86 |
| Laundry containers 875 x 675 mm  | 95 |
| Laundry containers 1185 x 503 mm | 97 |
| Laundry containers 1590 / 1600   | 92 |
| Laundry containers 1600          | 93 |

## rolldolly®

|                                       |     |
|---------------------------------------|-----|
| Adapter pallet INDUSTRY 1200 x 800 mm | 121 |
| Drawbar and coupling set              | 123 |
| Furniture Dolly                       | 118 |
| Lid KU                                | 119 |
| Pallet carrier and stacking frame     | 122 |
| rolldolly® ALU                        | 114 |

|                                          |     |
|------------------------------------------|-----|
| rolldolly® BASIC                         | 125 |
| rolldolly® CLASSIC & FAVORIT             | 109 |
| rolldolly® FLEX                          | 112 |
| rolldolly® INDUSTRY chassis 400 x 600 mm | 120 |
| rolldolly® LIGHT                         | 108 |
| rolldolly® STAINLESS STEEL               | 116 |
| rolldolly® STEEL                         | 117 |
| rolldolly® Tower ME 1035                 | 115 |
| rolldolly® XL CLASSIC & FAVORIT          | 110 |

## Cargo systems

|                                                |     |
|------------------------------------------------|-----|
| Angle frame for pallets and pallet cages       | 137 |
| Big Boxes                                      | 142 |
| Buckets and bins                               | 149 |
| Disposal container on wooden or plastic pallet | 132 |
| Europallet and europallet roller               | 128 |
| Insulated Container                            | 138 |
| Mesh stacking frame PB                         | 129 |
| Mesh stacking frame VZ                         | 130 |
| PalletEdge and PalletStack Pro                 | 135 |
| Plastic pallets                                | 146 |
| SteelBox Basic and SteelBox Pro                | 136 |
| Wire mesh container ME                         | 131 |
| Wooden stacking frame                          | 134 |

## Special applications

|                       |     |
|-----------------------|-----|
| EasyGo One            | 156 |
| EasyGo Premium Medium | 156 |
| S-Dozer               | 157 |
| Translet Walker       | 175 |

## Wheels and castors

|                                                   |     |
|---------------------------------------------------|-----|
| AAB5 alu / polyurethane brown ø 100 mm / ø 125 mm | 170 |
| AAE2 alu / elastic grey ø 100 mm / ø 125 mm       | 169 |
| AAU5 alu / polyurethane brown ø 100 mm / ø 125 mm | 169 |
| M6N2 polyamide sandwich ø 100 mm / ø 125 mm       | 167 |
| N0N0 polyamide white (V2A) ø 100 mm / ø 125 mm    | 171 |
| N0N0 polyamide white ø 100 mm / ø 125 mm          | 165 |
| N0N0 polyamide white ø 108 mm                     | 164 |

|                                                           |     |
|-----------------------------------------------------------|-----|
| N2U6 polyamide / polyurethane red (V2A) ø 100 / 125 mm    | 171 |
| N2U6 polyamide / polyurethane red ø 100 mm / ø 125 mm     | 167 |
| N4B5 polyamide / polyurethane brown ø 100 mm / ø 125 mm   | 170 |
| P0P0 polypropylene white ø 100 mm / ø 125 mm              | 165 |
| P0P0 polypropylene white ø 108 mm                         | 164 |
| P2G2 polypropylene / thermopl. rubber ø 100 mm / ø 125 mm | 168 |
| P2W2 polypropylene / thermopl. rubber ø 100 mm            | 168 |
| R4E1 polyamide / elastic blue ø 100 mm / ø 125 mm         | 166 |
| R4E2 polyamide / elastic grey ø 100 mm / ø 125 mm         | 166 |

## Accessories

|                                                             |     |
|-------------------------------------------------------------|-----|
| Back panel frame ME                                         | 182 |
| Clothes rail ME                                             | 182 |
| Document holder KU for rolltainer®                          | 182 |
| Drawbar and coupling set, Cr 3                              | 184 |
| Foil compactor, Cr 3                                        | 184 |
| Forklift entry lugs for roll container                      | 184 |
| gummitex®                                                   | 185 |
| Handle set for steel roll container with ø 22 mm round tube | 181 |
| Handle set for steel roll container with square tube 22 mm  | 181 |
| One-way cover for rolltainer® 724 x 815 mm                  | 178 |
| Picking board with clip board, Cr 3                         | 183 |
| Protective covers                                           | 178 |
| Rubber strap                                                | 185 |
| Securing grid for rolltainer®                               | 174 |
| Sheet metal board for rolltainer® side panel                | 183 |
| Sheet metal board with laser writing, Cr 3, retrofittable   | 183 |
| tainergrip® for permanent installation                      | 180 |
| tainerlift for rolltainer®                                  | 177 |
| tainergrip® for side panel with flat bars                   | 180 |
| tainergrip® for side panels with lateral tube               | 180 |
| Textile strap                                               | 185 |
| Thermal cover for rolltainer® 724 x 815 mm                  | 179 |

The information in this catalogue was compiled and examined carefully. However, errors and misprints, principally technical changes through further development and improvement of our products, are excepted. Images and illustrations are sometimes only similar or illustrative and show possible options. Displayed equipment and features are not necessarily included in the delivery scope.

Any partial reprint or duplication of the catalogue is only permitted with the explicit written permission of FEIL rolltainer GmbH. All information in this catalogue such as texts, illustrations, documents and descriptions are subject to copyright and to the proprietary notice restricting the utilization of such documents and products according to DIN ISO 16016. All rights reserved.



FEIL rolltainer GmbH

Hankerfeld 8  
59602 Rùthen  
Germany

phone: +49 2952 - 970958-80  
fax: +49 2952 - 970958-29

e-mail: [info@feil.eu](mailto:info@feil.eu)  
web: [www.feil.eu](http://www.feil.eu)