

Innovative drives
FOR YOUR ROLLTAINER



EasyGo PREMIUM MEDIUM

electric drive with 2x PU wheels, foamed Ø 200 mm

- Load capacity: 500 kg
- Batteries: 20Ah / AGM (The special absorbent glass mat (AGM) absorbs the entire acid in the battery, ensuring a high cycle stability. Thus the battery can be repeatedly charged and discharged without any loss of performance.)
- Charger - Charging time: 2.5 A, 24V – 6 hours
- Driving time up to 10 km (on level ground without incline)
- Engine power: 350 W
- Weight with battery: 32 kg
- Speed infinitely variable: 1 – 5.5 km/h
- External dimensions: 575 x 380 x 230 mm (w x l x h)
- Delivery with remote control possible for an additional charge



S-DOZER

Pulling tractor with pneumatic tyres Ø 260 mm


- Load capacity: 450 kg
- Batteries: 20 Ah / AGM
- Charger - Charging time: 2.5 A, 24 V – 6 hours
- Lifting function with electric linear drive: max. stroke: 150 mm, min. ground clearance: 130 mm
- Driving time up to 10 km (on level ground without incline)
- Engine power: 350 W
- Weight with battery: 90 kg
- Speed 3.5 – 6 km/h (turtle / rabbit)
- External dimensions: 600 x 530 x 1220 mm (w x l x h)
- Delivery with remote control possible for an additional charge



EasyGo ONE

electr. drive with one elastic wheel

- Load capacity: 400 kg
- Batteries: 9Ah / AGM
- Charger - Charging time: 2.5 A, 24V – 6 hours
- Driving time up to 5 km (on level ground without slope)
- Engine power: 250 W
- Weight with battery: 10 kg
- Speed infinitely variable: 1 – 4.5 km/h
- External dimensions: 780 x 260 x 156 mm (w x l x h)
- Delivery with remote control possible for an additional charge



Translet Walker

Stand-up tractor with 3x pneumatic tyres Ø 260 mm

- Load capacity: 125 kg
- Traction: 750 kg
- Batteries: 20 Ah / AGM
- Charger - Charging time: 7 A, 24 V – 6 hours
- Driving time up to 10 km (on level ground without incline)
- Speed max. 10 km/h
- Turning radius: 750 mm
- Engine power: 1.200 W
- Weight with battery: 90 kg
- External dimensions: 673 x 935 x 1.270 mm (w x l x h)





FEIL rolltainer GmbH
Hankerfeld 8
59602 R then / Germany
phone: +49 2952 97095880
rolltainer@feil.eu
www.feil.eu